



[Manuals.plus](#) /

> [MYPET](#) /

> MYPET North States Paws Portable Pet Gate Model 8871 Instruction Manual

MYPET 8871

MYPET North States Paws Portable Pet Gate Model 8871 Instruction Manual

Model: 8871 | Brand: MYPET

INTRODUCTION

This manual provides detailed instructions for the safe and proper installation, operation, and maintenance of your MYPET North States Paws Portable Pet Gate, Model 8871. This pressure-mounted gate is designed to create a secure barrier for pets in doorways and other openings, accommodating widths from 26 to 40 inches and standing 23 inches tall. Please read all instructions carefully before use and retain this manual for future reference.

IMPORTANT SAFETY INFORMATION

- **WARNING:** To prevent serious injury or death, securely install gate and use according to manufacturer's instructions.
- Never use this gate with a child. This product is intended for pet use only.
- Always ensure the gate is securely mounted and adjusted before leaving your pet unattended.
- Do not use this gate at the top of stairs. It is designed for use in doorways and between rooms.
- Regularly check all parts for wear, damage, or missing components. Discontinue use if any part is damaged or missing.
- This gate is not a substitute for adult supervision.
- Keep small parts away from children and pets during assembly.

PACKAGE CONTENTS

Verify that all components are present before beginning installation.

- (1) MYPET North States Paws Portable Pet Gate (Preassembled)



Image: The complete MYPET North States Paws Portable Pet Gate, featuring a light gray finish and decorative paw print cutouts.

SETUP AND INSTALLATION

The MYPET Paws Portable Pet Gate features a pressure-mount design, requiring no tools for installation. It is designed for quick and easy setup in doorways or openings.

Step 1: Measure Your Opening

Ensure your doorway or opening is between 26 inches and 40 inches wide. The gate is 23 inches tall.




Image: Visual representation of the gate's dimensions, indicating it is 23 inches tall and fits openings from 26 to 40 inches wide.

Step 2: Position the Gate

Place the gate within the opening where you intend to install it. The rubber bumpers on the ends of the gate are designed to protect your walls and accommodate molding up to 4 inches.

MADE IN
USA




Image: Detail of the gate's no-mar rubber bumpers, highlighting their function in protecting surfaces and fitting over molding.

Step 3: Expand and Secure the Gate

1. Grasp the sturdy, curved handle located on the gate.
2. Slide the gate panels outwards until the rubber bumpers make firm contact with both sides of the doorway or opening.
3. Once the gate is expanded to the desired width, push the handle down to engage the locking mechanism. This will apply pressure, securing the gate in place.
4. Ensure the gate is stable and cannot be easily dislodged by pushing or pulling on it. Adjust as necessary.



Curved handle allows for a firm and comfortable grip when locking in place

Image: The curved handle, designed for a firm and comfortable grip during locking and unlocking.





No-mar rubber bumpers protect surfaces and accommodate up to 4" molding.

Image: A person demonstrating the installation of the pressure-mounted gate in a doorway.

Pressure Mount

No tools
required



Easy Install
Ideal for
between rooms
and doorways.

Image: A diagram showing the pressure mount mechanism, indicating no tools are required for installation.

OPERATING INSTRUCTIONS

To Open/Remove the Gate:

1. Grasp the curved handle firmly.
2. Lift the handle upwards to release the pressure-mount locking mechanism.
3. Gently push the gate panels inwards to retract the gate, allowing for easy removal from the doorway.

The portable design allows for quick relocation and storage as needed.



Image: A person easily removing the gate from a doorway, showcasing its portable nature.

MAINTENANCE

- **Cleaning:** Clean the gate with mild soap and warm water. Do not use abrasive cleaners or harsh chemicals, as these may damage the plastic.
- **Inspection:** Periodically inspect the gate for any signs of wear, damage, or loose components. Ensure the rubber bumpers are intact and providing adequate grip.
- **Storage:** When not in use, retract the gate to its smallest size and store in a dry place away from direct sunlight.

TROUBLESHOOTING

Problem	Possible Cause	Solution
Gate is not secure or falls over easily.	Insufficient pressure applied; gate not fully expanded; opening too wide.	Ensure the gate is fully expanded to fit the opening and the handle is pushed down firmly to engage the pressure lock. Verify the opening width is within 26-40 inches.
Difficulty locking or unlocking the handle.	Gate panels are not aligned; mechanism is stiff.	Ensure the gate panels are aligned properly before attempting to lock/unlock. Apply gentle, firm pressure. If stiff, ensure no debris is obstructing the mechanism.
Gate leaves marks on walls.	Excessive pressure; dirty rubber bumpers.	Adjust pressure to be firm but not excessive. Clean rubber bumpers regularly. Ensure walls are clean before installation.

SPECIFICATIONS

Model: 8871

Brand: MYPET (North States Industries Pets)

Mounting Type: Pressure Mount

Material: Plastic

Color: Light Gray

Height: 23 inches

Width Range: 26 - 40 inches

Item Weight: 5 pounds

Product Dimensions: 23 x 2.5 x 25 inches (collapsed)

UPC: 767870201868, 026107086259, 827165740677, 026107088710

Age Range (Description): All Life Stages (for pets)

WARRANTY AND SUPPORT

Warranty: This product comes with a 1-year warranty from the date of purchase. Please retain your proof of purchase for warranty claims.

For technical support, replacement parts, or warranty inquiries, please contact MYPET customer service.

Refer to the official MYPET website for current contact information.

You can visit the official MYPET store for more information:[MYPET Store on Amazon](#)