

[Manuals.plus](#) /

› [ToughBuilt](#) /

› ToughBuilt Miter Saw Stand Instruction Manual

ToughBuilt TB-S550-7BES

ToughBuilt Miter Saw Stand Universal Tool Mounts (124 In)

Model: TB-S550-7BES | Brand: ToughBuilt

INTRODUCTION

Thank you for choosing the ToughBuilt Miter Saw Stand Universal Tool Mounts. This stand is engineered for high performance, offering a robust and versatile solution for both home users and tradesmen. Designed for universal compatibility with most miter saws, it provides a stable and efficient workspace, enhancing productivity and safety.



Image: The ToughBuilt Miter Saw Stand in its fully assembled and extended configuration, ready for use.

SETUP AND ASSEMBLY

The ToughBuilt Miter Saw Stand is designed for quick and easy setup. Follow these steps for initial assembly and deployment:

1. Unfolding the Stand

Carefully unfold the legs of the stand. Ensure all quick-release leg locks engage securely to provide a stable base. The robust construction ensures stability even on uneven terrain.



Image: A user demonstrating the unfolding process of the miter saw stand, highlighting its ease of deployment.

2. Attaching Your Miter Saw

The stand features universal tool mounts compatible with most brands of miter saws. Position your miter saw onto the mounts and secure it using the quick-release tool mount twist locks. These locks are designed for rugged use and ensure your saw remains firmly in place during operation.



Image: A close-up view of a miter saw being securely attached to the stand's universal tool mounts, demonstrating the quick-release mechanism.

OPERATING INSTRUCTIONS

Maximize the efficiency of your ToughBuilt Miter Saw Stand with its intuitive features:

1. Extending Material Supports

The stand includes four material supports that extend up to 124 inches, providing ample support for long workpieces. Simply pull out the supports to the desired length and secure them. The material support pegs allow for safe and simple storage of materials off the ground.




Image: An annotated diagram showcasing the extendable material supports, quick-release tool mounts, and heavy-duty steel construction of the stand.

2. Quick-Release Tool Mounts

The quick-release tool mounts allow your miter saw to be easily removed from the stand for off-stand use or storage. Simply disengage the locks and lift the saw. This feature enhances versatility and portability.



Image: A detailed view of the quick-release tool mount, demonstrating how to engage and disengage the locking mechanism.

3. Portability and Storage

When not in use, the stand can be folded for compact storage and easy transport. The rugged 8.3-inch rubber tires roll effortlessly over rough terrain, ensuring stable and flat movement. Simply fold the legs and use the integrated handle to wheel the stand to your desired location.






Image: A user easily transporting the folded miter saw stand using its integrated wheels, showcasing its portability.

MAINTENANCE

To ensure the longevity and optimal performance of your ToughBuilt Miter Saw Stand, regular maintenance is recommended:

- **Cleaning:** Regularly wipe down the stand with a damp cloth to remove sawdust, dirt, and debris. Avoid using harsh chemicals that may damage the finish.

- **Lubrication:** Periodically apply a light lubricant to moving parts, such as the leg hinges and extension mechanisms, to ensure smooth operation.
- **Fastener Check:** Inspect all bolts, screws, and fasteners regularly. Tighten any that may have loosened during use to maintain structural integrity.
- **Wheel Inspection:** Check the rubber tires for wear and tear. Ensure they are free from punctures or damage that could affect mobility.

TROUBLESHOOTING

If you encounter any issues with your ToughBuilt Miter Saw Stand, refer to the following common solutions:

Problem	Possible Cause	Solution
Stand feels unstable or wobbly	Legs not fully locked or uneven surface.	Ensure all quick-release leg locks are fully engaged. Adjust the stand on a level surface or use shims if necessary.
Material supports are difficult to extend/retract	Accumulation of dust/debris or lack of lubrication.	Clean the extension rails thoroughly. Apply a silicone-based lubricant to the sliding mechanisms.
Miter saw not secure on mounts	Tool mount twist locks not fully tightened.	Ensure the quick-release tool mount twist locks are fully tightened. Verify the saw's base is properly seated on the mounts.
Difficulty folding the stand	Leg locks not disengaged or obstruction.	Ensure all quick-release leg locks are disengaged. Check for any obstructions preventing the legs from folding completely.

SPECIFICATIONS

Feature	Detail
Brand	ToughBuilt
Model Number	TB-S550-7BES
Product Dimensions	24.41"L x 61.42"W x 13.39"H (Folded)
Extended Material Support Length	Up to 124 Inches
Item Weight	8 ounces
Color	Black
Material	Metal / Plastic
Special Features	Universal compatibility, Proven reliable ToughBuilt technology
Country of Origin	China

WARRANTY AND SUPPORT

The ToughBuilt Miter Saw Stand comes with a **Limited Warranty**. For specific details regarding your warranty coverage, please refer to the documentation included with your purchase or visit the official ToughBuilt website.

For customer support, technical assistance, or inquiries about replacement parts, please contact ToughBuilt customer service through their official channels. You can often find contact information on the product packaging or the manufacturer's website.

Return Policy: This product is eligible for a 30-day easy return policy from Amazon, offering a refund or replacement.

ASK A QUESTION ABOUT THIS MANUAL

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. [Privacy details](#).

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question