Saved from manuals.plus.
Open the live page for links to other documents and user manuals.

JOHNCOO Titan MT200L

JOHNCOO Titan MT200L Baitcasting Reel User Manual

Heavy Duty Left Hand Baitcasting Reel for Saltwater and Freshwater Fishing

1. Product Overview

The JOHNCOO Titan MT200L Baitcasting Reel is engineered for robust performance in both saltwater and freshwater environments. Featuring a durable aluminum body and graphite side covers, this reel is designed for big game fishing with a maximum drag power of 13 Kgs (28 lbs). Its 7.1:1 gear ratio and 11+1 ball bearings ensure smooth operation and reliable retrieval.



Figure 1: JOHNCOO Titan MT200L Left Hand Baitcasting Reel.

Key Features:

- **High Max Drag:** 13 Kgs (28 lbs) for handling large fish.

- **Smooth Performance:** 11+1 ball bearings and a 7.1:1 gear ratio.
- **Durable Construction:** Aluminum body and graphite side covers for enhanced longevity.
- **Versatile Use:** Corrosion-resistant components suitable for both saltwater and freshwater fishing.
- **Precision Engineering:** Machined brass gear and reliable brake system for consistent operation.

2. Setup Instructions

2.1 Unboxing and Inspection

Carefully remove the reel from its packaging. Inspect for any visible damage or missing components. The package should include the reel and a user guide.



Figure 2: JOHNCOO Titan MT200L Baitcasting Reel and packaging contents.

2.2 Mounting the Reel

1. Align the reel foot with the reel seat on your fishing rod.
2. Tighten the reel seat nut securely to prevent any movement during casting or retrieval.

2.3 Spooling Fishing Line

1. Pass the fishing line through the rod guides, starting from the tip.
2. Tie the line to the reel spool using an arbor knot or a similar secure knot. Ensure the knot is tight.
3. Close the bail (if applicable) or engage the line guide.
4. Maintain light tension on the line as you reel it onto the spool. Fill the spool to approximately 1/8 inch (3mm) from the rim to prevent tangles and maximize casting distance.



Figure 3: Spool dimensions for line capacity reference.

3. Operating Instructions

3.1 Adjusting the Drag System

The star drag system controls the tension on the line when a fish pulls. Turn the star-shaped knob clockwise to increase drag and counter-clockwise to decrease it. Set the drag to approximately one-third of your line's breaking strength.

3.2 Adjusting the Spool Tension (Cast Control)

The spool tension knob (located on the side opposite the handle) controls the speed at which the spool rotates during a cast. Adjust it so that your lure falls slowly and steadily when the thumb bar is pressed, without the spool overrunning. This helps prevent backlashes.

3.3 Casting

1. Press the thumb bar to disengage the spool.
2. Hold the lure at a comfortable distance from the rod tip.
3. Make a smooth casting motion. As the rod moves forward, release your thumb from the spool to allow the line to fly.
4. Lightly feather the spool with your thumb as the lure approaches the target to slow it down and prevent backlashes.
5. Engage the reel by turning the handle or pressing the thumb bar again.

3.4 Retrieving

Turn the handle to retrieve the line. The line guide will move back and forth, evenly distributing the line on the spool. Maintain a steady retrieve speed appropriate for your lure and fishing technique.

Your browser does not support the video tag.

Video 1: Demonstration of the JOHNCOO Titan Baitcasting Reel's features and operation. This video showcases the reel's design, smooth action, and key components.

4. Maintenance

Proper maintenance will extend the life and performance of your JOHNCOO Titan Baitcasting Reel.

4.1 Cleaning

- After each use, especially in saltwater, rinse the reel with fresh water. Do not submerge the reel.
- Wipe the reel dry with a soft cloth.
- Use a cotton swab to clean hard-to-reach areas and remove any dirt or debris.

4.2 Lubrication

- Periodically apply a small amount of reel oil to moving parts such as the handle knobs, worm gear, and spool shaft.
- Apply reel grease to the main gears if you disassemble the reel for deeper cleaning. Refer to a professional if unsure about disassembly.

4.3 Storage

Store the reel in a dry, cool place away from direct sunlight. Loosen the drag completely before storage to prevent compression of the drag washers.

5. Troubleshooting

Problem	Possible Cause	Solution
Frequent Backlashes	Spool tension too loose, improper casting technique, or magnetic brake setting too low.	Tighten spool tension, improve casting form, increase magnetic brake setting.
Stiff Handle/Retrieval	Dirt/debris in gears, lack of lubrication, or corrosion.	Clean and lubricate the reel. If severe, professional service may be required.
Drag Slipping	Drag washers worn or wet, drag not tightened sufficiently.	Tighten drag knob. Inspect and replace drag washers if worn.
Line Not Laying Evenly	Worm gear or line guide obstructed/damaged.	Clean the worm gear and line guide. Ensure no debris is present.

6. Specifications

Feature	Specification
Net Weight	9.9 oz (282g)
Gear Ratio	7.1:1
Max Drag Power	13 Kgs (28 lbs)
Line Capacity (mm/M)	0.33/200, 0.38/150
Ball Bearings	11+1 BB
Hand Orientation	Left Hand Retrieve
Material	Aluminum, Graphite
Special Feature	Anti-Reverse

Feature	Specification
Model Name	Titan
Manufacturer Part Number	MT200L
UPC	712243106196



Figure 4: Key dimensions of the JOHNCOO Titan Baitcasting Reel (111mm handle, 67mm height, 84mm width).

7. Warranty and Support

This product is covered by a standard return policy. For specific warranty details, please refer to the retailer's policy at the time of purchase. For technical support or inquiries, please contact JOHNCOO OUTDOOR directly or the seller from whom you purchased the product.

For returns or replacements, please refer to theproduct page or your purchase documentation for the applicable 30-day return policy.

© 2023 JOHNCOO. All rights reserved.

Ask a question about this manual

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. Privacy details.

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question

Open the live page

https://manuals.plus/asin/B074SDWQPQ

More documents and user manuals: **https://manuals.plus/**