

[Manuals.plus](#) /

› [UPBRIGHT](#) /

› UpBright 5V AC/DC Adapter for PetTech PT0Z1 PT0Z1A Dog Training Collar Instruction Manual

UPBRIGHT PetTech PT0Z1 Dog Training Collar Power

UpBright 5V AC/DC Adapter

COMPATIBLE WITH PETTECH PT0Z1 PT0Z1A DOG TRAINING COLLARS

Introduction

This manual provides instructions for the safe and effective use of your UpBright 5V AC/DC Adapter. This power supply is designed to charge PetTech PT0Z1 and PT0Z1A dog training shock bark collars, including the rechargeable transmitter and receiver units. It features a USB splitter cable with two distinct charging plugs to accommodate both devices simultaneously.

Safety Information

- Always ensure the adapter is compatible with your device's voltage and current requirements. This adapter provides 5V DC output.
- Do not expose the adapter or cables to water or excessive moisture.
- Avoid using the adapter if it is damaged, frayed, or has exposed wires.
- Keep out of reach of children and pets.
- Unplug the adapter from the power outlet when not in use or during electrical storms.
- Ensure proper ventilation around the adapter during use to prevent overheating.

Package Contents

- 1 x UpBright 5V AC/DC Wall Charger
- 1 x USB Splitter Cable with Dual Charging Plugs (one big barrel round plug and one tiny tip)

Setup

Follow these steps to set up your UpBright 5V AC/DC Adapter:

1. **Inspect the Adapter:** Before first use, visually inspect the wall charger and USB cable for any signs of damage.

2. **Connect the USB Cable:** Insert the USB-A end of the splitter cable into the USB port on the UpBright wall charger.
3. **Identify Charging Ports:** The splitter cable has two different plugs: a larger barrel round plug and a smaller tip. Identify which plug corresponds to your PetTech collar's receiver and transmitter charging ports.
4. **Plug into Power Outlet:** Insert the wall charger into a standard 100-240VAC 50/60Hz electrical outlet.

UpBright AC Adapter Power Supply Compatible with:



Image: The USB splitter cable featuring a larger barrel plug and a smaller tip, designed for simultaneous charging of compatible devices.



Image: The UpBright 5V AC/DC wall adapter, showing its input (100-240V) and output (5V) specifications, along with safety certifications.

Operating Instructions

To charge your PetTech devices:

1. **Connect Devices:** Carefully insert the appropriate charging plugs from the USB splitter cable into the charging ports of your PetTech PT0Z1 or PT0Z1A dog training collar receiver and transmitter.
2. **Initiate Charging:** Once connected, the devices should begin charging. Refer to your PetTech device's manual for indicators of charging status (e.g., LED lights).
3. **Monitor Charging:** Allow the devices to charge fully. Avoid overcharging by disconnecting them once charging is complete.
4. **Disconnect:** Gently remove the charging plugs from your devices and then unplug the wall charger from the electrical outlet.

Maintenance

- **Cleaning:** Use a dry, soft cloth to clean the adapter and cables. Do not use liquid cleaners.
- **Storage:** Store the adapter and cable in a cool, dry place when not in use. Avoid wrapping the cable too

tightly to prevent damage.

- **Inspection:** Periodically inspect the cable and adapter for any signs of wear or damage. Replace if necessary.

Troubleshooting

- **Device Not Charging:**
 - Ensure the wall charger is securely plugged into a working electrical outlet.
 - Verify that the USB cable is firmly connected to both the wall charger and the PetTech device.
 - Check if the correct charging plug (large barrel or tiny tip) is used for the respective device port.
 - Inspect the cable and plugs for any visible damage.
- **Adapter Overheating:**
 - Unplug the adapter immediately.
 - Ensure there is adequate ventilation around the adapter.
 - If overheating persists, discontinue use and contact customer support.


Specifications

Input Voltage	100-240VAC, 50/60Hz
Output Voltage	5V DC
Wattage	10 watts
Connector Type	USB Type A (for wall charger), Dual Barrel Plugs (for devices)
Protection Features	OVP (Over Voltage Protection), OCP (Over Current Protection), SCP (Short Circuit Protection)
Certifications	CE, CCC, RoHS
Product Dimensions	3 x 3 x 1 inches (approximate)
Item Weight	4 ounces (approximate)

Warranty and Support

This UpBright product comes with a 30-day refund policy and a 24-month exchange warranty, ensuring your satisfaction and product reliability. For any questions, troubleshooting assistance, or warranty claims, please refer to the contact information provided with your purchase or visit the official UpBright website.

Come With A Suitable Outlet Adapter (Only One) to Fit
Your Country/Area For International Order



THIS PRODUCT COMES WITH A UPBRIGHT®

LIMITED WARRANTY CERTIFICATE
+ UPBRIGHT® LIMITED WARRANTY



Image: Depicts various international outlet adapters (AU, EU, UK) for global compatibility, alongside a sample UpBright Limited Warranty Certificate.

ASK A QUESTION ABOUT THIS MANUAL

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. [Privacy details](#).

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question

Open the live page

<https://manuals.plus/asin/B074Z4QCZN>

More documents and user manuals: <https://manuals.plus/>