

Hiland HIL-PHE-1500BR

Hiland HIL-PHE-1500BR Electric Gazebo Indoor/Outdoor Heater

User Manual

1. IMPORTANT SAFETY INSTRUCTIONS

Please read and understand all instructions before using this heater. Failure to follow these instructions may result in electric shock, fire, or serious injury.

- Do not touch the heater when in use.
- Keep flammable materials at least 3 feet (0.9 meters) away from the front of the heater.
- Do not operate any heater with a damaged cord or plug, or after the heater malfunctions or has been dropped or damaged in any manner.
- Always unplug the heater when not in use.
- This heater is hot when in use. To avoid burns, do not let bare skin touch hot surfaces.
- Do not use outdoors if exposed to rain or excessive moisture. This heater is designed for indoor/outdoor use in covered areas.
- Ensure the power outlet voltage matches the heater's requirements (120 Volts).
- The heater features an anti-tilt switch for added safety. If the heater is tilted beyond a certain angle, it will automatically shut off.

2. PRODUCT OVERVIEW

The Hiland HIL-PHE-1500BR Electric Gazebo Heater is designed to provide efficient heating for indoor and outdoor covered spaces. It features three heat settings and comes with a remote control for convenient operation.



Figure 2.1: Front view of the Hiland Electric Gazebo Heater, showing the main heating element and protective grille.

Package Contents:

- Electric Gazebo Heater Unit
- Remote Control
- Mounting Chain and Hardware
- User Manual (this document)

3. SETUP AND INSTALLATION

This heater is designed for hanging installation. Ensure the mounting surface is sturdy enough to support the heater's weight (approximately 5 pounds) and any additional stress from wind or movement.

Installation Steps:

1. **Choose a Location:** Select a suitable location in your gazebo, patio, or indoor area that is protected from direct rain and allows for proper clearance around the heater. Ensure there is a power outlet within reach of the heater's cord.
2. **Secure Mounting Point:** Install a secure hook or bracket (not included, unless specified in package contents) into a ceiling beam or sturdy overhead structure. This mounting point must be capable of safely holding the heater's weight.
3. **Hang the Heater:** Attach the provided mounting chain to the heater's top loop. Then, hang the chain from the secure hook or bracket. Ensure the heater hangs level and is at a safe distance from walls, curtains, and other flammable materials.
4. **Connect Power:** Plug the heater's power cord into a standard 120V electrical outlet. Ensure the outlet is

properly grounded and rated for the heater's 1500W power consumption.

4. OPERATING INSTRUCTIONS

The Hiland Electric Gazebo Heater can be operated using the integrated power switch or the included remote control.

Using the Remote Control:



Figure 4.1: The remote control unit for the heater, featuring power and three heat setting buttons.

- **Power Button (⏻):** Press to turn the heater ON or OFF.
- **500W Button:** Activates the low heat setting (500 Watts).
- **1000W Button:** Activates the medium heat setting (1000 Watts).
- **1500W Button:** Activates the high heat setting (1500 Watts).

When the heater is on, the heating element will glow. The intensity of the glow will vary with the selected heat

setting.



Low Heat (500W)



Medium Heat (1000W)



High Heat (1500W)

5. MAINTENANCE

Regular maintenance ensures optimal performance and longevity of your heater. Always unplug the heater and allow it to cool completely before performing any maintenance.

- **Cleaning:** Wipe the exterior surfaces with a soft, damp cloth. Do not use abrasive cleaners or solvents. Ensure no water enters the internal components.
- **Storage:** If storing the heater for an extended period, unplug it and store it in a cool, dry place, protected from dust and moisture.
- **Inspection:** Periodically inspect the power cord and plug for any signs of damage. If damaged, do not use the heater and contact qualified service personnel.

6. TROUBLESHOOTING

If you experience issues with your heater, refer to the following common problems and solutions:

Problem	Possible Cause	Solution
Heater does not turn on.	No power to the unit; Anti-tilt switch activated; Remote control battery low.	Check power cord connection and outlet; Ensure heater is upright and stable; Replace remote control batteries.
Heater turns off unexpectedly.	Overheating protection activated; Anti-tilt switch activated.	Unplug and allow to cool for 30 minutes, then restart; Ensure heater is stable and not tilted.

Problem	Possible Cause	Solution
Remote control not working.	Batteries are dead or incorrectly inserted; Obstruction between remote and heater.	Replace batteries, ensuring correct polarity; Remove any obstructions and ensure direct line of sight.

7. SPECIFICATIONS

Feature	Detail
Brand	Hiland
Model Number	HIL-PHE-1500BR
Power Output	1500 Watts (Max)
Heat Settings	3 (500W, 1000W, 1500W)
Voltage	120 Volts
Fuel Type	Electric
Indoor/Outdoor Usage	Indoor / Outdoor (Covered Areas)
Mounting Type	Hanging
Product Dimensions	17"D x 17"W x 10"H
Item Weight	5 pounds
Special Features	Remote Control, Anti-tilt Switch
Certifications	ETL Certified

8. WARRANTY AND SUPPORT

For warranty information or technical support, please refer to the manufacturer's official website or contact their customer service department. Keep your purchase receipt as proof of purchase.


Manufacturer: AZ Patio


Brand: Hiland

User Manual (PDF): [Download PDF](#)

© 2025 Hiland. All rights reserved.


Related Documents - HIL-PHE-1500BR

	<p>Vittorazi Motors: A Legacy of Paramotor Innovation</p> <p>Explore the history and technical details of Vittorazi Motors, a leading manufacturer of paramotor engines. This document covers the company's origins, key engine models like the Moster 185 and T-Rex Moster+, and maintenance guides.</p>
	<p>Vector Informatik auf der IAA Mobility 2025: Software-Defined Vehicles erleben</p> <p>Vector Informatik präsentiert auf der IAA Mobility 2025 die Entwicklung von Software-Defined Vehicles (SDVs) mit der SDV Tour, SIL/HIL-Lösungen und Partnerkooperationen. Erfahren Sie mehr über effizientes Automotive-Software-Engineering.</p>
	<p>vTESTstudio: Comfortable Development of Automated Test Sequences for Embedded Systems</p> <p>vTESTstudio by Vector is a high-performance development environment for creating automated test sequences for embedded systems. It supports various test design methods and notations, integrates with tools like CANoe and Visual Studio, and offers features for efficient test management and execution.</p>
	<p>NI VeriStand 2010 Custom Device Developer's Guide</p> <p>Explore the NI VeriStand 2010 Custom Device Developer's Guide. Learn how to extend NI VeriStand's capabilities by creating custom devices using LabVIEW for real-time testing applications.</p>
	<p>Hardware-in-the-Loop Testing of Electrical Protection and Control Systems for Oil and Gas Facilities</p> <p>This paper details the design, development, and validation of a Hardware-in-the-Loop (HIL) simulation system for testing Power Management Systems (PMS) in large oil and gas facilities. It covers complex integration scenarios, load shedding, and control system performance verification.</p>
	<p>Hillyard Best Practice Wood Sports Floor Care Guide</p> <p>Comprehensive guide to Hillyard's best practices for wood sports floor care, maintenance, protection, renovation, and revitalization, featuring official NCAA Basketball products.</p>




[\[pdf\]](#) User Manual Warranty

Hiland HIL PHE 1500BR admin User Manual AZ Patio Heaters Electric Gazebo Heater Backyard Charms HIL v 1720190607 cdn shopify s files 1 0875 6785 9996 |||
IMPORTANT while 110-120V60Hz settings three heat warranty azpatioheaters.com.
.Or email the warranty department at ...
lang: score:28 filesize: 3.53 M page_count: 1 document date: 2017-06-13




[\[pdf\]](#) User Manual Warranty

Hiland HIL PHE 1500BR admin User Manual Hiland HIL Electric Gazebo Indoor Outdoor Heater with LED Remote 1500 Watts Large Black Patio Lawn Garden B1gIDIL 08S m media amazon images I BlackHIL AZ B07XLVBK7L B00Q26NHBA B0755QDMKD Hiland Gardenm 08Sm |||
130x190mm H 1.37 in. W *1.37 in. D *0.78 in. H 3.52lbs Or email our warranty department at warranty zapatioheaters.com Or email our warranty department at warranty zapatioheaters.com Or email our warranty department at warranty zapatioheaters.com Or email our warranty department at warranty za...
lang:fr score:26 filesize: 3.46 M page_count: 1 document date: 2017-06-01



[\[pdf\]](#) Warranty

Hiland HIL PHE 1500BR admin 1341484 Man1 media tractorsupply is content TractorSupplyCompany tsc product 1 34 14 84 |||
IMPORTANT while 110-120V60Hz settings three heat warranty azpatioheaters.com.
.Or email the warranty department at ...
lang:fr score:24 filesize: 3.56 M page_count: 1 document date: 2020-11-06



[\[pdf\]](#) Warranty

Hiland HIL PHE 1500BR admin azpatioheaters HIL IMPORTANT AZ Patio Heaters 110 120V 60Hz while settings three heat Or email the warranty department at warranty@azpatioheaters |||
IMPORTANT while 110-120V60Hz settings three heat warranty azpatioheaters.com.
.Or email the warranty department at ...
lang:fr score:22 filesize: 3.43 M page_count: 1 document date: 2017-06-13