

Armor All 18706

Armor All Ultra Shine Protectant (Model 18706) Instruction Manual

Your guide to achieving and maintaining a brilliant shine for your vehicle's interior.

INTRODUCTION

The Armor All Ultra Shine Protectant is designed to deliver a long-lasting, high-gloss shine while enhancing the deep, rich look of your vehicle's interior surfaces. This product is formulated with proprietary gloss enhancers to help prevent cracking, fading, discoloration, and premature aging caused by UV damage. It renews and revitalizes vinyl, rubber, and plastic components, providing an intense luster.

This manual provides detailed instructions for the proper use and care of your Armor All Ultra Shine Protectant to ensure optimal results and product longevity.

IMPORTANT SAFETY INFORMATION

- **Keep out of reach of children and pets.**
- **Avoid contact with eyes and skin.** In case of contact, rinse thoroughly with water. If irritation persists, seek medical attention.
- **Do not ingest.** If swallowed, do not induce vomiting. Call a poison control center or doctor immediately.
- **Use in a well-ventilated area.** Avoid prolonged breathing of vapors.
- **Do not use on surfaces where slipperiness may be hazardous,** such as vehicle controls (steering wheels, pedals), floor mats, or motorcycle seats.
- **Not for use on glass, painted surfaces, or fabrics.**
- **Proposition 65 Warning:** This product may contain chemicals known to the State of California to cause cancer and birth defects or other reproductive harm.

SETUP AND PREPARATION

Before applying the protectant, ensure the surface is clean and dry for best results.

1. **Clean the Surface:** Use an appropriate automotive interior cleaner to remove dirt, dust, and grime from the vinyl, rubber, or plastic surfaces you intend to treat.
2. **Dry the Surface:** Allow the cleaned surface to dry completely before applying the protectant.
3. **Shake Bottle:** Shake the Armor All Ultra Shine Protectant bottle well before each use to ensure proper mixture of

ingredients.

Armor All® Ultra Shine Protectant



HIGH SHINE



Image: A single bottle of Armor All Ultra Shine Protectant, highlighting its "High Shine" characteristic. This image illustrates the product packaging.

OPERATING INSTRUCTIONS (APPLICATION)

Follow these steps for effective application of Armor All Ultra Shine Protectant:

1. **Spray Product:** Spray the product directly onto the desired surface, or for more controlled application, spray onto a clean microfiber cloth.
2. **Wipe Evenly:** Spread the protectant evenly over the surface using a clean cloth or sponge.
3. **Allow to Penetrate:** Allow the product to penetrate for a few minutes.
4. **Wipe Off Excess:** Wipe off any excess product with a clean, dry cloth to achieve a brilliant, non-greasy shine.
5. **Repeat if Necessary:** For a deeper shine or heavily faded surfaces, repeat the application process.



Our Ultimate High-Gloss Shine

Image: A person's hand using a microfiber cloth to apply Armor All Ultra Shine Protectant to a car's dashboard. This demonstrates the application process.



Non-greasy formula

Image: A bottle of Armor All Ultra Shine Protectant placed on a car seat, with text highlighting its "Non-greasy formula." This image reinforces a key product benefit.

MAINTENANCE AND STORAGE

- **Regular Application:** For continuous protection against UV damage and to maintain a high-gloss finish, apply the protectant regularly as part of your vehicle care routine.
- **Storage:** Store the product in a cool, dry place, away from direct sunlight and extreme temperatures. Ensure the cap is tightly closed to prevent leakage or evaporation.
- **Disposal:** Dispose of empty containers according to local regulations.

TROUBLESHOOTING

Problem	Possible Cause	Solution
---------	----------------	----------

Problem	Possible Cause	Solution
Streaking or uneven finish	Excess product applied; surface not clean; product not wiped evenly.	Ensure surface is clean and dry before application. Apply a thin, even coat. Wipe off all excess product thoroughly with a clean, dry microfiber cloth.
Dull finish after application	Not enough product applied; surface not adequately cleaned; product not allowed to penetrate.	Ensure surface is thoroughly cleaned. Apply a slightly more generous amount and allow it to penetrate for a few minutes before wiping. Repeat application if necessary.
Product residue on unintended surfaces	Overspray during application.	Spray product onto a cloth first, then apply to the desired surface to prevent overspray. Immediately wipe off any unintended residue with a damp cloth.

PRODUCT SPECIFICATIONS

Feature	Detail
Brand	Armor All
Model Number	18706
Item Form	Liquid Spray
Scent	Unscented
Specific Uses	Car interior surfaces (vinyl, rubber, plastic)
Package Dimensions	10.87 x 8.19 x 2.01 inches
Item Weight	2.38 pounds (for 2-pack)
ASIN	B075715XPJ







CONTACT AND SUPPORT

For further assistance, product information, or safety data sheets, please visit the official Armor All website or contact their customer support.

Manufacturer: Armor All

Website: www.armorall.com



	<p>Armor All AA256 Wet/Dry Vacuum Operator's Manual</p> <p>Operator's manual for the Armor All AA256 Wet/Dry Vacuum. Includes safety instructions, assembly, operation, maintenance, and troubleshooting guides for effective use.</p>
	<p>Armor All 5-Week Satisfaction Guarantee Terms and Conditions</p> <p>Detailed terms and conditions for the Armor All 5-Week Satisfaction Guarantee promotion, outlining eligibility, claim process, and refund details for purchases made at Supercheap Auto in Australia and New Zealand.</p>
	<p>Armor All Solar Powered Backup Camera with Display Manual</p> <p>User manual for the Armor All Solar Powered Backup Camera with Display (Model ABC2-1003-BLK). Includes setup, installation, operation, specifications, warnings, and warranty information.</p>
	<p>Armor All AA255W Wet/Dry Vacuum Cleaner Operator's Manual Safety, Operation, Maintenance</p> <p>Detailed instructions for the Armor All AA255W Wet/Dry Vacuum. Covers safe operation, assembly, dry/wet vacuuming, blower function, maintenance, and troubleshooting for optimal performance.</p>
	<p>Armor All 20V Cordless Wet/Dry Vacuum DVTB202 0901 Operator's Manual</p> <p>Comprehensive operator's manual for the Armor All 20V Cordless Wet/Dry Vacuum (Model DVTB202 0901). Includes safety instructions, operation guides for dry, wet, and blower modes, maintenance, troubleshooting, and parts list.</p>
	<p>Foundation Armor 2 Gallon Sprayer: User Manual and Operating Instructions</p> <p>Comprehensive guide for the Foundation Armor 2 Gallon Sprayer, covering setup, operation, safety warnings, parts, maintenance, and best uses for sealers, pesticides, and cleaning solutions.</p>