

Moen 87791BRB

Moen Noell Mediterranean Bronze Pull-Down Kitchen Faucet with Soap Dispenser (Model 87791BRB)

Instruction Manual

PRODUCT OVERVIEW

The Moen Noell Pull-Down Sprayer Faucet in Mediterranean Bronze combines traditional aesthetics with modern functionality for your kitchen. This faucet features a single-handle design for water control, a pull-down sprayer with PowerClean technology, and a Reflex docking system. A matching soap dispenser and deckplate are included for flexible installation.



Image: Moen Noell Mediterranean Bronze Pull-Down Kitchen Faucet with included soap dispenser and deckplate.

INCLUDED COMPONENTS

- Noell Faucet
- Coordinating Soap Dispenser
- Optional 3-hole Deckplate
- 1255 Duralast Cartridge (pre-installed)
- Flexible Supply Lines with 3/8" Compression Fittings
- Lever Handle
- Instruction Manual (this document)

SETUP AND INSTALLATION

This faucet is designed for easy installation, compatible with 1-hole or 3-hole sink configurations using the included deckplate. The Duralock quick-connect system simplifies the connection of water supply lines.

Key Installation Features:

- **Duralock Quick-Connect System:** Ensures fast and secure setup without the need for specialized tools for hose connections.
- **Flexible Installation:** Accommodates both 1-hole and 3-hole sink setups with the optional deckplate.



Image: Close-up of the Duralock Quick Connect system for easy hose attachment.

For detailed step-by-step instructions, please refer to the separate installation guide provided with your product packaging. Ensure all local plumbing codes are followed during installation.

OPERATING INSTRUCTIONS

The Moen Noell faucet is designed for intuitive use with its single-handle control and versatile pull-down sprayer.

Water Flow and Temperature Control:

- The single lever handle controls both water flow and temperature.

- Move the handle up to increase water flow and down to decrease or turn off.
- Move the handle left for hot water and right for cold water.

Pull-Down Sprayer Functionality:

- **Reflex Docking System:** The spray wand retracts automatically and docks securely into the faucet spout after use, ensuring smooth operation and easy movement.
- **PowerClean Technology:** Delivers a concentrated spray with 50% more power compared to Moen faucets without this feature, aiding in efficient cleaning with less splash.
- **Spray Modes:** The sprayer head features buttons to switch between an aerated stream for everyday cleaning and a powerful rinse for heavy-duty tasks.



Image: Hand demonstrating the Reflex docking system, showing the spray wand retracting into the faucet spout.

MOEN

Duralock Quick Connect

Equipped with the Duralock quick connect system for easy installation, without the need for tools.



Image: Hand holding the pull-down sprayer, demonstrating the powerful PowerClean spray mode into a sink.

MAINTENANCE AND CARE

Proper care will ensure the longevity and appearance of your Moen Noell faucet.

- **Cleaning the Finish:** To maintain the Mediterranean Bronze finish, clean with a soft, damp cloth and mild soap. Avoid abrasive cleaners, harsh chemicals, or polishes that may damage the finish.
- **Cartridge Maintenance:** The faucet is equipped with a 1255 Duralast cartridge, designed for reliable, drip-free performance. If issues arise with water flow or temperature control, the cartridge may need inspection or replacement.
- **Water Safety:** This product meets Federal Safe Drinking Water Act and NSF61 standards, ensuring clean and safe water.


Spout Reach
7.69"



Faucet Height
15.50"



Supply Lines, Optional Deck Plate and
Soap Dispenser Included



Connection Size - **3/8"** Maximum Deck Thickness - **2.50"** 1, 2, 3 or 4 Hole Installation

Image: Certification seal indicating compliance with U.S. Water Safety Standards.

TROUBLESHOOTING

If you encounter issues with your faucet, review the common problems and solutions below. For more complex issues, contact Moen customer support.

Problem	Possible Cause	Solution
Low Water Flow	Clogged aerator, kinked supply line, or partially closed shut-off valve.	Clean aerator, check supply lines for kinks, ensure shut-off valves are fully open.
Leaking from Handle/Spout	Worn cartridge or loose connections.	Tighten connections. If leaking persists, the 1255 Duralast cartridge may need replacement. Contact Moen support for assistance.
Sprayer Not Docking Securely	Obstruction or issue with Reflex system weight.	Check for obstructions under the sink that might impede the hose weight. Ensure the weight is properly positioned on the hose.

SPECIFICATIONS

Feature	Detail
Brand	Moen
Model Name	Noell
Model Number	87791BRB
Finish Type	Oil Rubbed (Mediterranean Bronze)
Material	Zinc (Faucet Body), Metal (Handle)
Mounting Type	Deck Mount (Single Hole or 3-Hole with Deckplate)
Number of Handles	1
Maximum Flow Rate	1.5 Gallons Per Minute
Spout Height	15.57 Inches
Spout Reach	8.46 Inches
Hose Length	68 Inches
Item Weight	5.55 Pounds
Product Dimensions	4"D x 10.38"W x 15.25"H
Special Features	PowerClean spray technology, Reflex docking system, Duralock quick connect, Soap/lotion dispenser included.









Image: Diagram showing key dimensions of the Moen Noell Faucet, including spout height and reach.


WARRANTY INFORMATION

The Moen Noell Kitchen Faucet is backed by Moen's **Limited Lifetime Warranty**. This warranty covers defects in material and manufacturing workmanship for the original consumer purchaser. For full details regarding coverage, limitations, and how to make a claim, please refer to the official warranty documentation included with your product or visit the official Moen website.

CUSTOMER SUPPORT

For further assistance, technical support, or to order replacement parts, please contact Moen Customer Service. Contact information can typically be found on the Moen website or in the product packaging.


	<p>Moen 87042SRS Edison One-Handle Kitchen Faucet Installation Guide</p> <p>Comprehensive installation guide for the Moen 87042SRS Edison one-handle kitchen faucet, including parts list, step-by-step instructions, cleaning recommendations, and warranty information.</p>
	<p>Moen Electronic Soap Dispenser INS10478B Installation and Maintenance Guide</p> <p>Comprehensive guide for installing, maintaining, and troubleshooting Moen's electronic soap dispensers (model INS10478B). Includes parts list, step-by-step instructions, LED indicator explanations, sensor programming, and warranty information.</p>
	<p>Moen Georgene MotionSense Wave Single-Handle High Arc Pulldown Kitchen Faucet Specifications</p> <p>Detailed specifications for the Moen Georgene MotionSense Wave Single-Handle High Arc Pulldown Kitchen Faucet (Model Series 87912EW), covering features, operation, flow rate, dimensions, standards, and warranty.</p>
	<p>Moen One-Handle Pulldown Kitchen Faucet Installation Guide</p> <p>Comprehensive installation guide for the Moen One-Handle Pulldown Kitchen Faucet, including parts list, step-by-step instructions, operation features, troubleshooting tips, and warranty information.</p>
	<p>Moen Caldwell Two-Handle Widespread Lavatory Faucet Specifications</p> <p>Detailed specifications for the Moen Caldwell two-handle widespread lavatory faucet, including features like Duralock™ installation, WaterSense® certification, ADA compliance, flow rates, and warranty information for models WS84440 and CA84440 series.</p>
	<p>Moen Sip™ Instant Hot Faucet and IH2300 Instant Hot Tank Installation Guide</p> <p>Comprehensive installation guide for the Moen Sip™ Instant Hot Faucet and IH2300 Instant Hot Tank. Covers setup, tools, parts, safety, electrical requirements, installation steps, maintenance, troubleshooting, and warranty information.</p>



[\[pdf\]](#) Catalog


87791SRSpt indd Noell Single Handle Pull Down Sprayer Kitchen Faucet with Reflex Soap Dispenser and Power Clean in Mediterranean Bronze Replacement Part List MOEN 87791BRB 026508273036 0026508273036 1002148010 943d0e6c f601 53cf 86f2 484542105c44 images thdstatic catalog Images 94 |||

Order by Part Number There is more than one version of this model. Page down to identify the version ... v. 1/19 Illustrated Parts NOELL™ Single Handle High Arc Pull Down Kitchen Faucet MODEL 87791SRS **87791BRB** 87791 HANDLE Lever Lever Lever FINISH Spot Resist Stainless Mediterranean Bronze Chrome ... lang:de score:30 filesize: 970.69 K page_count: 2 document date: 2019-04-23




[\[pdf\]](#)

87791srspt assets moen shared docs exploded parts views ||| Order by Part Number There is more than one version of this model. Page down to identify the version ... v. 3/20 Illustrated Parts NOELL™ Single Handle High Arc Pull Down Kitchen Faucet MODEL 87791SRS **87791BRB** 87791 HANDLE Lever Lever Lever FINISH Spot Resist Stainless Mediterranean Bronze Chrome ... lang:de score:25 filesize: 579 K page_count: 2 document date: 2020-03-03



[\[pdf\]](#)

87791SRSpt indd Moen® 176078BRB Thos Somerville Co Moen Line Drawing econtent adhq dam Original 678 ||| Order by Part Number Spout Tube Kit 176078SRS Spot Resist Stainless 176078BRB Mediterranean Bronze O ... v. 3/17 Illustrated Parts NOELL™ Single Handle High Arc Pull Down Kitchen Faucet MODEL 87791SRS **87791BRB** HANDLE Lever Lever FINISH Spot Resist Stainless Mediterranean Bronze Replacement Cartrid... lang:de score:23 filesize: 653.69 K page_count: 1 document date: 2017-03-15



[\[pdf\]](#) Catalog

87791SRSpt indd null Noell Single Handle Pull Down Sprayer Kitchen Faucet with Reflex Soap Dispenser and Power Clean in Chrome Replacement Part List MOEN 87791 026508284421 0026508284421 1f769266 583f 48ea b2f9 6c1eebe4e50d images thdstatic catalog Images 1f ||| Order by Part Number Spout Tube Kit 176078SRS Spot Resist Stainless 176078BRB Mediterranean Bronze O 10/16 Illustrated Parts NOELL™ Single Handle High Arc Pull Down Kitchen Faucet MODEL 87791SRS **87791BRB** HANDLE Lever Lever FINISH Spot Resist Stainless Mediterranean Bronze Handle Kit 184432SR... lang:de score:21 filesize: 653.73 K page_count: 1 document date: 2016-10-11

