

XtremepowerUS 99703

XtremepowerUS 40CC Mini Gas Pocket Bike Motorcycle User Manual

Model: 99703

Brand: XtremepowerUS

1. SAFETY INFORMATION

This manual provides essential information for the safe operation and maintenance of your XtremepowerUS 40CC Mini Gas Pocket Bike. Please read all instructions carefully before assembly and operation. Failure to follow these instructions can result in serious injury or property damage.

- **For Off-Road Use Only:** This pocket bike is designed for off-road use on private property and is not street legal.
- **Protective Gear:** Always wear appropriate safety gear, including a helmet, eye protection, gloves, and sturdy footwear, when operating the pocket bike.
- **Adult Supervision:** Children should only operate this vehicle under direct adult supervision.
- **Weight Limit:** Do not exceed the maximum support weight capacity of 165 lbs.
- **Fuel Handling:** Handle gasoline with extreme care. Always refuel in a well-ventilated area, away from open flames or sparks.
- **Moving Parts:** Keep hands, feet, and clothing clear of all moving parts, especially the chain and engine.
- **Proposition 65 Warning:** This product may contain chemicals known to the State of California to cause cancer and birth defects or other reproductive harm.

2. PACKAGE CONTENTS

Upon unpacking, ensure all components are present and undamaged. If any parts are missing or damaged, contact XtremepowerUS customer support immediately.

- XtremepowerUS 40CC Mini Gas Pocket Bike (main unit)
- Handlebars
- Windshield

- Tool Kit (may include wrenches, screwdrivers, etc.)
- User Manual

3. ASSEMBLY INSTRUCTIONS

Follow these steps to assemble your pocket bike. It is recommended to have a second person assist with assembly.

1. **Unpacking:** Carefully remove all components from the packaging. Inspect for any shipping damage.
2. **Handlebar Installation:** Attach the handlebars to the steering column. Ensure they are securely fastened and the angle is adjusted for comfortable riding.
3. **Windshield Attachment:** Secure the windshield to the front fairing. Ensure screw holes are aligned properly.
4. **Pre-Ride Inspection:** Before initial use, thoroughly check all nuts, bolts, and fasteners to ensure they are tight. Loose components can lead to safety hazards. Pay particular attention to wheel nuts, brake components, and engine mounts.



Figure 3.1: Front-side view of the XtremepowerUS 40CC Mini Gas Pocket Bike.



Figure 3.2: Side view of the XtremepowerUS 40CC Mini Gas Pocket Bike, highlighting its compact design.



Figure 3.3: Rear view of the XtremepowerUS 40CC Mini Gas Pocket Bike, showing the rear wheel and license plate area.

4. OPERATING INSTRUCTIONS

Familiarize yourself with the controls and proper starting procedures before operating the pocket bike.

4.1 Fueling the Bike

- Use **premium gasoline** for optimal performance and engine longevity.
- Locate the fuel cap on top of the tank.
- Carefully fill the tank, avoiding overfilling. The tank capacity is approximately 0.65 liters.



Figure 4.1: Close-up of the fuel cap, indicating the fuel tank location.

4.2 Starting the Engine

The pocket bike features a pull-start 4-stroke engine.

1. Ensure the fuel valve is open.
2. Engage the choke if the engine is cold. The choke lever may need adjustment after the engine warms up.
3. Locate the pull-start handle, typically at the side of the engine.
4. Pull the handle firmly and smoothly until the engine starts. Do not yank excessively.
5. Once the engine is running, gradually disengage the choke as the engine warms up.

4.3 Riding the Bike

- The bike is equipped with a variable twist-grip throttle. Twist the grip gently to accelerate.
- The maximum speed is approximately 18 MPH.
- A full tank of fuel can provide a range of up to 26 miles, depending on riding conditions and terrain.
- Braking is controlled by hand levers on the handlebars. Apply brakes smoothly and evenly.

Your browser does not support the video tag.

Video 4.1: Demonstration of the XtremepowerUS Gas Pocket Motorcycle (pink version) in operation, highlighting its features and performance.

5. MAINTENANCE

Regular maintenance is crucial for the longevity and safe operation of your pocket bike.

- **General Inspection:** Before each ride, check tire pressure, brake function, and ensure all nuts and bolts are secure. Tighten any loose fasteners.
- **Chain Maintenance:** Regularly inspect the chain for proper tension and lubrication. Keep the chain guard in place to prevent injury.



Figure 5.1: View of the chain guard and kickstand, emphasizing the importance of keeping hands clear of moving parts.

- **Engine Care:** The 4-stroke engine is fuel-efficient and designed for a long life. Refer to the engine manufacturer's guidelines for specific oil change intervals and air filter cleaning.
- **Clutch Inspection:** If the bike attempts to move at idle or shuts off when stopping or rolling backward, the centrifugal clutch may be worn, bent, or broken. Inspect and replace as necessary.
- **Storage:** When storing the bike for extended periods, drain the fuel tank and carburetor to prevent fuel degradation and engine issues.

6. TROUBLESHOOTING

This section addresses common issues you might encounter with your pocket bike.

Problem	Possible Cause	Solution
Engine won't start	No fuel, fuel valve closed, choke not engaged (cold engine), spark plug issue, pull-start mechanism issue.	Check fuel level and fuel valve. Engage choke for cold starts. Inspect spark plug. Ensure pull-start is functioning correctly.
Bike moves at idle or shuts off when stopping	Worn, bent, or broken centrifugal clutch.	Inspect the clutch assembly. Replacement may be necessary.
Loss of power/poor performance	Improper choke adjustment (engine warm), low fuel, dirty air filter, carburetor issues.	Adjust choke. Refuel. Clean or replace air filter. Consult a mechanic for carburetor issues.
Tires are flat or lose air quickly	Punctured tire, valve stem leak, improper bead seating.	Inspect tires for damage. Repair or replace as needed. Ensure proper tire pressure before each ride.

7. SPECIFICATIONS

Feature	Detail
Manufacturer	XtremepowerUS
Model	Mini Pocket Bike (99703)
Engine Type	40CC 4-Stroke Engine, EPA Approved
Starting System	Pull-Start
Max Speed	Up to 18 MPH
Range per Tank	Up to 26 miles
Item Weight	49.5 pounds
Product Dimensions	41 x 25 x 15 inches

Feature	Detail
Max Support Weight	165 Lbs
Throttle	Variable twist-grip
Handlebars	Angle Adjustable (Height cannot be adjusted)
Seat	Padded single rider

8. WARRANTY AND SUPPORT

For warranty information, technical support, or to order replacement parts, please contact XtremepowerUS customer service directly. Refer to the product packaging or the official XtremepowerUS website for contact details. It is recommended to keep your purchase receipt as proof of purchase for warranty claims.

© 2024 XtremepowerUS. All rights reserved.

ASK A QUESTION ABOUT THIS MANUAL

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. [Privacy details](#).

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question

