

Ibex 10001189

Ibex Yamaha XJR 1300 (1999-2016) Chain Guard Instruction Manual

Model: 10001189

INTRODUCTION

Thank you for choosing the Ibex Chain Guard for your Yamaha XJR 1300. This manual provides essential information for the correct installation, safe use, and proper maintenance of your new chain guard. Please read these instructions carefully before proceeding with installation to ensure optimal performance and longevity of the product.

This chain guard is specifically designed for Yamaha XJR 1300 models manufactured between 1999 and 2016. It is constructed from black powder-coated stainless steel, offering both stylish aesthetics and robust protection for your motorcycle's chain.

SAFETY INFORMATION

- Always wear appropriate personal protective equipment (PPE) such as gloves and eye protection during installation.
- Ensure the motorcycle is stable and securely supported on a stand before beginning any work.
- Allow the engine and exhaust system to cool down completely before handling any components to prevent burns.
- If you are unsure about any step of the installation process, consult a qualified motorcycle mechanic.
- Keep all mounting hardware out of reach of children.
- After installation, double-check all fasteners to ensure they are securely tightened.

PACKAGE CONTENTS

Please verify that all components are present and undamaged before beginning installation:

- 1 x Ibex Chain Guard (Black, Powder-Coated Stainless Steel)
- 1 x Set of Mounting Hardware (bolts, washers, spacers as required)

INSTALLATION INSTRUCTIONS

The Ibex Chain Guard is designed for straightforward installation, utilizing the motorcycle's original mounting points. No modifications to the motorcycle are typically required.

1. **Preparation:** Park your Yamaha XJR 1300 on a level surface and secure it on a center stand or paddock stand. Ensure the engine is off and cool.
2. **Remove Existing Chain Guard (if applicable):** If your motorcycle has an existing chain guard, carefully remove it by unscrewing its mounting bolts. Retain any original hardware that may be needed for other components, but the Ibex chain guard comes with its own mounting hardware.
3. **Position the New Chain Guard:** Align the Ibex chain guard with the original mounting points on your motorcycle's swingarm.
4. **Install Mounting Hardware:** Using the provided mounting hardware, loosely attach the chain guard to the motorcycle. Do not fully tighten the bolts at this stage.
5. **Adjust and Align:** Ensure the chain guard is properly aligned and does not interfere with the chain, swingarm, or any other moving parts. Adjust its position as necessary.
6. **Tighten Fasteners:** Once properly aligned, progressively tighten all mounting bolts. Refer to your motorcycle's service manual for specific torque specifications for chain guard mounting bolts, if available. Do not overtighten.
7. **Final Check:** After tightening, visually inspect the installed chain guard to confirm it is secure, stable, and clear of any moving components. Gently move the rear wheel to ensure there is no rubbing or obstruction.



Image: The Ibex chain guard, black powder-coated, shown installed on a Yamaha XJR 1300 motorcycle. This image illustrates the product's appearance and fitment on the bike.

OPERATION

The Ibex Chain Guard functions passively by providing a protective barrier over the motorcycle's drive chain. Its primary purpose is to prevent clothing or body parts from coming into contact with the moving chain and sprockets, and to contain chain lubricant splatter. Once correctly installed, no further operational input is required from the user.

MAINTENANCE

Regular maintenance will ensure your Ibex Chain Guard remains in excellent condition and continues to provide effective protection.

- **Cleaning:** Clean the chain guard regularly with a mild soap and water solution. Avoid abrasive cleaners or harsh chemicals that could damage the powder-coated finish. Rinse thoroughly and dry with a soft cloth.
- **Inspection:** Periodically inspect the chain guard for any signs of damage, cracks, or loose mounting bolts. Check for any interference with the chain or other motorcycle components.

- **Fastener Check:** Every few thousand kilometers or during routine motorcycle maintenance, check that all mounting bolts are still securely tightened. Re-tighten if necessary, adhering to recommended torque specifications.

TROUBLESHOOTING

Should you encounter any issues with your Ibex Chain Guard, refer to the following common problems and solutions:

- **Issue:** The chain guard feels loose or rattles.
Solution: Check all mounting bolts. They may have vibrated loose over time. Re-tighten them securely. Ensure no washers or spacers were omitted during installation.
- **Issue:** The chain guard is rubbing against the chain or swingarm.
Solution: This indicates improper alignment. Loosen the mounting bolts slightly, reposition the chain guard to ensure adequate clearance, and then re-tighten the bolts. Verify that the correct mounting hardware was used.
- **Issue:** Visible damage to the chain guard.
Solution: Minor cosmetic damage may be touched up with appropriate paint. For structural damage (cracks, bends), the chain guard should be replaced to ensure continued protection and safety.

SPECIFICATIONS

Brand	Ibex
Model Number	10001189
Compatibility	Yamaha XJR 1300 (Model Years 1999-2016)
Material	Black Powder-Coated Stainless Steel
Included Components	1 Chain Guard, Mounting Hardware

WARRANTY AND SUPPORT

For warranty information or technical support regarding your Ibex Chain Guard, please refer to the documentation provided with your purchase or contact the seller directly. Keep your proof of purchase for any warranty claims.

If you have questions about installation or product functionality that are not covered in this manual, please reach out to Ibex customer service or your authorized dealer for assistance.