

hansgrohe Raindance E 300 Showerpipe User Manual

Model: 27363000

1. INTRODUCTION

Thank you for choosing the hansgrohe Raindance E 300 Showerpipe. This comprehensive shower system combines a luxurious rain shower, a versatile hand shower, and a precise thermostat for an enhanced showering experience. This manual provides essential information for the safe and efficient installation, operation, and maintenance of your new shower system.

Please read these instructions carefully before installation and use, and retain them for future reference.

2. PRODUCT OVERVIEW

The hansgrohe Raindance E 300 Showerpipe is designed for comfort and functionality, featuring a large overhead rain shower and a hand shower with multiple spray types, all controlled by an integrated thermostat.



Figure 2.1: Front view of the hansgrohe Raindance E 300 Showerpipe. This image displays the complete shower system, including the square overhead rain shower, the cylindrical hand shower with its hose, and the integrated thermostat with control knobs and a shelf.

Key Features:

- **Raindance E 300 Overhead Shower:** A 300 x 300 mm square shower head providing a wide, invigorating rain spray. Features AirPower technology for soft, voluminous drops.
- **Hand Shower:** A 125 mm diameter hand shower with three distinct jet types: RainAir, gentle rain, and Whirl massage jet, easily switchable via the Select button.
- **ShowerTablet 600 Thermostat:** Maintains a consistent water temperature and features a practical, scratch-resistant anodized aluminum shelf with a tempered glass bezel.
- **QuickClean Function:** Silicone nozzles on both shower heads allow for easy limescale removal by simply rubbing.
- **Adjustable Hand Shower Holder:** The hand shower can be freely adjusted in tilt angle (90°), swiveled horizontally and vertically on the riser.

3. SETUP AND INSTALLATION

The hansgrohe Raindance E 300 Showerpipe is designed for exposed installation. Due to the complexity and precision required, professional installation by a qualified plumber is highly recommended to ensure proper function and adherence to local plumbing codes.

Installation Considerations:

- Ensure adequate water pressure and temperature supply.
- Verify wall structure can support the unit's weight (approximately 11 kg / 24.2 lbs).
- Refer to the technical drawing for precise measurements and connection points.




Figure 3.1: Technical drawing illustrating the dimensions and installation points for the hansgrohe Raindance E 300 Showerpipe. This diagram provides critical measurements in millimeters for the overhead shower, hand shower, riser, and thermostat unit, including water inlet positions and mounting distances.

For detailed step-by-step installation instructions, please consult the separate installation guide provided with your product packaging or contact hansgrohe customer support.

4. OPERATING INSTRUCTIONS

Your hansgrohe Raindance E 300 Showerpipe offers intuitive controls for a personalized showering experience.





Figure 4.1: Close-up view of the hansgrohe ShowerTablet 600 thermostat, showing the control knobs for water flow and temperature, and the integrated shelf. This image highlights the user interface for operating the shower system.

Temperature Control:

- The integrated ShowerTablet 600 thermostat allows you to set and maintain your desired water temperature.

- Turn the temperature control knob (typically on the right) to adjust the water temperature. The thermostat will quickly regulate to prevent sudden changes in temperature, even with pressure fluctuations.
- A safety stop is usually present at 38°C (100.4°F) to prevent accidental scalding. Press the override button to exceed this temperature.

Water Flow and Jet Type Selection:

- Use the flow control knob (typically on the left) to turn the water on/off and adjust the intensity.
- To switch between the overhead shower and the hand shower, use the diverter function on the flow control knob or a dedicated button, depending on your specific model configuration.
- For the hand shower, press the **Select** button on the shower head itself to cycle through the three available jet types:
 - **RainAir:** A soft, air-enriched rain spray.
 - **Gentle Rain:** A fine, soft rain spray.
 - **Whirl Massage Jet:** A concentrated, rotating spray for massage.
- The hand shower holder can be adjusted by 90° tilt and swiveled horizontally and vertically along the riser for optimal positioning.

5. MAINTENANCE

Regular cleaning and maintenance will ensure the longevity and optimal performance of your hansgrohe Raindance E 300 Showerpipe.

Cleaning the Shower Heads (QuickClean):

- Both the overhead and hand showers are equipped with hansgrohe's QuickClean function.
- To remove limescale deposits from the silicone nozzles, simply rub them gently with your finger. This dislodges the limescale, restoring the spray pattern.

General Cleaning:

- Clean the chrome surfaces and the ShowerTablet shelf with a soft, damp cloth and a mild, non-abrasive cleaning agent.
- Avoid using abrasive cleaners, scouring pads, or cleaners containing acids, alcohol, or chlorine, as these can damage the finish.
- Rinse thoroughly with clean water after cleaning and dry with a soft cloth to prevent water spots.

6. TROUBLESHOOTING

If you encounter issues with your hansgrohe Raindance E 300 Showerpipe, please review the following common troubleshooting steps:

- **No Water Flow or Low Pressure:**
 - Check if the main water supply to your bathroom is open.
 - Ensure the flow control knob on the thermostat is fully open.
 - Clean the shower nozzles using the QuickClean function to remove any limescale blockages.
 - Inspect the shower hose for kinks or damage.
- **Inconsistent Water Temperature:**

- Verify that the hot and cold water supplies are correctly connected and functioning.
- Ensure the thermostat is set to the desired temperature.
- If the issue persists, the thermostat cartridge may require calibration or replacement by a qualified professional.

• Leaking:

- Check all connections for tightness. Do not overtighten.
- Inspect seals and O-rings for wear or damage.

If these steps do not resolve the issue, please contact hansgrohe customer support or a qualified plumber.

7. SPECIFICATIONS

Feature	Detail
Brand	hansgrohe
Model Number	27363000
Product Dimensions	21.85 x 24.92 x 57.8 inches (approx. 55.5 x 63.3 x 146.8 cm)
Item Weight	11 Kilograms (24.2 pounds)
Color	Chrome
Material	Glass, Silicone, Metal, Aluminium (Handle Material: Brass)
Finish Type	Chrome
Number of Handles	1 (for flow/temperature control)
Mounting Type	Exposed Installation (Wall Mounted)
Head Shower Size	30 x 30 cm (11.8 x 11.8 inches)
Hand Shower Diameter	125 mm (4.9 inches)
Jet Types (Hand Shower)	RainAir, Gentle Rain, Whirl Massage Jet
Flow Rate	Up to 16 l/min (at 3 bar pressure)
Included Components	Hansgrohe Raindance E Showerpipe 300 1jet, ShowerTablet 600, 1 consumer





8. WARRANTY AND SUPPORT

hansgrohe provides a **5-year voluntary manufacturer's warranty** on this product, reflecting its commitment to high-quality standards.

For warranty claims, technical assistance, or further product information, please contact hansgrohe customer support or visit the official hansgrohe store:

[Visit the hansgrohe Store](#)

Related Documents - 27363000

	<p>Hansgrohe Raindance Alive S Showerpipe 300: Product Overview and Specifications</p> <p>Detailed information on the Hansgrohe Raindance Alive S Showerpipe 300 1jet EcoSmart with ShowerSelect Comfort, including features, technology, dimensions, and installation guidelines. Available in matte black.</p>
	<p>Hansgrohe Raindance Connect Showerpipe - Installation and User Guide</p> <p>Comprehensive guide for installing and using the Hansgrohe Raindance Connect Showerpipe and Showerpipe Eco. Includes safety instructions, technical data, and maintenance tips.</p>
	<p>Hansgrohe Raindance Alive S Showerpipe 300 1jet EcoSmart with ShowerSelect Comfort - Brushed Bronze</p> <p>Discover the Hansgrohe Raindance Alive S Showerpipe 300, featuring a 1jet EcoSmart showerhead with ShowerSelect Comfort controls in a stylish Brushed Bronze finish. This document provides detailed features, technology, product illustration, and installation dimensions for model number 24583140.</p>
	<p>Hansgrohe Vernis Blend Showerpipe 240 1jet EcoSmart with Thermostat - Product Information</p> <p>Detailed product information for the Hansgrohe Vernis Blend Showerpipe 240 1jet EcoSmart with Thermostat, including features, dimensions, installation guidance, and spare parts. Features EcoSmart technology for water saving.</p>
	<p>Hansgrohe Raindance Shower Heads: Installation and User Guide</p> <p>Detailed installation guide, user manual, and technical specifications for Hansgrohe Raindance shower heads, covering assembly, safety, maintenance, and product details.</p>

[Hansgrohe Raindance Alive Q Showerpipe 210/340 1jet with ShowerSelect Comfort - Technical Details](#)

Detailed technical specifications and features of the Hansgrohe Raindance Alive Q Showerpipe 210/340 1jet with ShowerSelect Comfort in Chrome finish. Includes dimensions, flow rates, technology highlights, and installation information.