Manuals+

Q & A | Deep Search | Upload

manuals.plus /

- Thule /
- Thule Screw RTS 4,2x13 Grey (Model 1500052319) Instruction Manual for Roof Bar Systems 958/959

Thule 1500052319

Thule Screw RTS 4,2x13 Grey (Model 1500052319) Instruction Manual

For Thule Roof Bar Systems 958/959

1. Introduction

This document serves as an instruction manual for the Thule Screw RTS 4,2x13 Grey, model number 1500052319. This screw is a specific component designed for use with Thule roof bar systems, particularly models 958 and 959. It is intended for replacement or assembly purposes to ensure the secure fastening of various roof rack components. Always refer to the primary instruction manual of your specific Thule roof bar system for complete assembly details.

2. PACKAGE CONTENTS

The package for this product typically contains:

• 1 x Thule Screw RTS 4,2x13 Grey (Model 1500052319)



Image: A single grey Thule screw, model RTS 4,2x13, featuring a hexagonal head. This screw is designed for secure fastening within Thule roof rack systems.

3. SETUP AND INSTALLATION

The Thule Screw RTS 4,2x13 Grey is an integral part of assembling or maintaining your Thule roof bar

system. Its primary function is to secure specific components of the roof rack. Follow the steps below in conjunction with your main Thule roof bar system manual.

3.1. Component Identification

Before installation, identify the components of your roof bar system where this screw is to be used. The screw (often labeled 'F' in diagrams) is typically used to fasten parts of the roof bar assembly, such as end caps or mounting brackets.




Image: An exploded diagram illustrating various components of a Thule roof bar system. Key parts include the roof bar (A), end caps (B, D), rubber strip (E), and the screw (F). The screw (F) is depicted with dimensions 20mm and a quantity of x4, indicating its role in securing multiple points of the roof bar assembly. An Allen key (H) is also shown, suggesting the tool required for tightening.

3.2. Fastening Procedure

- 1. Align the components: Ensure the parts to be joined are correctly aligned according to your roof bar system's instructions.
- 2. Insert the screw: Place the Thule Screw RTS 4,2x13 Grey into the designated hole.
- 3. Tighten the screw: Using an appropriate Allen key (as indicated by component H in the diagram), carefully tighten the screw. Avoid over-tightening, which can strip threads or damage components. Refer to your main roof bar manual for specific torque settings if provided.
- 4. Verify security: After tightening, gently check the fastened components to ensure they are secure and stable.




Image: Another exploded diagram of Thule roof bar components. This illustration features a different type of fastener (G) and a torque wrench (H) with a specified setting of 2Nm. While this diagram shows a different fastener, it emphasizes the importance of precise tightening for secure installation within the Thule system.

4. Usage and Function

The Thule Screw RTS 4,2x13 Grey is designed to provide a secure and reliable connection between various parts of your Thule roof rack system. Its specific dimensions and material composition ensure compatibility and durability within the intended Thule products. Proper installation ensures the structural integrity and safety of your roof rack when carrying loads.

5. MAINTENANCE

To ensure the longevity and continued performance of your Thule Screw RTS 4,2x13 Grey and the overall roof bar system:

- **Regular Inspection:** Periodically check all screws and fasteners on your roof rack for tightness. Vibrations during travel can sometimes loosen components.
- **Cleaning:** Clean the screws and surrounding areas with mild soap and water. Avoid harsh chemicals that could corrode the material.
- **Replacement:** If a screw shows signs of wear, corrosion, or damage (e.g., stripped head or threads), replace it immediately with an authentic Thule replacement part to maintain safety and performance.

6. Troubleshooting

If you encounter issues with the Thule Screw RTS 4,2x13 Grey:

- Screw does not fit: Double-check the model number of your roof bar system and ensure you have the correct screw size and type. Refer to your main roof bar manual.
- **Screw is loose:** Re-tighten the screw using the appropriate tool. If it repeatedly loosens, inspect the threads on both the screw and the component it fastens for damage. Replace damaged parts as necessary.
- **Stripped head:** If the screw head is stripped, making it difficult to tighten or remove, use a screw extractor tool or seek professional assistance. Prevent stripping by using the correct tool size and

7. Specifications

Manufacturer	THULE
Part Number	1500052319
Item Model Number	1500052319
Item Weight	14.1 ounces
Package Dimensions	3.94 x 3.15 x 2.36 inches
Color	Grey
Item Package Quantity	1
Batteries Required?	No

8. WARRANTY AND SUPPORT

For specific warranty information regarding Thule products, including replacement parts like this screw, please refer to the official Thule website or the warranty documentation provided with your original Thule roof bar system. Thule products are known for their quality, and genuine replacement parts ensure continued performance and safety.

For further assistance or to contact customer support, please visit the official Thule website: www.thule.com

Related Documents - 1500052319



Thule E-Flexi 958 Tow Bar Bike Carrier Instructions

Detailed installation and usage instructions for the Thule E-Flexi 958 tow bar-mounted bike carrier. Includes safety guidelines, weight limits, compatibility checks, and step-by-step assembly and removal procedures.




Thule Product Guide - Van & Minivan Accessories 2020

Explore Thule's 2020 Product Guide for van and minivan accessories, featuring innovative roof rack systems, versatile awnings, smart storage solutions, and specialized carriers for bikes, water sports, and winter sports gear. Discover high-quality, secure, and easy-to-use products designed to enhance your active outdoor lifestyle and simplify bringing all your essential gear.



Documents - Thule - 1500052319




[pdf]

72d1eeea322f0a7e8b2e3bc364744c57203069b4e2423ba4502ac52a8ba317dd xlsx Work0 Cenník náhradných dielov THULE 2021 Číslo dielu Autoglas sk Edge Foot Railing LH 958 47 39 € 1500052317 RH 1500052318 Torque key 36 03 1500052319 Screw RTS 4 2x13 grey nd2021 eshop 1 autoglas sub images |||

Cennk nhradnch dielov THULE 2021 Cslo dielu Nzov dielu Thule Cena v EUR s DPH 1500000001 1500000 ... 1500052309 1500052310 1500052311 1500052312 1500052313 1500052314 1500052316 1500052317 1500052318 **1500052319** 1500052330 1500052331 1500052332 1500052333 1500052334 1500052335 1500052340 1500052341 1...

lang:no score:20 filesize: 189.75 K page_count: 46 document date: 2021-01-13




[pdf]

Admin Ceník náhradních dílů Sport Cargo platný od 1 2019 Autoglas skProtection Cap 559 26 € 1500031526 Tension band 7 51 Bag THULE CX1 burg 14 70 22 1533191026 CX2 Thule náhradné diely webautoglas sk sub autoglas images Thule web |||

Cenk nhradnch dl Sport Cargo platn od 1.1.2019 cslo polozky 1500000001 1500000002 1500000003 1500 ... 1500052309 1500052310 1500052311 1500052312 1500052313 1500052314 1500052316 1500052317 1500052318 1500052319 1500052330 1500052331 1500052332 1500052333 1500052334 1500052335 1500052340 1500052341 ...

lang:nl score:15 filesize: 1.24 M page_count: 49 document date: 2019-04-25



[pdf]

2ee651d64ca74a5919e4b6d754086323ec799dcc1d4c6f2486cb6da4c80e5c18 xlsx Work5 Cena s DPH Autoglas sk Thule Force XT Locking Hitch 12 38 € 1500011901 Lock B 520 4 Allen key adapter 754002 10 02 1500052310 Screw 3118 37 nd thule 1 2020 autoglas sub images |||

Cennk nhradnch dielov Thule platnch od 1.1.2020 cslo ND 1500000001 1500000002 1500000003 1500000004 ... 18.72 15.98 40.63 22.57 13.29 10.02 10.37 22.00 22.34 22.34 55.51 55.51 42.20 7.95 **1500052319** 1500052330 1500052331 1500052332 1500052333 1500052334 1500052335 1500052340 1500052341 1...

lang:no score:14 filesize: 198.84 K page count: 49 document date: 2020-01-08



[pdf]

Halm Jochen Racks Carriers Autoglas sk Thule Force XT Locking Hitch 1 19 € 1500011901 Lock B 520 9 89 WingBar Evo Lower cover strip 12 1500052991 Smart Scale Spare parts boxes 2020 autoglas sub images |||

Cennk nhradnch dielov THULE- nosice a autoboxy 2020 Racks Carriers Cena s DPH EUR Objedn.cslo 1 ... 14,94 12,77 32,44 18,01 10,60 8,00 8,27 17,57 17,84 17,84 44,31 1500052317 1500052318 **1500052319** 1500052330 1500052331 1500052332 1500052333 1500052334 1500052335 1500052340 1500052341 1...

lang:sw score:13 filesize: 825.04 K page_count: 45 document date: 2020-01-16