

LEDVANCE 74246

LEDVANCE Sylvania 74246 1x4 ft. Integrated LED Edge-Lit Panel Light with Emergency Battery Backup User Manual

Model: 74246 | Brand: LEDVANCE Sylvania

1. INTRODUCTION

This manual provides detailed instructions for the installation, operation, and maintenance of your LEDVANCE Sylvania 74246 1x4 ft. Integrated LED Edge-Lit Panel Light with Emergency Battery Backup. Please read this manual thoroughly before installation and retain it for future reference. This product is designed for indoor use and provides efficient, cool white illumination with an integrated emergency power source.

2. SAFETY INFORMATION

Observe the following safety precautions to prevent injury or damage to the product:

- **Electrical Safety:** Always disconnect power at the circuit breaker before installation, maintenance, or servicing. Ensure all wiring complies with national and local electrical codes.
- **Qualified Personnel:** Installation and servicing should only be performed by a qualified electrician.
- **Handling:** Handle the LED panel with care to avoid damage to the light source or frame.
- **Environment:** This product is designed for indoor use only. Do not expose to moisture or extreme temperatures.
- **Emergency Battery:** The emergency battery backup system requires periodic testing to ensure proper function. Refer to the operation section for testing procedures.
- **Voltage:** Ensure the supply voltage matches the product's specified voltage (277 Volts).

3. PACKAGE CONTENTS

Verify that all components are present before beginning installation:

- 1x LEDVANCE Sylvania 1x4 ft. Integrated LED Edge-Lit Panel Light with Emergency Battery Backup
- Installation Guide (this manual)



Figure 1: LEDVANCE Sylvania 1x4 ft. Integrated LED Edge-Lit Panel Light. A top-down view of the LEDVANCE Sylvania 1x4 ft. Integrated LED Edge-Lit Panel Light. The panel is white with a thin silver-colored frame, designed for ceiling installation.

4. SPECIFICATIONS

Feature	Detail
Brand	LEDVANCE Sylvania
Model Number	74246
Dimensions	1 ft. x 4 ft.
Wattage	32 Watts
Brightness	3300 Lumens
Color Temperature (CCT)	4000 Kelvin (Cool White)
Voltage	277 Volts
Light Source Type	Integrated LED
Material	Aluminum
Installation Type	Surface Mount (also suitable for recessed T-grid ceilings)
Emergency Backup	Integrated Battery Backup
Indoor/Outdoor Usage	Indoor Only
Efficiency	103.125 lumens per watt

Feature	Detail
Item Weight	5.99 pounds

5. INSTALLATION INSTRUCTIONS

Important: Installation must be performed by a qualified electrician and in accordance with all applicable electrical codes.

5.1 Pre-Installation Checklist

- Ensure power is OFF at the circuit breaker.
- Verify the supply voltage is 277V.
- Confirm all package contents are present and undamaged.
- Gather necessary tools (e.g., screwdriver, wire strippers, drill, mounting hardware if not included for specific mounting type).

5.2 Mounting Options

This panel light supports surface mount installation. For recessed T-grid ceiling installations, additional clips (not included) may be required.

5.3 Wiring Instructions

1. **Disconnect Power:** Turn off power at the main circuit breaker.
2. **Access Wiring Compartment:** Locate and open the wiring compartment on the back of the LED panel.
3. **Connect Wires:**
 - Connect the *black* wire from the fixture to the *live* (hot) wire from the power supply.
 - Connect the *white* wire from the fixture to the *neutral* wire from the power supply.
 - Connect the *green* or *bare copper* wire from the fixture to the *ground* wire from the power supply.
 - For the emergency battery backup, ensure the dedicated unswitched AC power line is connected as per local codes to allow continuous charging.
4. **Secure Connections:** Use appropriate wire connectors (e.g., wire nuts) to secure all connections.
5. **Close Compartment:** Carefully tuck all wires into the wiring compartment and close the cover securely.

5.4 Mounting the Panel

1. **Positioning:** Carefully position the LED panel in the desired location.
2. **Secure Mounting:** For surface mount, use appropriate screws and anchors (not included) to secure the panel directly to the ceiling or wall structure. Ensure the mounting is robust enough to support the panel's weight (approx. 5.99 lbs).
3. **Final Check:** Double-check all connections and mounting security.

6. OPERATION

6.1 Normal Operation

1. **Power On:** Once installation is complete and verified, restore power at the circuit breaker.
2. **Switch On:** Operate the light using the wall switch connected to the fixture. The panel will illuminate with 4000K cool white light.

6.2 Emergency Battery Backup Function

The integrated emergency battery backup provides illumination during power outages.

- Upon loss of normal AC power, the panel will automatically switch to battery power, providing reduced lumen output for a specified duration (typically 90 minutes).
- The battery charges automatically when AC power is present.

6.3 Testing the Emergency Function

Regular testing is crucial to ensure the emergency battery backup is functioning correctly.

1. **Monthly Test (30 seconds):** Press and hold the test button (if present, typically a small button on the side of the fixture or driver housing) for 30 seconds. The light should switch to emergency mode. Release the button; the light should return to normal operation.
2. **Annual Test (90 minutes):** Once a year, perform a full discharge test. Turn off the AC power to the fixture for 90 minutes. The light should remain illuminated in emergency mode for the entire duration. Restore AC power after the test.
3. **Indicator Light:** A small LED indicator light (if present) typically shows the battery status: green for charged, red for charging or fault. Consult the specific driver instructions for detailed indicator meanings.

7. MAINTENANCE

The LEDVANCE Sylvania LED panel light requires minimal maintenance.

- **Cleaning:** Ensure power is off before cleaning. Wipe the surface of the panel with a soft, damp cloth. Do not use abrasive cleaners or solvents, as these can damage the finish or optical components.
- **Inspection:** Periodically inspect the fixture for any signs of damage, loose wiring, or wear.
- **LEDs:** The integrated LEDs are designed for long life and are not user-replaceable.
- **Battery Replacement:** The emergency battery has a finite lifespan. If the unit fails the annual 90-minute test, the battery may need replacement. Contact qualified service personnel for battery replacement.

8. TROUBLESHOOTING

Before attempting any troubleshooting, ensure power is disconnected at the circuit breaker.

Problem	Possible Cause	Solution
Light does not turn on (normal operation)	◦ No power to the fixture. ◦ Loose wiring connection. ◦ Faulty wall switch.	◦ Check circuit breaker and wall switch. ◦ Verify all wiring connections are secure. ◦ Test or replace the wall switch.
Light does not turn on during power outage (emergency mode)	◦ Battery not charged. ◦ Battery faulty or at end of life. ◦ Emergency circuit wiring issue.	◦ Ensure AC power has been supplied to the fixture for at least 24 hours for initial charge. ◦ Perform a 30-second test. If it fails, perform a 90-minute test. If it still fails, contact support for battery replacement. ◦ Verify emergency wiring connections.

Problem	Possible Cause	Solution
Light flickers or dims inconsistently	- Loose wiring. - Incompatible dimmer switch (if applicable, though this model does not specify dimming). - Voltage fluctuations.	- Check and secure all wiring connections. - Ensure the power supply is stable. - If problem persists, contact a qualified electrician.

9. WARRANTY AND SUPPORT


Warranty Information: For warranty details, please refer to the documentation included with your product or visit the official LEDVANCE Sylvania website. The product is typically covered by a manufacturer's warranty against defects in materials and workmanship.



Customer Support: For technical assistance, troubleshooting, or warranty claims, please contact LEDVANCE Sylvania customer service:

- Phone (US & Canadian Customers):** 1-800-LIGHTBULB (1-800-544-4828)
- Website:** www.ledvanceus.com (or relevant regional website)

Please have your model number (74246) and purchase date available when contacting support.

Related Documents - 74246


	SYLVANIA Vapor Tight LED Luminaires: Specifications, Features, and Ordering Guide Comprehensive details on SYLVANIA Vapor Tight LED luminaires, including product features, dimensions, wattage comparison, detailed specifications, photometric data, fixture spacing, ordering information, and DLC listings.
	SYLVANIA Luminaires Linear High Bay Product Specifications and Ordering Guide Detailed specifications, features, and ordering information for SYLVANIA Linear High Bay LED luminaires. Includes wattage comparisons, dimensions, electrical and optical specifications, and a comprehensive ordering guide.
	LEDVANCE EMERGENCY SPOT E 1.3W 3H AT - Technical Data and Installation Guide Comprehensive technical specifications, installation instructions, and testing procedures for the LEDVANCE EMERGENCY SPOT E 1.3W 3H AT emergency lighting fixture.

	Pairing SYLVANIA SMART+ Bluetooth Lights with the SYLVANIA Smart Home App A comprehensive guide on how to set up and pair SYLVANIA SMART+ Bluetooth lights with the SYLVANIA Smart Home app on Android devices. Learn to create an account, add rooms, and pair your lights step-by-step.
	SYLVANIA ValueLED CCT Selectable Small Wallpack - Installation Guide and Specifications Detailed installation guide and specifications for the SYLVANIA ValueLED CCT Selectable Small Wallpack. Learn about its features, safety precautions, and wiring for energy-efficient LED lighting.
	SYLVANIA LIGHTIFY Smart Sensor: Motion and Temperature Control Discover the SYLVANIA LIGHTIFY Smart Sensor for automated lighting and room temperature monitoring. This guide details its features, applications, specifications, and ordering information for residential and small business use.

Documents - LEDVANCE – 74246



[\[pdf\]](#) Installation Guide Specifications Guide Declaration of Conformity Accessories SYLVANIA LED Luminaires Specification Guide Unilog 2022 10 04 — installation guide and in applicable Product Information Bulletin The Quick easy without the need for dimming wires Sylvania 103028664 Sheet assets unilogcorp 187 ITEM DOC ||| [www.sylvania.com](#) SYLVANIA LED Luminaires Specification Guide Product Finder Edge-Lit Panel 8 Sho ... 252 61597 74797 61598 74247 61591 74248 61592 74935 61593 74249 61594 74250 61599 74934 61595 74245 **74246** 74939 74253 74254 74798 74239 74240 74937 Ordering Abbreviation PANELF1A/032UNVD835/14G/WH PA... lang:en score:22 filesize: 8.61 M page_count: 85 document date: 2020-12-09




[pdf] Specifications Guide Accessories Catalog

SYLVANIA LED Luminaires Specification Guide Sylvania 60147 Catalog cdn Isicloud net kendall

Resources AD

www.sylvania.com SYLVANIA LED Luminaires Specification Guide Product Finder
Edge-Lit Panel 6 Lev ... 730 74251 74252 74797 60734 60735 60736 74247 74248
74935 60737 60738 60739 74249 74250 74934 74245 **74246** 74939 74253 74254
74798 74239 74240 74937 Ordering Abbreviation PANELF1A/032UNHD835/14G/WH
PA...

lang:en score:20 filesize: 7.28 M page_count: 146 document date: 2019-03-20



[pdf] Specifications Dimension Guide Catalog


SYLVANIA LEDVANCE US Luminaires Edge Lit Panel ledvanceUS LEDLUM010R16 10 22

Specifications Weight 1x4 2x2 7 96lbs 3 6 kg Standard 2x4 14 33lbs 5 14lbs 4 Emergency 16 54lbs lit

assets2 ledvanceus media bin asset 1378153 |||

www.ledvanceUS.com SYLVANIA Luminaires Edge-Lit Panel Product Features The
Edge-Lit Panels are envi ... 4 LEDLUM010R16 10-22 Ordering Information Item
Number 61600 61601 61597 61592 61593 61594 74245 **74246** 74798 74239 74240
74937 74936 Ordering Abbreviation PANELF1A/032UNVD835/14G/WH
PANELF1A/032UN...

lang:en score:15 filesize: 383.15 K page_count: 3 document date: 2022-10-20



[pdf] Specifications Dimension Guide Guide Catalog


SYLVANIA Trade Service Luminaires Edge Lit Panel sylvania LEDLUM010R15 2 21 Specifications

Weight 1x4 2x2 7 96lbs 3 6 kg Standard 2x4 14 33lbs 5 10 14lbs 4 Emergency 16 54lbs Ledvance

OsramSylvania 01728 1 CAT images tradeservice 9ETBOIK8205G6UU ATTACHMENTS DIR100351 |||

www.sylvania.com SYLVANIA Luminaires Edge-Lit Panel Product Features The
Edge-Lit Panels are enviro ... UNVD850/24G/WH 40 120-277V 0-10V 80 74245
PANELF1A/032UNVD835/14G/WH/E 32 120-277V 0-10V 80 **74246**
PANELF1A/032UNVD840/14G/WH/E 32 120-277V 0-10V 80 74939
PANELF1A/032UNVD850/14G/WH/E 32 1...

lang:en score:14 filesize: 407.07 K page_count: 3 document date: 2021-12-24



[pdf] Dimension Guide Catalog

office panel LED corridors cut classroom education Bulletin PIB lit Product interior room sheet multi purpose Information faculty saving center general edge fitness nurse conference SYLVANIA LEDLUM010 energy business efficient 6 17 indoor hospitality USC healthcare luminaire cafeteria station reception patient LEDVANCE LEDLUM010R6 admittance hallway Cut Sheet PANELF1A 040UNVD835 24G WH Edge Lit Panel 2x4 40 Watt 4200 Lumen 3500K 120 277V Gexpro 61594 i AC1A825A F458 4146 812B CE390C2CB840 rexel cdn products ||| www.ledvanceUS.com SYLVANIA Luminares Edge-Lit Panel Product Features The Edge-Lit Panels are envi ... 4 LEDLUM010R16 10-22 Ordering Information Item Number 61600 61601 61597 61592 61593 61594 74245 **74246** 74798 74239 74240 74937 74936 Ordering Abbreviation PANELF1A/032UNVD835/14G/WH PANELF1A/032UN... lang:en score:14 filesize: 465.63 K page_count: 3 document date: 2022-10-20

[pdf] Specifications Dimension Guide Catalog

office panel LED corridors cut classroom education Bulletin PIB lit Product interior room sheet multi purpose Information faculty saving center general edge fitness nurse conference SYLVANIA LEDLUM010 energy business efficient 6 17 indoor hospitality USC healthcare luminaire cafeteria station reception patient LEDVANCE LEDLUM010R6 admittance hallway SpecificationSylvania 62065 1x4 Surface Mount Kit Bees Lightingasset 13112817 Cut Sheet Edge Panelfiles plytix api v1 1 file public files pim assets 76 31 d1 64 64d13176886739000117d282 texts 82 fa 25 68 6825fa828971f5dce42432bf asset Panel Luminares Lit PanelSpecificationSylvania LightingMLSCo LEDVANCEGmbH Sylvania 00253 3 SPECasset Panelmedia distributordatasolutions xlsx trimble 2023q4 documents 1ed9152f22ad177ae968c5b8e481e1b77d9d648cfiles ||| ||| www.ledvanceUS.com SYLVANIA Luminares Edge-Lit Panel Product Features The Edge-Lit Panels are environmentally preferable LED alternatives to traditional fluorescent luminaires, offering up to 47% in energy savings. Ideal in place of traditi www.ledvanceUS.com SYLVANIA Luminares Edge-Lit Panel Product Features The Edge-Lit Panels are envi ... 4 LEDLUM010R16 10-22 Ordering Information Item Number 61600 61601 61597 61592 61593 61594 74245 **74246** 74798 74239 74240 74937 74936 Ordering Abbreviation PANELF1A/032UNVD835/14G/WH PANELF1A/032UN... lang:en score:14 filesize: 465.64 K page_count: 3 document date: 2022-10-20



[pdf] Installation Guide Borchure


Light is straightforward No frills Just quality LEDVANCE 3 Table of Contents SYLVANIA LED Luminares Overview 4 5 Edge lit Panel 6 7 Volumetric Troffer 8 9 Retrofit Door Kit 10 11 12 13 Brochure assets sylvania onlinemedia IHDP A51161F905F8E4DCDBBC2C38AF482F49 The new portfolio has been designed to redefine the standard because we have taken time understand your needs and requests as lighting professionals Licensee of product trademark SYLVANIA in general lighting Light is straightforward No frills. Just ... Lit Panel 32W 3500K 74245 1x4 Edge-Lit Panel 32W 3500K Emergency 74244 1x4 Edge-Lit Panel 32W 4000K **74246** 1x4 Edge-Lit Panel 32W 4000K Emergency *LPW per LM79 Report Power W 32W 32W 32W 32W Input ... lang:en score:13 filesize: 3.32 M page_count: 32 document date: 2016-12-23



[\[pdf\]](#) Dimension Guide Guide Warranty Accessories


SYLVANIA LED Fixtures Contractor Guide Sensor Emergency Accessories Additional Options Please see pages 42 67 for more details on 6 7 Photometric Data — Illuminance target 30 50 footcandles avg Initial illuminance measured at desk height 80 20 reflectances Summary table average initial minimum contrast 8 ft Mounting Height 10 12 assets2 sylvania media bin asset 3095240

www.sylvania.com SYLVANIA LED Fixtures Contractor Guide Let s work together A handy guide to make ... dge-Lit Panel Volumetric Troffer Item Number 74243 74244 74251 74252 74247 74248 74249 74250 74245 **74246** 74253 74254 74239 74240 74241 74242 74938 74935 74934 74797 74939 74937 74936 74798 74352 7435... lang:en score:13 filesize: 3.49 M page_count: 35 document date: 2018-03-02




[\[pdf\]](#) Dimension Guide Catalog

SYLVANIA Product Features The Edge Lit Panels are environmentally preferable LED alternatives to traditional fluorescent luminaires offering up to 47% in energy savings Ideal place of View LEDLUM010 Panel Final colonialelectricsupply landing sylvania 17 ||| www.sylvania.com SYLVANIA LEDVANCE Luminares Edge-Lit Panel Product Features The Edge-Lit Panels a ... 43fc / 1.7 Ordering Information Item Number 74243 74244 74251 74252 74247 74248 74249 74250 74245 **74246** 74253 74254 74239 74240 74241 74242 Ordering Abbreviation PANELF1A/032UNVD835/14G/WH PANELF1A... lang:en score:13 filesize: 299.56 K page_count: 2 document date: 2017-02-14



[\[pdf\]](#) Specifications Dimension Guide Catalog

Additional Specification Sheet 74248 K E Electric Supply Corporation OOSRAME08547 1 2 images tradeservice ATTACHMENTS DIR100161 ||| www.sylvania.com SYLVANIA LEDVANCE Luminares Edge-Lit Panel Product Features The Edge-Lit Panels a ... 43fc / 1.7 Ordering Information Item Number 74243 74244 74251 74252 74247 74248 74249 74250 74245 **74246** 74253 74254 74239 74240 74241 74242 Ordering Abbreviation PANELF1A/032UNVD835/14G/WH PANELF1A... lang:en score:13 filesize: 320.36 K page_count: 2 document date: 2017-01-27



[pdf] Dimension Guide Borchure Catalog

Product Brochure SupplyWorks The Home Depot Pro Institutional Office Work and Janitorial Supplies
Details 10154 3569915 content interlinebrands product document |||

www.sylvania.com SYLVANIA LEDVANCE Luminaires Edge-Lit Panel Product


Features The Edge-Lit Panels a4 44fc / 1.8 59fc / 2.5 48fc / 2.3 43fc / 1.7

Ordering Information Item Number 74243 74245 74244 **74246** 74251 74253 74252

74254 74247 74239 74248 74240 74249 74241 74250 74242 Ordering

Abbreviation...

lang:en score:13 filesize: 280.31 K page_count: 2 document date: 2016-09-21



[pdf] Dimension Guide Catalog

Go Now Bulbconnection List Projects and Manage Url bulbconnection file assoc 3780 FL 081044 |||


www.sylvania.com LEDVANCE Luminaires EDGE-LIT PANEL Product Features The

Edge-Lit Panels are enviro ... ers: ---- Leviton DS710 ---- Leviton IP710-LFZ Ordering

Information Item Number 74243 74245 74244 **74246** 74251 74253 74252 74254

74247 74239 74248 74240 74249 74241 74250 74242 Ordering Abbreviation...

lang:en score:13 filesize: 721.33 K page_count: 2 document date: 2016-07-07



[pdf] Specifications Dimension Guide Guide Catalog

SYLVANIA Luminaires Edge Lit Panel Prolighting Specifications Weight 1x4 2x2 7 96lbs 3 6 kg Standard

2x4 14 33lbs 5 10 14lbs 4 Emergency 16 54lbs sylpanelf1a040unvd83524gwh i 258740AB D6A8 4D82

95C5 62068BB43205 rexel cdn products

www.sylvania.com SYLVANIA Luminaires Edge-Lit Panel Product Features The


Edge-Lit Panels are enviro ... ormation Item Number 74243 74244 74938 74251

74252 74797 74247 74248 74935 74249 74250 74934 74245 **74246** 74939 74253

74254 74798 74239 74240 74937 74241 74242 74936 Ordering Abbreviation

PANELF1A/03...

lang:en score:12 filesize: 338.71 K page_count: 3 document date: 2018-06-07



[pdf] Specifications Dimension Guide Guide Catalog

SYLVANIA ShineRetrofits Luminaires Edge Lit Panel sylvania LEDLUM010R8 2 18 Specifications Weight

1x4 2x2 7 96lbs 3 6 kg Standard 2x4 14 33lbs 5 10 14lbs 4 Emergency 16 54lbs Construction Extruded

aluminum frame with sheet metal back plate earthquake clips Sylvania Series Spec Sheet shineretrofits

mw link id 8328

www.sylvania.com SYLVANIA Luminaires Edge-Lit Panel Product Features The


Edge-Lit Panels are enviro ... ormation Item Number 74243 74244 74938 74251

74252 74797 74247 74248 74935 74249 74250 74934 74245 **74246** 74939 74253

74254 74798 74239 74240 74937 74241 74242 74936 Ordering Abbreviation

PANELF1A/03...

lang:en score:12 filesize: 331.75 K page_count: 3 document date: 2018-02-01



[pdf] Dimension Guide Guide Catalog

Cut Sheet SYLVANIA SMK1T1A 22G WH Surface Mount Kit 2x2 Lay In Grid Troffers White Rexel USA

syl1163049smkit1a 22a wh i 7FEF96E2 C9C6 4C65 B283 1C2379F78228 rexel cdn products |||

www.sylvania.com SYLVANIA Luminares Edge-Lit Panel Product Features The


Edge-Lit Panels are enviro ... ormation Item Number 74243 74244 74938 74251

74252 74797 74247 74248 74935 74249 74250 74934 74245 **74246** 74939 74253

74254 74798 74239 74240 74937 74241 74242 74936 Ordering Abbreviation

PANELF1A/03...

lang:en score:12 filesize: 323.98 K page_count: 3 document date: 2021-05-24



[pdf] Dimension Guide Guide Catalog

Cut Sheet SYLVANIA PANELF1A 032UNVD840 22G WH LED Edge Lit Panel 2x2 32W 120 277V White

*** Discontinued Rexel USA sylpanelf1a032unvd84022gwh i 9B4C6913 D008 4615 8640 8A68EA18CA85

rexel cdn products |||

www.sylvania.com SYLVANIA Luminares Edge-Lit Panel Product Features The


Edge-Lit Panels are enviro ... ormation Item Number 74243 74244 74938 74251

74252 74797 74247 74248 74935 74249 74250 74934 74245 **74246** 74939 74253

74254 74798 74239 74240 74937 74241 74242 74936 Ordering Abbreviation

PANELF1A/03...

lang:en score:12 filesize: 338.88 K page_count: 3 document date: 2018-06-07



[pdf] Dimension Guide Guide Catalog

Cut Sheet SYLVANIA PANELF1A 040UNVD835 24G WH E LED Edge Lit Panel 2x4 40W 120 277V

White Emergency Rexel USA syl74241 i 8D446AEB 7E5D 4B17 9336 30E9A31ABE93 rexel cdn products

|||

www.sylvania.com SYLVANIA Luminares Edge-Lit Panel Product Features The


Edge-Lit Panels are enviro ... ormation Item Number 74243 74244 74938 74251

74252 74797 74247 74248 74935 74249 74250 74934 74245 **74246** 74939 74253

74254 74798 74239 74240 74937 74241 74242 74936 Ordering Abbreviation

PANELF1A/03...

lang:en score:12 filesize: 322.49 K page_count: 3 document date: 2019-04-05



[pdf] Dimension Guide Guide Catalog


Cut Sheet SYLVANIA OBS PANELF1A 040UNVD850 24G WH LED Edge Lit Panel 2x4 40W 4300L

5000K 120 277V White *** Discontinued Gexpro sylpanelf1a i 5D1565A7 9822 4630 9B35

F72099B2D8F9 rexel cdn products |||

www.sylvania.com SYLVANIA Luminares Edge-Lit Panel Product Features The Edge-Lit Panels are enviro ... ormation Item Number 74243 74244 74938 74251 74252 74797 74247 74248 74935 74249 74250 74934 74245 **74246** 74939 74253 74254 74798 74239 74240 74937 74241 74242 74936 Ordering Abbreviation PANELF1A/03...

lang:en score:12 filesize: 333.61 K page_count: 3 document date: 2018-12-18



[pdf] Dimension Guide Guide Catalog


Cut Sheet SYLVANIA PANELF1A 040UNVD840 24G WH LED Edge Lit Panel 2x4 40W 120 277V White

*** Discontinued Rexel USA sylpanelf1a040unvd84024gwh i 85F84769 BBBF 444C A0DB

792BA879D72B rexel cdn products |||

www.sylvania.com SYLVANIA Luminares Edge-Lit Panel Product Features The Edge-Lit Panels are enviro ... ormation Item Number 74243 74244 74938 74251 74252 74797 74247 74248 74935 74249 74250 74934 74245 **74246** 74939 74253 74254 74798 74239 74240 74937 74241 74242 74936 Ordering Abbreviation PANELF1A/03...

lang:en score:12 filesize: 338.77 K page_count: 3 document date: 2018-06-07




[pdf] Dimension Guide Guide Catalog

Cut Sheet SYLVANIA SMK1T1A 24G WH Surface Mount Kit 2x4 Lay In Grid Troffers White Rexel USA

syll1162452smkit1a 24a wh i 765AD4BB FF83 4A7C B996 229F5306CEDC rexel cdn products |||

www.sylvania.com SYLVANIA Luminares Edge-Lit Panel Product Features The Edge-Lit Panels are enviro ... ormation Item Number 74243 74244 74938 74251 74252 74797 74247 74248 74935 74249 74250 74934 74245 **74246** 74939 74253 74254 74798 74239 74240 74937 74241 74242 74936 Ordering Abbreviation PANELF1A/03...

lang:en score:12 filesize: 323.98 K page_count: 3 document date: 2021-05-24



[pdf] Dimension Guide Guide Catalog

Cut Sheet SYLVANIA OBS PANELF1A 032UNVD835 22G WH LED Edge Lit Panel 2x2 32W 120 277V

White *** Discontinued Gexpro sylpanelf1a032unvd83522gwh i 9B519E8E 0046 4C45 B09B

FF75B466CF3C rexel cdn products |||

www.sylvania.com SYLVANIA Luminares Edge-Lit Panel Product Features The


Edge-Lit Panels are enviro ... ormation Item Number 74243 74244 74938 74251

74252 74797 74247 74248 74935 74249 74250 74934 74245 **74246** 74939 74253

74254 74798 74239 74240 74937 74241 74242 74936 Ordering Abbreviation

PANELF1A/03...

lang:en score:12 filesize: 338.64 K page_count: 3 document date: 2018-06-07



[pdf] Dimension Guide Guide Catalog

Cut Sheet SYLVANIA SMKIT1A 14G WH Surface Mount Kit for 1x4 Lay In Grid Troffer Gexpro

idealwireterms i 90B989D2 BE8F 412B 95B7 CC28BF1A5AB6 rexel cdn products |||

www.sylvania.com SYLVANIA Luminares Edge-Lit Panel Product Features The


Edge-Lit Panels are enviro ... ormation Item Number 74243 74244 74938 74251

74252 74797 74247 74248 74935 74249 74250 74934 74245 **74246** 74939 74253

74254 74798 74239 74240 74937 74241 74242 74936 Ordering Abbreviation

PANELF1A/03...

lang:en score:12 filesize: 336.15 K page_count: 3 document date: 2018-11-08



[pdf] Specifications Dimension Guide Guide Catalog

SYLVANIA Luminares Edge Lit Panel Prolighting The slim design of these luminaires is beneficial for

installation in tight ceilings spaces and they offer low glare uniform illumination SYLVANIA v1 prolighting

specsheets sylvania edge lit panel spec srsfltld AfmBOorO 7MDAd2dBW z3GPqBkXU

4s5jmxrghLm2zkKyMmhmCAIO28u ProlightingSYLVANIA ProlightingThe SYLVANIA *Only available 2x4

size Product Features Panels are environmentally preferable LED alternatives to traditional fluorescent

prolighting AfmBOorYeWYfKyOKR9grwSqNoAsXZJFIN7ZNXj0fS6 VOcbw wIRRVXu |||

www.sylvania.com SYLVANIA Luminares Edge-Lit Panel Product Features The


Edge-Lit Panels are enviro ... ormation Item Number 74243 74244 74938 74251

74252 74797 74247 74248 74935 74249 74250 74934 74245 **74246** 74939 74253

74254 74798 74239 74240 74937 74241 74242 74936 Ordering Abbreviation

PANELF1A/03...

lang:en score:12 filesize: 331.75 K page_count: 3 document date: 2018-02-01




[pdf] Dimension Guide Guide Catalog

SYLVANIA Luminares Edge Lit Panel 1 июн 2021 г — sylpanelf1a i 8A6C5C4C B6B6 4DD0 8C5C 7F43AE9E16D1 rexel cdn products

www.sylvania.com SYLVANIA Luminares Edge-Lit Panel Product Features The Edge-Lit Panels are enviro ... UNVD850/24G/WH 40 120-277V 0-10V 80 74245 PANELF1A/032UNVD835/14G/WH/E 32 120-277V 0-10V 80 **74246** PANELF1A/032UNVD840/14G/WH/E 32 120-277V 0-10V 80 74939 PANELF1A/032UNVD850/14G/WH/E 32 1...

lang:en score:12 filesize: 459.09 K page_count: 3 document date: 2020-02-19




[pdf] Dimension Guide Guide Catalog

Cut Sheet SYLVANIA PANELF1A 032UNVD840 22G WH LED Edge Lit Panel 2x2 32W 120 277V White

*** Discontinued Rexel USA osram dam 1378153 i 0F712E11 DB34 4ABC A1B4 B2292018D7B4 rexel cdn products |||

www.sylvania.com SYLVANIA Luminares Edge-Lit Panel Product Features The Edge-Lit Panels are enviro ... 797 60728 60729 60730 74247 74248 74935 60734 60735 60736 74249 74250 74934 60737 60738 60739 74245 **74246** 74939 74253 74254 74798 74239 74240 74937 74241 74242 74936 Ordering Abbreviation PANELF1A/03...

lang:en score:12 filesize: 334.81 K page_count: 3 document date: 2019-03-28



[pdf] Specifications Dimension Guide Guide Catalog

SYLVANIA Luminares Edge Lit Panel sylvania LEDLUM010R15 2 21 Specifications Weight 1x4 2x2 7 96lbs 3 6 kg Standard 2x4 14 33lbs 5 10 14lbs 4 Emergency 16 54lbs assets2 media bin asset 1378153

LEDLUM010R14 20 ||| www.sylvania.com SYLVANIA Luminares Edge-Lit Panel Product Features The Edge-Lit Panels are environmentally preferable LED alternatives to traditional fluorescent luminaires, offer www.sylvania.com SYLVANIA Luminares Edge-Lit Panel Product Features The Edge-Lit Panels are enviro ... UNVD850/24G/WH 40 120-277V 0-10V 80 74245 PANELF1A/032UNVD835/14G/WH/E 32 120-277V 0-10V 80 **74246** PANELF1A/032UNVD840/14G/WH/E 32 120-277V 0-10V 80 74939 PANELF1A/032UNVD850/14G/WH/E 32 1...

lang:en score:12 filesize: 459.42 K page_count: 3 document date: 2021-03-15




[pdf] Installation Guide Borchure

LEDLUMBrochure001 ff1800b4 9350 457a 98ca a3bada3aec0e assets sylvania Documents |||

Licensee of product trademark SYLVANIA in general lighting Light is straightforward No frills. Just ... Lit Panel 32W 3500K 74245 1x4 Edge-Lit Panel 32W 3500K Emergency 74244 1x4 Edge-Lit Panel 32W 4000K **74246** 1x4 Edge-Lit Panel 32W 4000K Emergency *LPW per LM79 Report Power W 32W 32W 32W 32W Input ...
lang:en score:11 filesize: 3.32 M page_count: 32 document date: 2016-12-23

[pdf] Datasheet

SYLVANIA LED Luminaires Gordon Electric Supply2x32W T8 Standard 74251 PANELF1A 032UNVD835 22G WH 32 10 835 23 8 x 1 7 3 500 110 ≥50 000 Dry 2x32W 74252 Ledvance OsramSYLVANIA 01765 34 CATassets gordonelectricsupply datasheets ts Ledvance CAT |||
LSEYDLVVAANNCIAEL EDIntLruomduincatiorens Portfolio overview SYLVANIA LED Luminaires and Retrofi ... 4249 PANELF1A/040UNVD835/24G/WH 74250 PANELF1A/040UNVD840/24G/WH 74245 PANELF1A/032UNVD835/14G/WH/E **74246** PANELF1A/032UNVD840/14G/WH/E 74253 PANELF1A/032UNVD835/22G/WH/E 74254 PANELF1A/032UNVD840/22G/...
lang:id score:10 filesize: 43.85 K page_count: 1 document date: 2021-12-24



[pdf] Specifications Accessories

6 17 SYLVANIA Family cut LEDLUM009 USC PIB Product LEDLUM009R5 sheet Luminaire LEDVANCE information family Specification Sheet SYL SLMWPK1A JBOX BZ 74392 Crawford Electric Supply 10978 6U84ZMK3OIER1GDW ideadigitalasset DAMRoot Original 12888 |||
2018 LEDVANCE LLC Licensee of product trademark SYLVANIA in general lighting www.sylvania.com/lumi ... UNVD850/24G/WH 40 120-277V 0-10V 80 74245 PANELF1A/032UNVD835/14G/WH/E 32 120-277V 0-10V 80 **74246** PANELF1A/032UNVD840/14G/WH/E 32 120-277V 0-10V 80 74939 PANELF1A/032UNVD850/14G/WH/E 32 1...
lang:de score:10 filesize: 57.76 M page_count: 278 document date: 2020-06-12