

[Manuals.plus](#) /

> [SLLEA](#) /

> SLLEA AC/DC Adapter for Onkyo Envision Cinema LS3200 Speaker Sound System LAP-302 Power Supply Cord Cable PS Charger User Manual

SLLEA LAP-302

SLLEA AC/DC Adapter User Manual

FOR ONKYO ENVISION CINEMA LS3200 SPEAKER SOUND SYSTEM LAP-302

1. Product Overview

This manual provides essential information for the safe and effective use of your SLLEA AC/DC Adapter. This power supply unit is specifically designed to provide reliable power to compatible devices, such as the Onkyo Envision Cinema LS3200 Speaker Sound System LAP-302.



Figure 1: SLLEA AC/DC Power Adapter. This image displays the SLLEA AC/DC power adapter, a rectangular black unit with a permanently attached power cord. The cord is coiled and secured with a tie, leading to a barrel connector. The adapter is designed to provide power to compatible electronic devices.

The adapter converts standard AC wall power to the DC power required by your device, ensuring stable and consistent performance. It features a wide input voltage range, making it suitable for worldwide use.

2. Setup Instructions

1. **Verify Compatibility:** Before connecting, ensure that the adapter's output specifications (voltage and current) and connector type match the requirements of your Onkyo Envision Cinema LS3200 Speaker Sound System LAP-302. Incorrect usage can damage your device.
2. **Connect to Device:** Carefully insert the barrel connector of the adapter's output cable into the power input port of your Onkyo speaker system. Ensure a snug and secure fit.
3. **Connect to Power Outlet:** Plug the AC input cord of the adapter into a standard electrical wall outlet (100V - 240V AC, 50/60Hz).
4. **Power On:** Once connected, your device should receive power. Refer to your device's manual for specific power-on procedures.

Important Safety Note:

- Do not expose the adapter to water, moisture, or extreme temperatures.
- Avoid placing the adapter in poorly ventilated areas during operation.
- Do not attempt to open or repair the adapter. Refer to qualified personnel for service.

3. Operating Guidelines

The SLLEA AC/DC Adapter is designed for continuous operation within its specified parameters. Once properly connected, it will supply power to your compatible device. No user interaction is typically required during operation.

- Ensure the adapter is placed on a stable, flat surface.
- Keep the adapter away from heat sources and direct sunlight.
- Disconnect the adapter from the power outlet when not in use for extended periods.

4. Maintenance

To ensure the longevity and optimal performance of your SLLEA AC/DC Adapter, follow these simple maintenance tips:

- **Cleaning:** Use a soft, dry cloth to wipe the exterior of the adapter. Do not use liquid cleaners or abrasive materials.
- **Cable Care:** Avoid bending or crimping the power cord excessively, especially near the connectors. Do not place heavy objects on the cord.
- **Storage:** When storing, coil the cable loosely and avoid tight knots. Store in a cool, dry place away from direct sunlight.

5. Troubleshooting

If you encounter issues with your SLLEA AC/DC Adapter, consider the following common troubleshooting steps:

- **No Power to Device:**
 - Check if the adapter is securely plugged into a working wall outlet.
 - Ensure the barrel connector is fully inserted into your device's power port.
 - Test the wall outlet with another device to confirm it has power.
- **Adapter Overheating:**
 - Ensure the adapter is in a well-ventilated area and not covered.
 - Verify that the device connected is compatible and not drawing excessive power.
 - If overheating persists, discontinue use and contact support.

- **Intermittent Power:**
 - Check for any damage to the power cord or connectors.
 - Ensure all connections are firm and not loose.

If these steps do not resolve the issue, please refer to the [Warranty and Support](#) section for further assistance.

6. Specifications

Feature	Specification
Input Voltage	100 - 240 VAC
Input Frequency	50/60Hz
Compatible Devices	Onkyo Envision Cinema LS3200 Speaker Sound System LAP-302, Speakers
Connector Type	Barrel Connector
Main Power Connector Type	2 Pin
Special Feature	Travel
Power Source	Corded Electric

7. Warranty and Support

Your SLLEA AC/DC Adapter comes with the following warranty coverage:

- **30 Days Money Back Guarantee:** If you are not satisfied with your purchase, you may return it within 30 days for a full refund.
- **60 Days Free Exchange:** Enjoy a free exchange with a paid return label within 60 days of purchase.
- **360 Days Worry-Free Warranty:** A comprehensive warranty covering defects and issues for 360 days from the date of purchase.

For any questions, concerns, or warranty claims, please do not hesitate to contact SLLEA customer support. We are committed to providing assistance and ensuring your satisfaction.

© 2024 SLLEA. All rights reserved.

ASK A QUESTION ABOUT THIS MANUAL

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page’s manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. [Privacy details](#).

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question