

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

[manuals.plus](#) /

› [iOttie](#) /

› [iOttie Easy One Touch Classic Dash & Windshield Universal Car Mount Instruction Manual](#)

iOttie Dash & Windshield

iOttie Easy One Touch Classic Dash & Windshield Universal Car Mount Instruction Manual

Model: Dash & Windshield

PRODUCT OVERVIEW

The iOttie Easy One Touch 4 Dashboard & Windshield Mount is a universal smartphone solution that is engineered to safely enhance your driving experience. The one of a kind easy one touch mechanism allows you to easily mount and remove your smartphone with one simple hand motion. Utilize the increased range, strength, and stability of the telescopic arm to find the perfect position for your smartphone on either dashboard or windshield. Securely mount on your dashboard, windshield, or desk with iOttie's super strong suction cup. The easy one touch dashboard and windshield mount is universally compatible with all smartphones sizes to hold your device securely so you can drive safely.



Image: The iOttie Easy One Touch Classic Dash & Windshield Universal Car Mount, shown holding a smartphone.

WHAT'S IN THE BOX

- Dashboard Mount
- Dashboard Pad

KEY FEATURES

- **EASY ONE TOUCH LOCK/RELEASE:** The patented Easy One Touch mechanism allows you to quickly mount and remove your phone with one hand.
- **ADJUSTABLE VIEWING:** The telescopic arm extends from 4 – 6.5 inches and pivots on 260 degree arc for a variety of mounting positions. The rotating ball joint allows you to view your phone in both landscape and portrait mode.
- **UNIVERSAL MOUNTING:** Holds all phone and case combinations from 2.3 inches to 3.5 inches in width.
- **STRONG SUCTION:** Single use dashboard disc and reusable suction cup combo provide a powerful hold and superior sticking strength.

- **ADJUSTABLE BOTTOM FOOT:** The foot on the bottom of the mount cradle can be adjusted side to side, up and down, or removed entirely to hold smartphones and cases of all sizes.

SETUP AND INSTALLATION

Dashboard/Windshield Installation

1. Step 1: Prepare the Surface

Clean the desired dashboard or windshield surface thoroughly to ensure optimal suction. Ensure the surface is flat and smooth for the dashboard pad.

2. Step 2: Apply Dashboard Pad (Optional for Dashboard)

If mounting on a dashboard, peel the protective film from the adhesive dashboard pad and firmly press it onto the cleaned surface. Allow it to set for a few minutes before proceeding.



Image: Diagram showing the suction cup, sticky gel, and dashboard pad for secure mounting.

3. Step 3: Attach the Mount

Place the suction cup of the mount onto the dashboard pad or directly onto a clean, smooth windshield surface. Press down firmly on the suction cup and then push the locking lever down to create a vacuum seal.

4. Step 4: Adjust the Telescopic Arm

Loosen the knob on the telescopic arm to extend or retract it to your desired length. The arm extends from 4 to 6.5 inches. Tighten the knob to secure the arm's length.



Image: Illustration of the telescopic arm extending and pivoting for optimal viewing angles.

5. Step 5: Adjust the Cradle Angle

Loosen the ball joint knob behind the phone cradle to adjust the viewing angle. The cradle pivots on a 260-degree arc and allows for both landscape and portrait mode. Tighten the knob once the desired angle is achieved.

OPERATING INSTRUCTIONS

Mounting Your Smartphone

1. Step 1: Open the Side Arms

Press the release bars located on the sides of the cradle to open the side arms. Ensure they are fully extended.



EASY ONE TOUCH

US Patented Lock & Release

STEP 1

Press Release Bars to Locking Side Arms



Image: Step 1 of the Easy One Touch mechanism, showing how to press release bars to open side arms.

2. Step 2: Insert Your Phone

Place your smartphone against the Easy One Touch Trigger button located in the center of the cradle. The side arms will automatically close and secure your phone.




EASY ONE TOUCH

US Patented Lock & Release

STEP 1

Press Release Bars to Locking Side Arms



STEP 2

Put smartphone against the Easy One Touch Trigger. Arms automatically close.

Image: Step 2 of the Easy One Touch mechanism, illustrating how placing the phone against the trigger automatically closes the arms.

3. **Adjusting the Bottom Foot:** The bottom foot of the cradle can be adjusted up, down, or side to side to accommodate various phone sizes and cases (2.3 to 3.5 inches in width). It can also be removed entirely if not needed.

UNIVERSAL

Fits all smartphones & cases 2.3"-3.5"



Image: Various smartphones demonstrating the universal fit of the mount for devices between 2.3 and 3.5 inches.

Removing Your Smartphone

To remove your smartphone, simply press the release bars on the sides of the cradle. The arms will open, allowing you to safely retrieve your device.

MAINTENANCE

- Cleaning the Suction Cup:** If the suction cup loses its stickiness, rinse it with warm water and air dry. Do not use harsh chemicals or abrasive materials.
- Cleaning the Mount:** Wipe the mount with a soft, damp cloth. Avoid using excessive water or cleaning solutions.
- Storage:** When not in use for extended periods, detach the mount and store it in a cool, dry place away from direct sunlight.

TROUBLESHOOTING

Problem	Solution

Problem	Solution
Suction cup not holding	Ensure the surface is clean, dry, and smooth. Rinse the suction cup with warm water and air dry to restore stickiness. Re-apply the dashboard pad if necessary.
Phone not fitting securely	Adjust the bottom foot of the cradle to properly support your phone's size. Ensure your phone's width is within the 2.3 to 3.5 inch range.
Telescopic arm or ball joint is loose	Tighten the respective knobs on the telescopic arm and ball joint to secure their positions.

SPECIFICATIONS

- Product Dimensions:** 3 x 5 x 9 inches
- Item Weight:** 6 ounces
- Model Number:** Dash & Windshield
- Compatible Devices:** Smartphones (iPhone 16/16 Plus/16 Pro/16 Pro Max, iPhone 15/15 Plus/15 Pro/15 Pro Max, iPhone 14/14 Plus/14 Pro/14 Pro Max, iPhone 13/13 Mini/13 Pro/13 Pro Max, 12/12 Pro/12 Pro Max/12 Mini, 11/11 Pro/11 Pro Max, Xs/Xs Max/Xr/X/8/7/6s Plus, Samsung Galaxy Note 20/A72/A52 5G/S21/S21+/S21 Ultra 5G/S20/S20+/Note10/Note10+/S10/S10+/S10e/S9/S8, LG, Google, OnePlus, and all smartphones even with thick case)
- Mounting Type:** Dashboard, Windshield
- Color:** Black
- Special Features:** Adjustable, Easy One Touch Mechanism, Hands-Free, Rotatable, Universal Phone Control
- Manufacturer:** iOttie

WARRANTY AND SUPPORT

For warranty information and customer support, please visit the official iOttie website or refer to the documentation included with your purchase. You can also find more information on the [iOttie Brand Store on Amazon](#).

Additional user guides may be available in PDF format:

[User Guide \(PDF\)](#)

[User Manual \(PDF\)](#)