

[manuals.plus](#) /› [Diversitech](#) /› [Diversitech FP-22 Condensate Removal Pump User Manual](#)**Diversitech FP-22**

Diversitech FP-22 Condensate Removal Pump User Manual

Model: FP-22

1. INTRODUCTION

This manual provides essential instructions for the installation, operation, and maintenance of the Diversitech FP-22 Condensate Removal Pump. The FP-22 is designed to efficiently manage condensate water from furnaces and boilers, particularly in applications involving acidic and high-temperature conditions, up to 190°F (88°C).

Key features include a 22-foot maximum lift, steam-resistant electronics, vibration-dampening rubber feet, metal hang tabs for secure mounting, a built-in safety overflow switch, a check valve, and LED status indicators. The pump comes with four inlet holes, integrated P-traps, and 20 feet of 3/8" discharge tubing for a complete setup.



Image 1.1: Front-side view of the Diversitech FP-22 Condensate Removal Pump. This image shows the overall design of the pump, including the red base and black motor housing.

2. IMPORTANT SAFETY INFORMATION

Please read all instructions carefully before installation and operation. Failure to follow these instructions may result in property damage, personal injury, or death.

- Always disconnect power to the unit before performing any maintenance or service.
- Ensure the pump is installed by a qualified professional in accordance with local electrical and plumbing codes.
- Do not operate the pump if the power cord or plug is damaged.
- This pump is designed for condensate removal only. Do not use it for flammable liquids or other applications.
- Keep hands and foreign objects away from moving parts.
- The pump is rated for 120V. Ensure the power supply matches this requirement.

3. PACKAGE CONTENTS

Verify that all items are present in the package:

- Diversitech FP-22 Condensate Removal Pump (120V)
- 20 feet of 3/8" discharge tubing
- Installation and Operation Manual (this document)

4. INSTALLATION INSTRUCTIONS

4.1 Mounting the Pump

The FP-22 pump can be mounted on a flat surface or suspended using the integrated metal hang tabs. For optimal noise reduction and stability, utilize the vibration-dampening rubber feet.

1. Choose a stable, level location near the condensate source.
2. If suspending, ensure the mounting surface is secure and can support the pump's weight when full.



Image 4.1: Side view of the FP-22 pump, highlighting the metal hang tabs for secure mounting.

4.2 Condensate Inlet Connection

The pump features four inlet holes with built-in "P" traps. Connect the condensate drain line from your furnace or boiler to one of these inlets.

1. Ensure a tight, leak-free connection.
2. The integrated P-traps prevent odors and gases from entering the system.

4.3 Discharge Line Connection

Connect the provided 3/8" discharge tubing to the pump's discharge outlet. Route the tubing to a suitable drain location, ensuring a continuous downward slope if possible, or a clear path for the pump to lift the water.

1. Avoid kinks or sharp bends in the discharge tubing.
2. Secure the tubing to prevent accidental dislodgement.
3. The pump includes a check valve to prevent backflow.



Image 4.2: Top view of the FP-22 pump, illustrating the four inlet ports and the discharge connection point.

4.4 Electrical Connection

Connect the pump's power cord to a dedicated 120V electrical outlet. Ensure the outlet is properly grounded and protected by a circuit breaker.

1. Do not use extension cords.
2. Verify that the power supply matches the pump's voltage requirements.

5. OPERATION

The Diversitech FP-22 operates automatically. When condensate water fills the reservoir to a predetermined level, the internal float switch activates the pump, which then discharges the water through the discharge tubing. Once the water level drops, the pump deactivates.

5.1 LED Indicators

The pump is equipped with LED indicators to provide status updates:

- **Power LED:** Indicates the pump is receiving electrical power.
- **Run LED:** Illuminates when the pump motor is actively running.
- **Alarm LED:** Activates if the water level reaches the high-level safety overflow switch, indicating a potential issue.

5.2 Safety Overflow Switch

A built-in safety overflow switch provides an additional layer of protection. If the water level rises above the normal operating range, this switch will activate, typically shutting down the connected HVAC equipment to prevent overflow and damage.

water damage. Consult your HVAC system's manual for wiring instructions for this safety feature.

6. MAINTENANCE

Regular maintenance ensures optimal performance and extends the life of your condensate pump.

6.1 Periodic Cleaning

- Disconnect Power:** Always unplug the pump from the electrical outlet before cleaning.
- Drain Reservoir:** Remove any remaining water from the reservoir.
- Clean Reservoir:** Use a mild detergent and warm water to clean the inside of the reservoir, removing any sludge or debris. Pay attention to the float switch mechanism to ensure it moves freely.
- Inspect Tubing:** Check the inlet and discharge tubing for blockages or signs of wear.
- Reassemble:** Reconnect all tubing and plug the pump back into the power outlet.

Perform this cleaning at least once every six months, or more frequently if the condensate quality is poor or the pump is in heavy use.

7. TROUBLESHOOTING

This section addresses common issues you might encounter with your FP-22 condensate pump.

Problem	Possible Cause	Solution
Pump does not turn on.	No power to the pump. Float switch stuck in down position. Motor failure.	Check power connection and circuit breaker. Inspect float for obstructions; clean reservoir. Contact qualified service personnel.
Pump runs continuously.	Float switch stuck in up position. Discharge line blocked or kinked. Check valve faulty.	Inspect float for obstructions; clean reservoir. Clear blockage or straighten kink. Inspect/replace check valve.
Pump is noisy.	Vibrations due to improper mounting. Debris in pump impeller.	Ensure pump is level and rubber feet are utilized. Disconnect power and inspect impeller for debris.
Water overflow.	Pump failure (motor or float switch). Discharge line blockage. Inadequate pump capacity for condensate volume.	Refer to "Pump does not turn on" or "Pump runs continuously" solutions. Clear discharge line. Verify pump capacity meets system requirements.

8. SPECIFICATIONS

Feature	Detail
Model Number	FP-22
Voltage	120 Volts
Horsepower (HP)	1/30 HP

Feature	Detail
Maximum Lift	22 Feet
Maximum Flow Rate	2.1 Gallons Per Minute
Maximum Condensate Temperature	190°F (88°C)
Product Dimensions (L x W x H)	6" x 6.75" x 12.25"
Item Weight	5 Pounds
Material	Stainless Steel (internal components), Durable Plastic (housing)
Power Source	Corded Electric
Special Features	Steam-resistant electronics, Safety overflow switch, Check valve, Vibration-dampening feet, Metal hang tabs, Integrated P-traps

9. WARRANTY AND SUPPORT


For warranty information and technical support, please refer to the official Diversitech website or contact their customer service department. Keep your purchase receipt as proof of purchase.




Manufacturer: DiversiTech Corporation

Website: www.diversitech.com (Example link, actual link may vary)

For service or parts, please contact a qualified HVAC technician or the manufacturer directly.

Related Documents - FP-22

	<p><u>DiversiTech Condensate Pump Installation and Operation Manual</u></p> <p>Comprehensive guide for installing and operating DiversiTech condensate pumps (CP-22, CP-22LP, CP-22T series). Includes safety instructions, specifications, installation steps, operation details, troubleshooting, and warranty information.</p>
	<p><u>DiversiTech Condensate Pump Installation and Operation Guide</u></p> <p>This guide provides detailed instructions for installing, operating, and maintaining DiversiTech condensate pumps (CP-22 series). It covers safety precautions, specifications, package contents, step-by-step installation, troubleshooting, and warranty information.</p>
	<p><u>Hef-T-Bracket Installation Guide - 230-B2L</u></p> <p>Installation instructions and specifications for the DiversiTech Hef-T-Bracket 230-B2L, a wall bracket for air conditioner condenser units.</p>

	<p>Diversitech HW-600 Wall Bracket Installation Guide for Mini Split Systems</p> <p>Comprehensive installation guide for the Diversitech HW-600 wall bracket, designed for mounting mini split air conditioner outdoor units. Includes parts list, assembly instructions, and important safety information.</p>
	<p>DiversTech ACB Series Wall Bracket Systems for A/C Condensing Units</p> <p>Technical specifications and installation guidelines for DiversiTech ACB series wall bracket systems, including models ACB-30, ACB-36, ACB-42, and ACB-48, designed for A/C condensing units.</p>
	<p>Diversitech QSMS1201 Mini Split Stand Technical Specifications and Parts List</p> <p>Technical specifications, dimensions, and a comprehensive parts list for the Diversitech QSMS1201 Mini Split Stand, including retracted and expanded views and assembly details.</p>

Documents - Diversitech – FP-22



[\[pdf\] Installation Guide Instructions](#)

FP 22 Series Condensate Pump Instruction Manuals Asurity Instructions asurityhvacr attachment 26677


60998a7632f86174591018 Specialty |||

Condensate Pump Specialty Acidic High Temperature Applications Models: **FP-22**,

FP-22-230 Installation Instructions ASURITYTM INTRODUCTION SAFETY

INFORMATION Please read, understand, and follow all safety instructions. Failure to follow instructions may result in property damage, serious injury, o...

lang:en score:46 filesize: 6.63 M page_count: 28 document date: 2020-12-14



[\[pdf\] Instructions Specifications](#)

Diversitech FP 22 Installation Instructions DiversiTech Furnace Condensate Pump 22ft Lift 120V Industrial Stores 1576703326DOC16740 industrialstores media product attachments |||

Furnace Pump Pompe condensat Bomba de horno Installation Installation Instalacion POWER **FP-22 FP-22-230** Specifications/Caractristiques techniques/ Epecificaciones Rated Voltage Rated Current Draw Head Height Flow Rate at Zero

Head Product Weight Inlet Height from Base **FP-22** 120 Volts/60Hz 1.9 A...

lang:en score:37 filesize: 1.29 M page_count: 2 document date: 2016-09-22

[\[pdf\]](#) Instructions Datasheet Accessories

Drain Gun Charles Gallo Brand DiversiTech Data Sheet and Accessories industrialstores media
industrialstores product attachments DiversiTech Accessories srsltid AfmBOoqgXB961X80jkUiOKR1mGS

K92XTRW00V9ZQ0CZGUDIVeUCWS E BrainDrain AccessoriesDiversTech Industrialstores

AMBCGQZNSZWR0HMI 11141G021711HOMCaQMI 01050pRW4Ex0p0pKECWRB2

AMBOOQZNSZWERIMI TTYJTGZETTTHOMCAGMII GHOOPRWTXESPCRESWRE

YCELUKEQChEwCtNyfagz2MLI0jwzCKVrwszsd11_NpiajwtriajwzAfrmRQoqEo

2022 ENERGY INTEGRATION FOR AGRICULTURE: A PERSPECTIVE FROM DEPT. OF AGRICULTURE, UNIVERSITY OF CALIFORNIA, DAVIS, CALIFORNIA, USA. CHARLES CALLA, BRANDON N.

DET N SATE M A N A G INSTRUCTIONS: E Unscrew cup and insert M cartridge with the narrow end

C Drain Gun - Charles Gallo Brand O N D E T N S A T E M A N A G I N S T R U C T I O N S: E Unscrew cup

and insert M cartridge with the narrow end up. E Without depressing the N trigger, screw the cap slowly into the head until the cartridge contacts ||| C Drain Gun - Charles Gallo Brand O N D E T N S A T E M A

N A G INSTRUCTIONS: E Unscrew cup and insert M cartridge with the narrow end up. E Without depressing the N trigger, screw the cup slowly T into the head until the cartridge contacts

C Drain Gun - Charles Gallo Brand O N D E T N S A T E M A N A G INSTRUCTIONS:
E Un ... te Pump 230V w/20 3/8 Tube EA 6 IQP-120T ClearVueTM Pump w/Tube
120V 0-22 Lift EA 6 N A **FP-22** Furnace Pump NEW G The **FP-22** Furnace Pump is a

full featured E condensate pump designed f...

[pdf] Flyer

Untitled ClearVue Mini CP M Series Pumps HVAC TOOLS Australia Furnace FP 22 Pump 120V Lift 190°F Condensate 230 230V The is a full featured condensate pump designed for condensing furnaces and other hot water applications. DiversiTech Radley 2 Lite Tool Product Flyer <http://www.diversitech.com>

LOW PROFILE PUMPS Innovative Plenum Rated MINI-SPLIT PUMPS Our Focus Fully designed and manufactured Pumps 22 Lift True Furnace Pump design Up to 190F Condensate Steam Resistant Electronics The **FP-22** Furnace Pump is a full featured condensate pump designed for condensing furnaces and other hot

lang:en score:21 filesize: 903.43 K page_count: 2 document_date: 2023-03-15

[pdf] Declaration of Conformity

DOC00022 media diversitech doc |||

LOW PROFILE PUMPS Innovative Plenum Rated MINI-SPLIT PUMPS Our Focus
Fully designed and manufactured Pumps 22 Lift True Furnace Pump design Up to
190F Condensate Steam Resistant Electronics The **FP-22** Furnace Pump is a full

featured condensate pump designed for condensing furnaces and other hot.



TECHNICAL DATA SHEET **DiversiTech**

July 2020

FP Series Furnace Condensate Pumps

Product FP Series Furnace Condensate Pumps

Purpose The product is designed to automatically pump condensate produced by high efficiency furnaces and humidifiers up to 22' vertical height from the level of condensate in the tank reaching a specific level.

Application High efficiency furnaces and humidifiers

Advantages DiversiTech FP-22 series pumps beat the industry standard of 20' lift height by 2 feet and come with innovative features such as vibration damping feet, metal drain hose, four inlet holes with integrated float switches, and a built-in float switch. The LED indicators, float switch and dual safety check valve plug prevent flooding. The pump is designed to be easily mounted and provided to allow the installer the flexibility to connect the pump to the condensate line and tank location. These important safety considerations:

Maximum Condensate Temperatures

- Continuous duty: 140°F
- Maximum inlet temperature: 190°F
- Maximum outlet temperature: 190°F

Related Voltage 120 VAC or 230V / 60Hz

Related Current Draw

- 1.9 Amps (120VAC)
- 1.4 Amps (230VAC)

Input Type

- USA 3-prong molded plug (120VAC)
- USA 3-prong molded plug (230VAC)

Maximum Lift Height

- FP-22 series: 22'
- DiversiTech condensate pumps are computer tested to ensure excellent performance of all pumping levels.

Flow Rate @ Zero Head

- FP-22-120: 130 gallons per hour
- FP-22-230: 144 gallons per hour

www.diversitech.com
1.800.995.2222

[\[pdf\] Instructions Tech Sheet Datasheet Catalog](#)

FP Series Furnace Condensate Pump TDS media Jul 15 2020 — DiversiTech 22 series pumps beat the industry standard of 20 lif height by 2 feet and come with innovative features such as Diversitech Pumps Technical Sheet northstock content product catalogs diversitech |||

TECHNICAL DATA SHEET July 2020 FP Series Furnace Condensate Pumps

Product FP Series Furnace Condensate Pumps : 3/4 PVC MOUNTING: 8 Application High efficiency furnaces and humidifiers Advantages DiversiTech **FP-22** series pumps beat the industry standard of 20 li height by 2 feet and come with innovative fe...

lang:en score:20 filesize: 435.99 K page_count: 2 document date: 2020-07-29



[\[pdf\]](#)

DiversiTech 00066 1 OTHER1 images tradeservice ATTACHMENTS DIR100266 |||

High Temp Lift NEW MINI-SPLIT PUMPS Our Focus Fully designed and manufactured in-house, each g ... ce Pumps 22 Lift True Furnace Pump design Up to 190F Condensate Steam Resistant Electronics The **FP-22** Furnace Pump is a full featured condensate pump designed for condensing furnaces and other hot...

lang:en score:20 filesize: 1.07 M page_count: 2 document date: 2019-11-13



DIVERSITECH

Simplify your Work.[™]
www.diversitech.com

© 2018 DiversiTech. All rights reserved.

[\[pdf\] Declaration of Conformity](#)

Simplify your Work. TM media DiversiTech Multiple cleanout points make condensate drain line maintenance faster and more efficient For added durability rigidity resistance to tube crimping DOC141628 diversitech doc |||

Simplify your Work. TM 1 LEADERSHIP EXPERTISE MAINTENANCE REPAIR The most common customer call ... e Condensate Pump 230V Condensate Pump 230V w/20 3/8 Tube Furnace Pumps TRUE FURNACE PUMP The **FP-22** Furnace Pump is a full-featured condensate pump designed for condensing furnaces and other hot...

lang:en score:20 filesize: 5.26 M page_count: 16 document date: 2018-08-13

TECHNICAL DATA SHEET **DiversiTech**

Specifications

Product FP Series Furnace Condensate Pumps

Application High efficiency furnaces and humidifiers

Purpose The product is designed to automatically pump condensate produced by high efficiency furnaces and humidifiers up to 22' vertical height from the level of condensate in the tank reaching a specific level.

Advantages DiversiTech FP-22 series pumps beat the industry standard of 20' lift height by 2 feet and come with innovative features such as vibration damping feet, metal drain hose, four inlet holes with integrated float switches, and a built-in float switch. The LED indicators, float switch and dual safety check valve plug prevent flooding. The pump is designed to be easily mounted and provided to allow the installer the flexibility to connect the pump to the condensate line and tank location. These important safety considerations:

Maximum Condensate Temperatures

- Continuous duty: 140°F
- Maximum inlet temperature: 190°F
- Maximum outlet temperature: 190°F

Related Voltage 120 VAC or 230V / 60Hz

Related Current Draw

- 1.9 Amps (120VAC)
- 1.4 Amps (230VAC)

Input Type

- USA 3-prong molded plug (120VAC)
- USA 3-prong molded plug (230VAC)

Maximum Lift Height

- FP-22 series: 22'
- DiversiTech condensate pumps are computer tested to ensure excellent performance of all pumping levels.

Flow Rate @ Zero Head

- FP-22-120: 130 gallons per hour
- FP-22-230: 144 gallons per hour

Dimensions

- 10.00" L x 4.75" W x 7.37" H
- 10.00" L x 4.75" W x 7.37" H

INLET HEIGHT from Base

- 10.00" L x 4.75" W x 7.37" H
- 10.00" L x 4.75" W x 7.37" H

Tank Capacity 100 gallons

Included Accessories

- Instruction booklet
- Power cord
- Drain hose
- Ground wire
- Mounting hardware
- Mounting hardware

Wiring Color References

- 120V: Black, Red, White, Green
- 230V: Black, Red, White, Green
- Ground: Green

www.diversitech.com
1.800.995.2222

[\[pdf\] Instructions Specifications Datasheet](#)

FP Series Furnace Condensate Pump TDS DiversiTech FP22 Specification Sheet demo pacesupply s3 amazonaws DAMRoot Original 10005 |||

TECHNICAL DATA SHEET Product FP Series Furnace Condensate Pumps

Application High e ciency furnaces ... rtically once the level of condensate in the tank reaches a spici c level. Advantages DiversiTech **FP-22** series pumps beat the industry standard of 20 li height by 2 feet and come with innovative fe...

lang:en score:19 filesize: 845.43 K page_count: 2 document date: 2017-04-11

[\[pdf\]](#)



Other Document 1 Condensate Pump 120V Low Profile CP 22LP 6 Case DiversiTech 00066 1 2

OTHER1images tradeservice Attachments DIR100252 DiversiTech OTHER1 |||

High Temp Lift NEW MINI-SPLIT PUMPS Our Focus Fully designed and manufactured in-house, each go-2TM pump goes through state-of-the-art testing to ensure it performs to the highest quality standards and highest capabil ||| LOW PROFILE PUMPS Innovative Plenum Rated MINI-SPLIT PUMPS Our Focus Fully designed and manufactured in-house, each go-2TM pump goes through state-of-the-art testing to ensure it performs to the highest quality standards and highest capabil

lang:en **score:19** filesize: 1.09 M page_count: 2 document date: 2018-01-31




[\[pdf\]](#) Instructions Datasheet Accessories

DiversiTech Drain Gun Charles Gallo Data Sheet and Accessories GG 1BOR Bottom O Ring Pk Of 5 Combustion Depot Shop Online for Parts Systems used in the creation monitoring of flame heat www.bustiondepot media industrialstores product attachments |||

C Drain Gun - Charles Gallo Brand O N D E T N S A T E M A N A G INSTRUCTIONS: E Un ... te Pump 230V w/20 3/8 Tube EA 6 IQP-120T ClearVueTM Pump w/Tube 120V 0-22 Lift EA 6 N A **FP-22** Furnace Pump NEW G The **FP-22** Furnace Pump is a full featured E condensate pump designed f...

lang:en **score:18** filesize: 1.99 M page_count: 9 document date: 2023-03-17



[\[pdf\]](#)

Jim Kitchen Diversitech FP 22 Product Bulletin DiversiTech Furnace Condensate Pump 22ft Lift 120V Industrial Stores 1576703260DOC16631 industrialstores media product attachments |||

PRODUCT BULLETIN **FP-22** High Temperature Furnace Condensate Removal Pump The **FP-22** is a true furnace condensate pump designed specifically to handle harsh condensing furnace applications. The **FP-22** will accommodate high temperature and acidic condensate that is typical in these type of applications...

lang:en **score:17** filesize: 265.77 K page_count: 1 document date: 2017-09-05



[\[pdf\]](#) Borchure

Brochure DiversiTech CP 22 230 230V CONDENSATE PUMP DCN E brochure diversitech 00066 1 2 broc36aiwq7h8e0h3 cloudfront net userfiles inriver documents co rb brochure broc Condensate Pump Overview Brochure DiversiTech with 22ft Lift DiversiTech DCN E Diversitech Overview 1 brochure brocjacksonsystems 2024 07 Diversitech 1d36aiwq7h8e0h3 Mini Pumps ClearVue™

Ductless Condensate DCN E DOC00022 3 Diversitech brocalltemp ca framework 2021 03 DOC00022 3 jacksonsystems ||| ||| LOW PROFILE PUMPS Innovative Plenum Rated MINI-SPLIT PUMPS Our Focus Fully designed and manufactured in-house, each go-2TM pump goes through state-of-the-art testing to ensure it performs to the highest quality standards and highest capabil ||| LOW PROFILE PUMPS Innovative Plenum Rated MINI-SPLIT PUMPS Our Focus Fully designed and manufactured in-house, each go-2TM pump goes through state-of-the-art testing to ensure it performs to the highest quality standards and highest capabil

LOW PROFILE PUMPS Innovative Plenum Rated MINI-SPLIT PUMPS Our Focus Fully designed and manufactured in-house, each go-2TM pump goes through state-of-the-art testing to ensure it performs to the highest quality standards and highest capabil

lang:en **score:17** filesize: 1.23 M page_count: 2 document date: 2020-04-21

[pdf]

ClearVue™ Pump Design Air il y a 1 jour — DiversiTech 00001 84 CATcdn lsicloud net designair
Resources

C CONDENSATE PUMPS O N ClearVueTM Pump CP-22 Pumps D No Float, No Problems ClearVue s Variab ... te Pump 230V w/20 3/8 Tube EA 6 IQP-120T ClearVueTM Pump w/Tube 120V 0-22 Lift EA 6 N A **FP-22** Furnace Pump NEW G The **FP-22** Furnace Pump is a full featured E condensate pump designed f... lang:en **score:17** filesize: 198.06 K page_count: 1 document_date: 2019-06-12

[\[pdf\]](#) Catalog

CatalogCondensate Pump 120V Low Profile CP 22LP 6 CaseDiversiTech 00455 36 CATImages
tradeservice Attachments DIR100303 DiversiTech CAT |||

CONDENSATE MANAGEMENT 36 CONDENSATE PUMPS ClearVueTM
Pump No Float, No Problems ... Pump 120V 0-22 Lift ClearVueTM Pump w/Tube
120V 0-22 Lift UOM ORDER MULTIPLE EA 6 EA 6 **FP-22** Furnace Pump The **FP-22**
Furnace Pump is a full featured condensate pump designed for condensing...
lang:en **score:17** filesize: 458.63 K page_count: 1 document_date: 2020-12-07

[\[pdf\] Catalog](#)

CatalogNortheastern 120 VAC 60 Hz 1 9 A 6 GPM Condensate PumpDiversiTech 00209 76 CATImages
tradeservice ATTACHMENTS DIR100258 DiversiTech CAT III

C CONDENSATE PUMPS O N ClearVue Pump CP-22 Pumps D No Float, No Problems ClearVue s Var ... 230V w/20 3/8 Tube EA 6 IQP-120T ClearVue Pump w/Tube - 120V - 0-22 Lift EA 6 N A **FP-22** Furnace Pump NEW G The **FP-22** Furnace Pump is a full featured E condensate pump designed f...

[pdf] Accessories




Other 1Northeastern 120 VAC 60 Hz 1 9 A 6 GPM Condensate PumpDiversiTech 00227 2

OTHER1images tradeservice ATTACHMENTS DIR100258 DiversiTech OTHER1 |||

CONDENSATE PUMPS Welcome to your go-2 line of condensate pumps. As the leading supplier of HVAC p ... 22 Lift True Furnace Pump design Up to 190 F Condensate Steam Resistant Electronics The **FP-22** Furnace Pump is a full featured condensate pump designed for condensing furnaces and other hot...

lang:en score:17 filesize: 419.72 K page_count: 1 document date: 2018-05-25



[pdf] User Manual

HEATING SERVICE TOOLS ELECTRICAL ALLTEMP Apr 30 2021 — Automatic reset controls may be used to replace manual resets designed for condensing furnaces and other hot water applications Rheem 47 22827 01 150404040720172018HeatingSpecial WEB 1 alltemp ca framework 04 |||

HEATING SERVICE TOOLS ELECTRICAL SPECIALTY ITEMS CLEANERS

SERVING THE NORTH AMERICAN HVAC/R ... # Discription Order Mult. CP-22 Condensate Pump 120V 6 CP-22-230 Condensate Pump 230V 6 **FP-22** Furnace Pump The **FP-22** Furnace Pump is a full featured condensate pump designed for condensing...

lang:en score:17 filesize: 19.01 M page_count: 40 document date: 2017-08-29



[pdf] Catalog

CatalogDiversiTech CP 22 230 230V CONDENSATE PUMP DCNEcatalog diversitech 00398 36

catd36aiwq7h8e0h3 cloudfront net userfiles inriver documents ta c 63 catalog cat |||

C O N D E N S A T E M A N A G E M E N T 36 CONDENSATE PUMPS ClearVueTM Pump No Float, No Problems ... Pump 120V 0-22 Lift ClearVueTM Pump w/Tube 120V 0-22 Lift UOM ORDER MULTIPLE EA 6 EA 6 **FP-22** Furnace Pump The **FP-22** Furnace Pump is a full featured condensate pump designed for condensing...

lang:en score:17 filesize: 169.54 K page_count: 1 document date: 2020-06-23




[pdf] Accessories Catalog

Condensate Neutralizers Mini Split Pumps Pump DCNE CNV 4K Vertically Mounted for up to 400K BTU systems EA 1 CNH Horizontally Replacement media also available all neutralizer units CP M115 115V Catalog DiversiTech 00398 37 CAT dcne UserFiles Resources

CONDENSATE PUMPS cont d Mini-Split Pumps DiversiTech s Mini-Split Condensate Pump is a quiet, super ... aitable for all neutralizer units. CATALOG NO. CNV-4K CNH-4K CNHK-4K CNT-3M CNM-3M CNM-4K CNM-BULK **FP-22-CN5K** CNM-5K DESCRIPTION Vertically Mounted for up to 400K BTU systems Horizontally Mounted fo...

lang:en score:16 filesize: 160.89 K page_count: 1 document date: 2020-06-23



[pdf]

WILLIAM HARRIS DiversiTech FP 22 Furnace Condensate Pump 120V Foot Max Lift Jackson Systems TDS 2021 jacksonsystems 2022 01 |||

Product Condensate Pump Specialty: Acidic & High Temperature Applications Purpose
This product is de ... reaches a specific level. Application High efficiency furnaces and humidifiers Advantages AsurityTM FP-22 series pumps beat the industry standard of 20 lift height by 2 feet and come with innovative features such as vibration damping, remote float switch, and a built-in float valve. Pump (and 3-ply cover for the unused end holes), LED indicator, float switch, and a built-in float valve, pump plug and protect and detailed installation instruction. The pump is designed with a built-in float valve for the flexibility to connect air-heater shut-down for flood avoidance. This is an important safety consideration.

lang:en score:16 filesize: 257.07 K page_count: 2 document date: 2021-03-03



[pdf] Catalog

Catalog DiversiTech DTK205A 3 4 Drain Trap Kit With Float Switch Drop skipthewarehouse index route extension module mmos attachmanager getfile product attach file id 18014 |||

Product Catalog 2021 PUMPS SWITCHES DRAIN PANS TREATMENTS Providing
best-in-class HVAC/R servi ... nsate Pumps Specialty Pumps designed to meet specific application needs. Condensate Pump Specialty **FP-22** 12 Condensate Pump Specialty Acidic High Temperature Applications **FEATURES:** Handles Acidic...

lang:en score:16 filesize: 6.55 M page_count: 36 document date: 2021-02-22



[pdf] Declaration of Conformity

DOC151054 media diversitech doc

PADS P A D S Anti-Vibration Pads..... 24 Cladlit ... te Pump 230V w/20 3/8 Tube EA 6 IQP-120T ClearVueTM Pump w/Tube 120V 0-22 Lift EA 6 N A **FP-22** Furnace Pump NEW G The **FP-22** Furnace Pump is a full featured E condensate pump designed f...

lang:en score:16 filesize: 48.94 M page_count: 300 document date: 2018-12-03



[pdf] Catalog

ClearVue™ Pump DCNE No Float Problems! ClearVue's Variable Speed and Lift Floatless Sensor™ make this the most advanced condensate pump ever. Other features include 22 lift built in P traps, steam resistant electronics, a super tough tank. Available 120/230V models. Mini Catalog DiversiTech 00006 76 CAT dcne UserFiles Resources

C CONDENSATE PUMPS O N ClearVueTM Pump CP-22 Pumps D No Float, No Problems ClearVue's Variab ... te Pump 230V w/20 3/8 Tube EA 6 IQP-120T

ClearVueTM Pump w/Tube 120V 0-22 Lift EA 6 N A **FP-22** Furnace Pump NEW G The **FP-22** Furnace Pump is a full featured E condensate pump designed f...

lang:en score:15 filesize: 224.69 K page_count: 1 document date: 2019-07-11



[\[pdf\] Catalog](#)

PRODUCT CATALOG NorthStock EasyGuard™ around an outside corner Each elbow is individually packed and furnished complete with stainless steel screws EG EIN3W NO Diversitech HVAC Product Catalog northstock content product catalogs diversitech |||

HVAC PRODUCT CATALOG ISSUE 24 Simplify your Work.TM PADS 1 MOUNTING SYSTEMS 7 21 AIR MOVEMENT ... Pump 120V 0-22 Lift ClearVueTM Pump w/Tube 120V 0-22 Lift UOM ORDER MULTIPLE EA 6 EA 6 **FP-22** Furnace Pump The **FP-22** Furnace Pump is a full featured condensate pump designed for condensing...

lang:en score:15 filesize: 29.25 M page_count: 220 document date: 2020-06-25



[\[pdf\]](#)

Diversitech 24 460 InSCO Distributing UNI 14405 Broc inSCO ASSETS DOCUMENTS ITEMS EN |||

P E Lite Plastic Equipment Pads A D S Lite is a plastic pad designed as a mounting base for equipment ... -PLUS-200 227 FLOW-PLUS-25.. 227 FLOW-PLUS-6.... 227 FM0450..... 41 **FP-22**..... 76 **FP-22-230**..... 76 FP-36..... 91 FRL12-F244 FR...

lang:en score:14 filesize: 40.74 M page_count: 0 document date: 0000-00-00



[DiversiTech HVAC Product Catalog - Issue 22](#)

Explore the comprehensive range of HVAC products and accessories from DiversiTech, including equipment pads, mounting systems, condensate management solutions, and more, as detailed in Issue 22 of their product catalog. Discover quality components designed to simplify HVAC professional's work.

lang:en score:14 filesize: 40.75 M page_count: 284 document date: 2018-08-08

[pdf] Declaration of Conformity Price List Label

Errol Bridges DIVERSITECH LIST PRICE SHEET Apr 4 2018 · Ultra 3 4x6ft 6 CA 620 EA

0095247137220 * 102 80 \$ KIT CAP GO2 DT CO 15A 875 0686109900023 28 72 TS Toggle Switch DP

ST DOC00152 media diversitech doc ||

April 2018 Price List DiversiTech List Price Sheet This price sheet supercedes and voids any price ... FH232C FH32M FLOW-PLUS-10 FLOW-PLUS-125 FLOW-PLUS-200 FLOW-PLUS-25 FLOW-PLUS-6 FLOW-PLUS-CP FM0450 **FP-22** **FP-22**-230 FP-36 FRESH-COIL-GB FRL12 FRL12-F FRL14 FRL14-F FRL38 FRL38-F FRL58 FRL58-F FTI 3 FTI

lang:da score:14 filesize: 3.26 M page_count: 82 document_date: 2018-04-05

[pdf] Flyer

CP 16 flyer Condensate Pump Lift 120v siglers mw link id 6550 |||

High Temp Lift NEW MINI-SPLIT PUMPS Our Focus Fully designed and manufactured in-house, each ge ... ce Pumps 22 Lift True Furnace Pump design Up to 190F Condensate Steam Resistant Electronics The **FP-22** Furnace Pump is a full featured condensate pump designed for condensing furnaces and other hot

lang:en score:14 filesize: 1.09 M page_count: 3 document_date: 2018-01-31



[pdf] Declaration of Conformity Catalog

PADS UnilogLite® is a plastic pad designed as mounting base for equipment. The rugged design provides uniform and generous ribbing optimum Diversitech 6310X Catalog assets unilogcorp 267 ITEM DOC

Diversitech Catalog II

PADS P A D S Anti-Vibration Pads..... 24 Cladlit ... te

Pump 230V w/20 3/8 Tube EA 6 IQP-120T ClearVue™ Pump w/Tube 120V 0-22 Lift EA 6 N A **FP-22** Furnace Pump NEW G The **FP-22** Furnace Pump is a full featured E condensate pump designed f...

lang:en score:13 filesize: 40.75 M page_count: 284 document date: 2018-08-08





[\[pdf\] Catalog](#)


PRODUCT CATALOG ALLTEMP Mar 31 2021 — UC1636 3 16 X 36 18 30 565 EA UC1838 38 20 625

UC2424 24 15 295 UC2436 diversitech hvac catalog cc1 resource gemaire is content Watscocom

Gemaire |||

HVAC PRODUCT CATALOG ISSUE 24 Simplify your Work.TM PADS 1 MOUNTING SYSTEMS 7 21 AIR MOVEMENT ... Pump 120V 0-22 Lift ClearVueTM Pump w/Tube 120V 0-22 Lift UOM ORDER MULTIPLE EA 6 EA 6 **FP-22** Furnace Pump The **FP-22** Furnace Pump is a full featured condensate pump designed for condensing...

lang:en **score:13** filesize: 29.5 M page_count: 220 document date: 2020-09-09



[\[pdf\]](#)

Go Design Literature neuco dvcondensatemangement literature |||

C CONDENSATE O N MANAGEMENT D E N S A ClearVueTM Tube

Traps..... te Pump 230V w/20 3/8 Tube EA 6 IQP-120T

ClearVueTM Pump w/Tube 120V 0-22 Lift EA 6 N A **FP-22** Furnace Pump NEW G

The **FP-22** Furnace Pump is a full featured E condensate pump designed f...

lang:en **score:13** filesize: 5.92 M page_count: 28 document date: 2017-02-27



[\[pdf\] Catalog](#)

PRODUCT CATALOG Gemaire Distributors H3672 4 701 019 020 Elbow 1 2 Barb x 3 MIPT pack of PK

025 Jul 18 2021 — UC1636 16 X 36 30 565 EA UC1838 38 20 625 UC2424 24 15 295 UC2436

diversitech 5 500m article 327195665938530 en cl resource gemaire is content Watscocom |||

HVAC PRODUCT CATALOG ISSUE 24 Simplify your Work.TM PADS 1 MOUNTING SYSTEMS 7 21 AIR MOVEMENT ... Pump 120V 0-22 Lift ClearVueTM Pump w/Tube 120V 0-22 Lift UOM ORDER MULTIPLE EA 6 EA 6 **FP-22** Furnace Pump The **FP-22** Furnace Pump is a full featured condensate pump designed for condensing...

lang:en **score:12** filesize: 28.08 M page_count: 220 document date: 2020-04-02



[\[pdf\]](#) Catalog

Download the Diversitech 2022 Heating Season Catalog News Events DiversiTech buildingcontrolsgroup pub |||

HEATING SEASON 2022 CATALOG TABLE OF CONTENTS Equipment Mounting Quick-Sling Mini-Split Stands 6 ... T 20 Clear Vinyl 3/8 Tubing only included with CP-22T CP-22-230T Condensate Pump Specialty **FP-22** Condensate Pump Specialty Acidic High Temperature Applications 30 diversitech.com 800.995....

lang:en score:12 filesize: 26.51 M page_count: 128 document date: 2022-07-28



[\[pdf\]](#)

UNI PS22517 Cat plumbers supply co ASSETS DOCUMENTS ITEMS EN |||

H E A T I N G P R O D U C T S P R E S E A S O N P R O G R A M Aug. 15 - Oct. 15, 2017 Enjoy the Savings Preseason Progr ... F-32 3/4 Union EA 35 2.96 R BPF-33 1 Union EA 20 3.52 O D U C C O N D E N S A T E P U M P S T **FP-22** Furnace Pump NEW S **FP-22** The **FP-22** Furnace Pump is a full featured condensate pump designed...

lang:en score:12 filesize: 6.54 M page_count: 24 document date: 2017-08-09



[\[pdf\]](#) Instructions Datasheet Dimension Guide

CPVC CTS Fittings by FlowGuard® Gold™ kwo2prhwww8lzcjokh4i images salsify image upload s W1PhGYr |||

TECHNICAL DATA SHEET Product Application Purpose CPVC-CTS Fittings by FlowGuard GoldTM Plumbing Flowgard Gold is a patented CPVC formulated compound developed by BF Goodrich to improve the impact resistance of CPVC hot and cold water plumbing products. Advantages DiversiTech **FP-22** series pumps b... lang:en score:12 filesize: 762.41 K page_count: 2 document date: 2017-04-03



[\[pdf\]](#) Instructions Specifications Datasheet Dimension Guide

CPVC CTS Fittings by FlowGuard® Gold™ SPECIFICATION DiversiTech® 1 2 in Socket Schedule 40 Tee Ferguson 3352466 4338485 specification fergusonprod a bigcontent io v1 static |||

TECHNICAL DATA SHEET Product Application Purpose CPVC-CTS Fittings by FlowGuard GoldTM Plumbing Flowgard Gold is a patented CPVC formulated compound developed by BF Goodrich to improve the impact resistance of CPVC hot and cold water plumbing products. Advantages DiversiTech **FP-22** series pumps b... lang:en score:12 filesize: 773.33 K page_count: 2 document date: 2017-04-03

100

Untitled CONDENSATE PUMP Condensate Management Solutions CROSS REFERENCE Driven by Innovation Since 1948 © 2023 Beckett Corporation All Rights Reserved Website BeckettUS Tel 972 871 8000 Pump Cross Reference Chart 01 06 beckettus |||

CONDENSATE PUMP CROSS REFERENCE Condensate Management Solutions.
Driven by Innovation Since 1948. ... 22 ft BK221TUL BK221UL 22 ft 22 ft VCMA-
20ULST VCMX-20ULST VCMA-20ULS VCMX-20ULS CP-22T CP-22 **FP-22** MR4-
83945 BK222TUL 22 ft CP-22-230T BK222UL 22 ft CP-22-230 FP22-230 MR4-83946
MS601U...

lang:it score:12 filesize: 215.43 K page_count: 3 document date: 2023-03-07



[\[pdf\]](#) Catalog

Asurity Merchandising Catalog 2022 Product Catalogs MerchCatalog2022 FNL asurityhvacr attachment
71248 6283b8c073f61171188366 |||

Merchandising Catalog 2022 PUMPS SWITCHES DRAIN PANS TREATMENTS
Providing best-in-class HVAC ... V, 22 , Low Profile 1 EA 6 CP-22LP-230-P Cond.
Pump, 230V, 22 , Low Profile, Plenum 1 EA 6 **FP-22** Cond. Pump, 120V, 22 1 EA 6
FP-22-230 Cond. Pump, 230V, 22 1 EA 6 DRAIN PANS CP-PA...

lang:en score:12 filesize: 5.89 M page count: 16 document date: 2022-05-17




[pdf]

ClearVue™ Pump DCNE No Float Problems! ClearVue s Variable Speed and Lift Floatless Sensor™ make this the most advanced condensate pump ever This DIVRSIE00744 76 behler young UserFiles Resource

C CONDENSATE PUMPS O N ClearVueTM Pump CP-22 Pumps D No Float, No Problems ClearVue s Variab ... te Pump 230V w/20 3/8 Tube EA 6 IQP-120T ClearVueTM Pump w/Tube 120V 0-22 Lift EA 6 N A **FP-22** Furnace Pump NEW G The **FP-22** Furnace Pump is a full featured condensate pump designed f... lang:en score:12 filesize: 223.81 K page_count: 1 document date: 2017-04-13

lang:en score:12 filesize: 223.81 K page_count: 1 document date: 2017-04-13




[pdf] Catalog

ALLTEMP A DiversiTech Company Alltemp Heating Catalogue 2022 alltemp ca framework 09 Lorem ipsum 30 sept — The Quick Sling® line of unit heater swivel brackets are uniquely designed to provide fast and easy installation most all ceiling mounted heaters |||

LOREM IPSU EQUIPMENT MOUNTING TOOLS CONDENSATE MANAGEMENT

MAINTENANCE CHEM ... tatus Built-In Safety Overflow
Switch Remove Check Valve Without Tools for Easy Cleaning Item ID **FP-22 FP-22-**
230 Description Furnace Condensate Pump, 120V, 60Hz, 22 Lift Furnace
Condensate Pump

lang:en score:11 filesize: 14.41 M page_count: 65 document_date: 2022-09-20



[\[pdf\] Catalog](#)

Product Catalog Asurity ProductCatalog 2022 alltemp ca framework 03 |||

Product Catalog 2022 PUMPS SWITCHES DRAIN PANS TREATMENTS Providing best-in-class HVAC/R services Pumps Specialty Pumps designed to meet specific application needs. Condensate Pump Specialty **FP-22** 12 Includes 20 Clear Vinyl 3/8 Tubing Condensate Pump Specialty Acidic High Temperature ...

lang:en **score:10** filesize: 5.75 M page_count: 19 document date: 2022-02-02

[\[pdf\] Catalog](#)

PRODUCT CATALOG Southern Pipe SupplyThe catalog includes HVAC air movement heating condensate management general industrial electrical plumbing and various types of padsDIV650074 Catalogsouthernpipe ASSETS DOCUMENTS CMS EN DIV650074 Catalog srstid

AfmBOoqvEBj0Gc8MnZ BcM7uJJ9E43IPobkUttEV6jPJzA4VrwhJiND7 SupplyPRODUCT NorthStockThe padsw 2 I Brackets EA 1 NO DESCRIPTION UOM ORDER MULTIPLE QSLG2000 a pack 250 is suitable for brick tile slate cement cinderDiversitech Product

BcM7uJJ9E43IPobkUttEV6jPJzA4VrwhJiND7northstock content product catalogs diversitech Diversitech AfmBOOr p5DgivZ2dwKy4IYW5JyuVIELNugZF4sFUXWpqYeUjJNGcqYz NorthStockPRODUCT cinderlawn mowers weed whackers pets snow flooding The elevated height setting the perfect direction flow QSWI1000 Swivel U Mount w H Diversitech CatalogDiversitech

p5DgivZ2dwKy4IYW5JyuVIELNugZF4sFUXWpqYeUjJNGcqYznorthstock

AfmBOOrhabdNQdoOPxYYMdzLa5w Ga629vQMYsXEuqrLnARra9YSjxBr padslawn H w

BcM7uJJ9E43IPobkUttEV6jPJzA4VrwhJiND7southernpipe AfmBOo0lMDmkQxKFjvVFaZoAg1QhueroCN 16P8M4BhB553BzT3J8Jlgnorthstock H 2 P A D S NOTE Item numbers in RED indicate Made wing nuts speed versatility Installs as low 22 on flat orDiversitech Ga629vQMYsXEuqrLnARra9YSjxBrnorthstock

AfmBOOrC6Wqx TZI C1MozuM8 bBZGFyKdhjd738iRULAMWNY15LQBOx orw

16P8M4BhB553BzT3J8Jlgsouthernpipe AfmBOoqLM 7SZ

9M8EWjWdmdDGLsCA9EAWhR1dtT0okl4EZ84h3qaibTnorthstock or17532 RPC FB 15 ASG UL 31 RO AGA 3226 CAN ULC S642 513 31403D H E T N G PDiversitech

bBZGFyKdhjd738iRULAMWNY15LQBOxnorthstock

AfmBOopEn5hQN90QzycrgYkk2RHMCbgGCZSApEeurF3HSG dW686kk PStick Tape AFT 701 x 50 Roll 24 50302 Self adhesive aluminum SF4 4 Soffit Fitting 10 230 SF4W White 10Diversitech 0northstock

AfmBOopaq SyWMUY6t iM3c8rslc0Le49XOu9KeVKBGuHA3IPHPEuC orStick 10w

9M8EWjWdmdDGLsCA9EAWhR1dtT0okl4EZ84h3qaibTsouthernpipe

AfmBOoqWRHTCZYrvUmyz1BFQkga1vr biTu1YkaYdB8MskNvtOodUWEBnorthstock 10Page Issue ISSUE Simplify your Work TM HV AC Page PADS AIR MOVEMENT 27 CONDENSATE

MANAGEMENTDiversitech iM3c8rslc0Le49XOu9KeVKBGuHA3IPHPEuCnorthstock AfmBOorfGm EoQXxAc8tvW0ya5vrlBhb xKZCwtEQJe3ZcSvC96FIDUL MANAGEMENTw

biTu1YkaYdB8MskNvtOodUWEBsouthernpipe AfmBOopLKOrrCyfmmuiQ6 1y52eos2wrQD1nl jhix

S3JGsBliGsF1Dnorthstock MANAGEMENT1500 V RMS NEMA 5 15P 3 15R 12 AWG SSJTW Cord Rainproof LuxPro Thermostats thermostats are designed to be reliable Diversitech

xKZCwtEQJe3ZcSvC96FIDULnorthstock AfmBOookzMOSHU kdJa6HhbAldCgaTacojv9AO xWUuqUM

zZTB1hjQ7 reliable 240 CFM 37W 625 AF8 Duct Fan 8 dia 420 AF10 BM Listed 800 009 25 Year Acrylic Latex Painter s Caulk 7 4500Diversitech zZTB1hjQ7northstock

AfmBOooEDOCDEC2Olt2xVDtr0xGdIDMgflYbjUJc8qgsBl4vVTaLHpq MANAGEMENTEasyGuard™

Fittings 151 152 EasyGuard™ Line Set Cover System Cutting Tools w S3JGsBliGsF1Dsouthernpipe

AfmBOop2eQkj82NK K24 fH87W2 UcpYtA7pwphH7V2RaGrc6Y157ZBsnorthstock 4500AF14 14 1350 65W Features junction box code compliant connection An efficient way increase Diversitech



AfmBOooEDOCDEC2Olt2xVDtri0xGdIDMgfIYbjUJc8qgsBI4vVTaLHpqnorthstock
AfmBOopmKb9sdWOiYif0sNS6TaCxeKvIMPOwlzI95itcDBEeaDRYVCYI
AfmBOopmKb9sdWOiYif0sNS6TaCxeKvIMPOwlzI95itcDBEeaDRYVCYInorthstock
AfmBOoqbuTmHwTArKptH5wqli7DhMS 1XNRsn6pRml8XN2I9Z6 CqC CqCnorthstock
AfmBOor7BERz2GUqZF6JlpNMFcc afyL3q3aS DP7uJSXrDsRzlTkRL DP7uJSXrDsRzlTkRLnorthstock
AfmBOopYBB9TLAqWESMBfvF xp Ai8i05EHAIICfoYAYUpoFlpLpgyyu
AfmBOoof0yuOr0QP5RUWxVLb9Md0zjvTNgeZDioOX iD N8t8ptSaQunorthstock Catalogv1Diversitech
AfmBOopfjm2zYEusl1JbJ0dQRp5QB6UhXSGhLPHNsad F4d8 V42MCmnorthstock
Catalogv1southernpipe Ai8i05EHAIICfoYAYUpoFlpLpgyyunorthstock
AfmBOoqxBETcrw790bVAhK4BFxSFgB8zv3FfnnOzigTEnXVWn9Rtqkt
AfmBOoqxBETcrw790bVAhK4BFxSFgB8zv3FfnnOzigTEnXVWn9Rtqktnorthstock
AfmBOoqjX2mjggUf4mKLE41U1LP84c BThss7uHf GAPbCM NRxdJzR Supply NorthStock pads lawn H
or Stick MANAGEMENT Tools cinder 17532 1500 reliable 240 4500 AF14 increase v1 southernpipe
16P8M4BhB553BzT3J8Jlg 9M8EWjWdmdDGLsCA9EAWhR1dtT0okl4EZ84h3qaibT
biTu1YkaYdB8MsKnvtdOodUWEB S3JGsBliGsf1D UcpYtA7pwphH7V2RaGrc6Y157ZBs northstock
V42MCm N8t8ptSaQu AfmBOopeoJqBTcBue8jmjQ2hXMmtBxbyfXo DhGYN g5OVYXkeJu SV4
AfmBOoqOzNOyRL1YgUKvFaHFjh4cg95OIAPF9O7xDyKcBu1WzGICwQfH NRxdJzRnorthstock
SV4northstock AfmBOoqOzNOyRL1YgUKvFaHFjh4cg95OIAPF9O7xDyKcBu1WzGICwQfHnorthstock
AfmBOopeXBOIY5hgfjzXGQqdyiOYgY1kBThApN7p2OJ1IpC JH3GF2c JH3GF2cnorthstock
AfmBOoqiH545d1A4EbX7sljRRlIr4BvrzYB tq8yeFZrRi75u0a czlRk CqCsouthernpipe
AfmBOoq4kfUYnhKX7 N1GWI8BnoJEcIHAk5uHGXFt7q6awp8bDAmY4cZnorthstock czlRknorthstock
AfmBOovNVLudy giOMIEDkySCyw9lVyWuGSVhk4aTd 5EpAe85iRM
AfmBOooNrg2OyZHpCjWXpmp71pjMT3Z9fYRKmhlgc RnmFvMWQkYU4G5northstock
NRxdJzRsouthernpipe
AfmBOormCbfZ8O0n6x1CnIGuCvOt5E5ql83Lp6YCq5CWK1hVqJPKTVABnorthstock
AfmBOormCbfZ8O0n6x1CnIGuCvOt5E5ql83Lp6YCq5CWK1hVqJPKTVAbsouthernpipe
AfmBOopvSL8HmSazx43dFjPYx sbXoz6BbGhydYi30oQSNGt2IK4CXg0northstock
5EpAe85iRMnorthstock AfmBOoparV4WWKqPZkZuv1tpBndRdkL8vdygILS60W77Nldip1RxtBpy
AfmBOoonMJRGYEEztRzv0ZfCQ42WHdhT8XyloRGq CIUiUxU5ZJCENhesouthernpipe
AfmBOoparV4WWKqPZkZuv1tpBndRdkL8vdygILS60W77Nldip1RxtBpynorthstock
AfmBOoo5huwNmPBk1NB5Q8gc23GFwxnJ6Rudp0zdWLvQmvzaOly19vgh
AfmBOoo5huwNmPBk1NB5Q8gc23GFwxnJ6Rudp0zdWLvQmvzaOly19vghnorthstock
AfmBOoqAmzLfk33uSBPVUGXewGZbKymIReWVwWZmX7JTNj7 HmE3MF HmE3MFnorthstock
AfmBOoplZBLQhUbpZQAV Fks82picg 461C9hxGdF3ycGBXGr3Ua0M
AfmBOoqLENQguApaRmfYYAluNEp 8Rj5w0CahwCi80 b Byp1f7Pdtnorthstock Anorthstock
AfmBOoqPlJh5MzU0u ezd9wlCm0xRdDyQxvLeYRyH1iHCLA j9L1bUrE
AfmBOopH4WtNhOltGRWZG3fA6UtbUwuS56R8XWS2iYXmrjvkbKowwMnorthstock ||| HVAC
PRODUCT CATALOG ISSUE 24 Simplify your Work.TM PADS 1 MOUNTING SYSTEMS 7 21 AIR
MOVEMENT 27 HEATING PRODUCTS 35 CONDENSATE MANAGEMENT 43 GENERAL INDUSTRIAL
DEVCO 57 87 ELECTRICAL TOOLS 119 PLUMBING 133 DUCTLESS 143 153 MAINTENANCE CHEM
||| HVAC PRODUCT CATALOG ISSUE 24 Simplify your Work.TM PADS 1 MOUNTING SYSTEMS 7 21
AIR MOVEMENT 27 HEATING PRODUCTS 35 CONDENSATE MANAGEMENT 43 GENERAL
INDUSTRIAL DEVCO 57 87 ELECTRICAL TOOLS 119 PLUMBING 133 DUCTLESS 143 153
MAINTENANCE CHEM ||| HVAC PRODUCT CATALOG ISSUE 24 Simplify your Work.TM PADS 1
MOUNTING SYSTEMS 7 21 AIR MOVEMENT 27 HEATING PRODUCTS 35 CONDENSATE
MANAGEMENT 43 GENERAL INDUSTRIAL DEVCO 57 87 ELECTRICAL TOOLS 119 PLUMBING 133
DUCTLESS 143 153 MAINTENANCE CHEM ||| HVAC PRODUCT CATALOG ISSUE 24 Simplify your
Work.TM PADS 1 MOUNTING SYSTEMS 7 21 AIR MOVEMENT 27 HEATING PRODUCTS 35
CONDENSATE MANAGEMENT 43 GENERAL INDUSTRIAL DEVCO 57 87 ELECTRICAL TOOLS 119
PLUMBING 133 DUCTLESS 143 153 MAINTENANCE CHEM ||| HVAC PRODUCT CATALOG ISSUE 24
Simplify your Work.TM PADS 1 MOUNTING SYSTEMS 7 21 AIR MOVEMENT 27 HEATING PRODUCTS
35 CONDENSATE MANAGEMENT 43 GENERAL INDUSTRIAL DEVCO 57 87 ELECTRICAL TOOLS

[\[pdf\]](#) Catalog

Product Catalog ALLTEMPMeet Asurity® brand of condensate management products that provide a complete system pumps switches drain pans and treatments supported by highly trained Asurity ProductCatalog 2025Asurity 2025alltemp ca framework 2025 03 Asurity |||

Product Catalog 2025 PUMPS SWITCHES DRAIN PANS TREATMENTS

INSTALLATION COMPONENTS Providing be ... CP-22LP-P CP-22LP-230-P 120 VAC 60 Hz 230 VAC 60 Hz 22 LIFT 22 LIFT 9 Condensate Pumps NEW **FP-22** Condensate Pump Acidic High Temperature FEATURES: Handles Acidic and Non-Acidic Condens...

lang:en score:10 filesize: 28.35 M page_count: 28 document date: 2024-11-22



[\[pdf\]](#) Catalog

HEATING SERVICE TOOLS ELECTRICAL SPECIALTY ITEMS Head Pressure Fan Coil Relay Controls
Dual ON OFF Delays Control Part Coloured rags similar to balbriggan or Polo cotton T shirt
materialAlltemp 111114 Catalogexternalassets unilogcorp ASSETS DOCUMENTS ITEMS EN Alltemp
Catalog |||

HEATING SERVICE TOOLS ELECTRICAL SPECIALTY ITEMS CLEANERS
SERVING THE NORTH AMERICAN HVAC/R ... # Discription Order Mult. CP-22
Condensate Pump 120V 6 CP-22-230 Condensate Pump 230V 6 **FP-22** Furnace
Pump The **FP-22** Furnace Pump is a full featured condensate pump designed for
condensing...

lang:en **score:10** filesize: 19.01 M page_count: 40 document date: 2017-08-29