



[Manuals.plus](#) /

> [Hartz](#) /

> Hartz UltraGuard Pro Reflective Flea & Tick Collar for Dogs and Puppies, 7 Month Flea and Tick Prevention Per Collar, 1 Count

**Hartz 032700155933**

# Hartz UltraGuard Pro Reflective Flea & Tick Collar User Manual

Model: 032700155933

## 1. PRODUCT OVERVIEW

The Hartz UltraGuard Pro Reflective Flea & Tick Collar is designed to provide comprehensive protection for dogs and puppies against fleas and ticks. This collar effectively kills and repels adult fleas and ticks, and also prevents flea eggs from hatching, thereby breaking the flea life cycle and inhibiting reinfestation. Its water-resistant design ensures continued effectiveness even after exposure to moisture. An integrated Reflect-X Shield enhances nighttime visibility by reflecting direct light up to 450 feet, adding an important safety feature for your pet.

Hartz 

for dogs of All Sizes

water resistant

# ULTRA GUARD *PRO*<sup>®</sup> Flea & Tick *COLLAR*

for Dogs and Puppies



**Kills & Repels**

Fleas • Ticks  
Flea Eggs • Flea Larvae

**Prevents**

Flea eggs from hatching

Collar with  
**REFLECTIVE**  
Technology

**Full Body Protection**

for  
up to **7** Months

**ACTIVE INGREDIENTS:**

Tetrachlorvinphos . . . . . 14.55%

(S)-Methoprene . . . . . 1.02%

**OTHER INGREDIENTS:** . . . . . 84.43%

**TOTAL** . . . . . 100.00%

**CAUTION** DO NOT LET CHILDREN  
PLAY WITH THIS COLLAR.

SEE BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.

NET CONTENTS: 1 COLLAR, NET WT. 0.84 oz. (23.8g)



Reflects direct light  
up to **450** feet

Image: Front packaging of the Hartz UltraGuard Pro Reflective Flea & Tick Collar, highlighting its features for dogs and puppies.

## 2. SAFETY INFORMATION

**Important:** Always read the entire label before use. This product is for use on dogs only. Keep out of reach of children.

### Precautions:

- Harmful if swallowed or absorbed through skin. Causes moderate eye irritation.
- Avoid contact with eyes, skin, or clothing. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet.
- Do not use on puppies less than 12 weeks of age.
- Consult a veterinarian before using this product on debilitated, aged, or medicated pets.
- If used on pregnant or nursing dogs, do not replace collar until the puppies are at least 12 weeks old.
- Sensitivity may occur after using any pesticide product for pets. Some animals may become irritated by the collar if it is applied too tightly. If this occurs, loosen the collar. If irritation continues, remove the collar and bathe your dog with mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately.
- Do not use this product on dogs simultaneously or within 30 days before or after treatment with other flea and tick products. However, flea and tick collars may be replaced immediately.

### First Aid:

- **Contains an organophosphate that inhibits cholinesterase.**
- **If Swallowed:** Call a Poison Control Center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a Poison Control Center or doctor. Do not give anything by mouth to an unconscious person.
- **If on Skin or Clothing:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a Poison Control Center or doctor for treatment advice.
- **If in Eyes:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a Poison Control Center or doctor for treatment advice.
- Have the product container or label with you when calling a Poison Control Center or doctor, or going for treatment. You may also contact 1-800-275-1414 for emergency medical treatment information, twenty-four (24) hours a day, seven (7) days a week.
- **Note to Physicians and Veterinarians:** This product contains tetrachlorvinphos (an organophosphate) which is a cholinesterase inhibitor. Cholinergic symptoms may include salivation, miosis, incoordination, muscle fasciculation and/or weakness, vomiting and diarrhea. Atropine is antidotal. 2-PAM may be effective as an adjunct to atropine. Call 1-800-275-1414 or your local Poison Control Center for further information.



Image: Detailed instructions and safety information found on the back of the product packaging.

### 3. INGREDIENTS

Ingredient	Percentage
Tetrachlorvinphos	14.55%
(S)-Methoprene	1.02%
Other Ingredients	84.43%
<b>Total</b>	<b>100.00%</b>

### 4. DIRECTIONS FOR USE

Follow these steps carefully to ensure proper application and effectiveness of the Hartz UltraGuard Pro Reflective Flea & Tick Collar.

1. **Preparation:** Remove the collar from its package. Unroll and stretch the collar to activate the insecticide generator. Do not unroll the collar until you are ready to use it.

# PROTECTION AGAINST




Image: The collar unrolled, ready for activation and application.

- Placement:** Place the collar around your dog's neck. Adjust for a proper fit and buckle it in place. The collar must be worn loosely to allow for the growth of the dog and to permit the collar to move about the neck. Generally, a properly fitted collar is one that, when fastened, will snugly slide over the dog's head.



\*Based on IRI data 10/3/2021

Hartz 

**ULTRA GUARD**

Image: A dog wearing the collar, demonstrating a proper, comfortable fit around the neck.

- Trimming:** Leave 2 or 3 inches of the collar for extra adjustment. Cut off and dispose of any extra length.

This collar is intended for use only as an insecticide/IGR generator. The collar will begin to kill fleas, ticks and flea eggs and larvae immediately. Its full protection against harder to kill ticks will be built up within a few days after being placed on the pet. For continuous protection under normal conditions, replace the collar every seven months. Under conditions where pets are exposed to severe flea and tick infestations, it may be necessary to replace the collar more frequently. Wetting will not impair the collar's effectiveness or the pet's protection. If the pet goes swimming or is bathed, the collar may be worn with a regular collar.

## 5. PRODUCT FEATURES

- **Fresh Scented:** Provides a pleasant scent.
- **Comprehensive Protection:** Kills and repels fleas, ticks, flea eggs, and flea larvae. Prevents flea eggs from hatching for 7 months.
- **Simultaneous Wear:** Can be worn simultaneously with your dog's regular collar.

- **Enhanced Visibility:** Features a reflective strip that reflects direct light up to 450 feet for added visibility during low-light conditions.

# FULL BODY PROTECTION



Image: Illustration demonstrating the reflective technology of the collar, reflecting light for enhanced visibility.

- **Water-Resistant:** Designed to maintain effectiveness even if your dog gets wet.
- **Adjustable Fit:** Fits dogs with necks that measure up to 26 inches.
- **Age Suitability:** For use on adult dogs and puppies 12 weeks of age and older.
- **Full Body Protection:** The active ingredients spread across the dog's body for comprehensive coverage.



Image: Visual representation of the collar's full body protection against various parasites.

## 6. MAINTENANCE

For continuous and effective flea and tick protection, it is crucial to maintain the collar as follows:

- **Replacement Schedule:** Replace the collar every 7 months for continuous protection.
- **Water Exposure:** The collar's water-resistant design ensures it remains effective even if your dog gets wet from rain or swimming. No special maintenance is required after water exposure.
- **Cleaning:** If irritation occurs due to the collar being too tight, loosen it. If irritation persists, remove the collar and bathe your dog with mild soap, rinsing thoroughly with large amounts of water.

## 7. TROUBLESHOOTING

If you encounter any issues while using the Hartz UltraGuard Pro Reflective Flea & Tick Collar, consider the following:

- **Skin Irritation:** Some animals may experience irritation if the collar is applied too tightly. Ensure the collar is worn loosely enough to allow for growth and movement around the neck. If irritation continues, remove the collar and bathe your dog with mild soap, rinsing thoroughly. Consult a veterinarian if signs persist.
- **Reduced Effectiveness:** While the collar provides 7 months of protection, in areas with severe flea and tick infestations, it may be necessary to replace the collar more frequently to maintain optimal effectiveness.
- **Activation:** Ensure the collar was properly unrolled and stretched upon initial application to activate the insecticide generator.

## 8. SPECIFICATIONS

Attribute	Detail
Brand	Hartz
Model Name	Hartz Ultraguard Pro
Item Model Number	032700155933
UPC	032700155933
Item Weight	0.12 Ounces
Item Dimensions (LxWxH)	0.75 x 3.75 x 5 inches
Protection Duration	7 Months
Target Audience	Dogs, Puppies (12 weeks and older)
Max Neck Size	Up to 26 inches
Scent	Fresh
Water Resistance	Yes
Reflective Feature	Reflects direct light up to 450 feet

## 9. WARRANTY AND SUPPORT

The Hartz UltraGuard Pro Reflective Flea & Tick Collar is designed for 7 months of continuous protection when used as directed. For detailed information regarding product performance and any specific warranty inquiries, please refer to the official product documentation.

For further assistance, questions, or emergency medical treatment information, please contact Hartz customer support:

- **Customer Support:** 1-800-275-1414 (Weekdays, 9 AM - 5 PM E.S.T.)

- **Emergency Medical Treatment Information:** 1-800-275-1414 (24 hours a day, 7 days a week)
- **Official User Guide (PDF):** [Download Instructions for Use \(IFU\)](#)