LKPower 171031246

LKPower AC Adapter for DYNEX DX-DPF7-10 LCD Digital Picture Frame User Manual

1. Introduction

This manual provides essential instructions for the safe and effective use of your LKPower AC Adapter, designed as a replacement power supply for the DYNEX DX-DPF7-10 LCD Digital Picture Frame. This adapter converts standard AC electrical power into the DC power required by your device, ensuring reliable operation and battery charging (if applicable to your device).

The LKPower AC Adapter is manufactured with high-quality materials and has been tested to ensure compatibility and performance with the specified DYNEX model.

2. Safety Information

- Ensure the adapter is used with devices that match its voltage and current specifications.
- Do not expose the adapter to water, moisture, or extreme temperatures.
- Avoid dropping or subjecting the adapter to strong impacts.
- Do not attempt to open or repair the adapter. Refer servicing to qualified personnel.
- Unplug the adapter from the power outlet when not in use for extended periods.
- Keep out of reach of children.

3. Setup

Follow these steps to properly set up your LKPower AC Adapter:

1. **Identify the Device Port:** Locate the power input port on your DYNEX DX-DPF7-10 LCD Digital Picture Frame. This is typically a circular port.
2. **Connect to Device:** Carefully insert the DC output plug of the LKPower AC Adapter into the power input port of your digital picture frame. Ensure a snug and secure connection. Do not force the plug.

3. **Connect to Power Outlet:** Plug the AC input prongs of the adapter into a standard electrical wall outlet (AC 100-240V, 50/60Hz).
4. **Verify Power:** Once connected, your digital picture frame should receive power. Check for any power indicator lights on your device to confirm it is receiving power.



Image: The LKPower AC Adapter featuring its main body, standard US plug, and coiled output cable with the DC connector. This illustrates the complete unit ready for connection.

4. Operating Instructions

The LKPower AC Adapter is designed for straightforward operation. Once properly connected as described in the Setup section, it will continuously supply power to your DYNEX DX-DPF7-10 LCD Digital Picture Frame.

- The adapter automatically adjusts to input voltages between 100-240V AC, making it suitable for worldwide use with appropriate plug adapters (not included).
- It features built-in over-voltage and over-heat protection to safeguard both the adapter and your connected device.
- To power off your digital picture frame, either use the device's power button or unplug the adapter from the wall outlet.



Image: The LKPower AC Adapter connected to a power strip, demonstrating its compact design and how it can be used in a typical office or home environment alongside other devices.

5. Maintenance

Proper care will extend the life of your AC adapter:

- **Cleaning:** Disconnect the adapter from both the power outlet and the device before cleaning. Use a

soft, dry cloth to wipe the exterior. Do not use liquid cleaners or solvents.

- **Storage:** When not in use, store the adapter in a cool, dry place, away from direct sunlight and extreme temperatures. Avoid tightly coiling the cable to prevent damage.
- **Cable Care:** Regularly inspect the power cable for any signs of fraying, cuts, or damage. If damage is observed, discontinue use immediately and replace the adapter.

6. Troubleshooting

If your digital picture frame is not receiving power, consider the following:

- **No Power to Device:**
  - Ensure the adapter is securely plugged into both the wall outlet and the digital picture frame.
  - Test the wall outlet with another known working device to confirm it has power.
  - Check for any visible damage to the adapter's cable or housing.
- **Adapter Overheating:**
  - While the adapter has over-heat protection, excessive heat can indicate an issue. Ensure it is not covered or in an enclosed space that restricts airflow.
  - If the adapter feels excessively hot to the touch, unplug it immediately and discontinue use.
- **Device Not Charging (if applicable):**
  - Confirm that your DYNEX DX-DPF7-10 model supports battery charging via the AC adapter.
  - Ensure the device's battery is properly installed and not fully depleted.

If troubleshooting steps do not resolve the issue, contact customer support.

7. Specifications



Image: Front and side views of the LKPower AC Adapter, clearly showing the input specifications printed on the adapter's casing and its compact form factor.

LKPower AC Adapter Technical Details

Feature	Detail
Model Number	171031246
Input Voltage	AC 100-240V
Input Frequency	50/60Hz
Compatibility	DYNEX DX-DPF7-10 LCD Digital Picture Frame
Protection Features	Over Voltage Protection, Over Heat Protection
Manufacturer	LKPower
ASIN	B0772TBMY6




Image: Detailed view illustrating the physical dimensions of the LKPower AC Adapter (1.6 x 2.6 x 1.2 inches) and its cable length (76 inches), providing a clear understanding of its size and reach.

8. Warranty and Support

For warranty information or technical support regarding your LKPower AC Adapter, please refer to the documentation provided with your purchase or contact the retailer directly. Specific warranty terms may vary.

For general inquiries or assistance, you may also visit the LKPower official website or contact their customer service department.

© 2023 LKPower. All rights reserved. Information subject to change without notice.