

Klip xtreme KPM-310

Monitor Desk Mount Stand User Manual

Brand: Klip xtreme | **Model:** KPM-310

1. PRODUCT OVERVIEW

The Klip xtreme KPM-310 Dual Monitor Desk Mount Stand is designed to optimize your workspace by securely holding two monitors, freeing up valuable desk space. This robust mount promotes an ergonomic viewing experience with its extensive adjustability.

Constructed from high-grade steel, the KPM-310 supports two screens, each up to 32 inches in size and weighing up to 17.6 lbs. It features a sturdy desktop C-clamp base for stability and a fully articulating mechanism allowing for tilt, swivel, and rotation adjustments. Integrated cable management clips help maintain a tidy setup, and a tool holder ensures the hexagonal key is always accessible for quick adjustments.



Figure 1: The Klip xtreme KPM-310 Dual Monitor Desk Mount Stand, showing its C-clamp base and two articulating arms designed to hold monitors.

2. PACKAGE CONTENTS

Please verify that all components are present before beginning installation. If any parts are missing or damaged, please contact customer support.

- Main Pole with C-Clamp Base
- Dual Articulating Arms
- VESA Mounting Plates (2x)
- Hardware Kit (screws, washers, spacers)
- Hexagonal Key (for adjustments)
- Cable Management Clips



Figure 2: Front view of the assembled monitor mount, illustrating the main pole, dual arms, and VESA plates.

3. SETUP AND INSTALLATION

Follow these steps to properly install your monitor desk mount.

3.1. Attaching the C-Clamp Base to Your Desk

1. Place the main pole with the integrated C-clamp base onto the edge of your desk.
2. Tighten the C-clamp screw securely until the mount is firmly attached to the desk surface. Ensure the desk surface is stable and can support the weight of the mount and two monitors.

3.2. Assembling the Articulating Arms

1. Slide the articulating arms onto the main pole at your desired height.
2. Secure the arms in place using the provided locking mechanism or screws.



Figure 3: Top-down view of the monitor mount, showing the full extension of the articulating arms and the central pole.

3.3. Attaching Monitors to VESA Plates

1. Remove the VESA mounting plates from the articulating arms by loosening the securing screws.
2. Align the VESA plate with the mounting holes on the back of your monitor (compatible with VESA 75x75mm or 100x100mm patterns).
3. Secure the VESA plate to the monitor using the appropriate screws from the hardware kit. Do not overtighten.
4. Carefully slide the monitor with the attached VESA plate back onto the articulating arm.
5. Secure the VESA plate to the arm using the securing screws.
6. Repeat for the second monitor.



Figure 4: Close-up view of a VESA mounting plate attached to an articulating arm, illustrating the connection point for a monitor.

4. OPERATING AND ADJUSTMENTS

The KPM-310 offers a range of adjustments to achieve optimal viewing angles and ergonomic positioning.

- **Height Adjustment:** Loosen the collar on the main pole to slide the arms up or down. Retighten to secure.
- **Tilt Adjustment:** The monitor can be tilted $+45^{\circ}$ to -45° (90° total range) to reduce glare and optimize

viewing angle. Use the hexagonal key to adjust the tension at the tilt joint if needed.

- **Swivel Adjustment:** Each arm can swivel +90° to -90° (180° total range) at the pole and at the monitor connection point, allowing you to position monitors side-by-side or at an angle.
- **Rotation Adjustment:** Monitors can be rotated 360° (+180° to -180°) from landscape to portrait orientation without removing the screen.
- **Tension Adjustment:** All joints can be tightened or loosened individually using the hexagonal key to control the fluidity or rigidity of movement.

After making adjustments, ensure all connections are secure to prevent monitors from shifting.

5. MAINTENANCE

Regular maintenance ensures the longevity and proper function of your monitor mount.

- **Cleaning:** Wipe the mount with a soft, damp cloth. Avoid abrasive cleaners or solvents that may damage the finish.
- **Tightness Check:** Periodically check all screws and connections, especially the C-clamp and VESA plate screws, to ensure they remain tight and secure.
- **Lubrication:** No lubrication is typically required for the joints. If movement becomes stiff, check for debris or overtightened screws.

6. TROUBLESHOOTING

If you encounter issues with your monitor mount, refer to the following common problems and solutions:

- **Monitors are sagging or not holding position:**
 - Ensure the C-clamp is securely tightened to the desk.
 - Use the hexagonal key to tighten the tension screws at the articulating joints and VESA plate connection points.
 - Verify that the monitor weight does not exceed the maximum load capacity of 17.6 lbs per arm.
- **Mount feels unstable:**
 - Confirm the C-clamp is fully tightened and the desk surface is sturdy.
 - Ensure the main pole is properly seated in the base.
- **Difficulty adjusting tilt/swivel/rotation:**
 - Loosen the tension screws at the respective joints slightly using the hexagonal key.
 - Ensure no cables are obstructing movement.

7. SPECIFICATIONS

Feature	Specification
Model Number	KPM-310
Monitor Screen Size Compatibility	13 to 32 inches (per arm)
Maximum Load Capacity	17.6 lbs (8 kg) per arm

Maximum Height	18.3 inches
VESA Compatibility	75x75mm, 100x100mm
Tilt Angle	+45° to -45° (90° total)
Swivel Angle	+90° to -90° (180° total)
Rotation Adjustment	+180° to -180° (360° total)
Material	High-grade Steel, Plastic
Color	Black
Product Dimensions (L x W x H)	35.1 x 11 x 18.3 inches
Product Weight (with hardware)	9.2 lbs
Mounting Type	C-Clamp (Tabletop)

8. WARRANTY AND SUPPORT

The Klip xtreme KPM-310 Monitor Desk Mount Stand comes with a **Lifetime Warranty**, ensuring peace of mind regarding its quality and durability.

For technical support, warranty claims, or inquiries about missing parts, please contact Klip xtreme customer service. Refer to the official Klip xtreme website for contact information.

Related Documents - KPM-310

	KlipXtreme KMM-410 Dual Monitor Mount Installation Guide Comprehensive installation guide for the KlipXtreme KMM-410 dual monitor mount. Learn how to safely and securely attach your monitors using clamp or grommet methods, with detailed steps and specifications.
	Klip Xtreme KPS-513 Motorized Projection Screen 120-inch 16:9 Discover the Klip Xtreme KPS-513, a 120-inch motorized projection screen with a 16:9 aspect ratio. Featuring a matte white surface, automatic retraction, and dual wall/ceiling installation, it's perfect for home cinema and professional presentations. Detailed specifications included.
	KlipXtreme VoxCom KCH-750 Wireless Monaural Headset - User Guide Comprehensive guide for the KlipXtreme VoxCom KCH-750 wireless monaural headset, covering features, operation, pairing, charging, and technical specifications for business and office use.

	KlipXtreme VoxCom KCH-750 Wireless Monoaural Headset User Guide Comprehensive guide for the KlipXtreme VoxCom KCH-750 wireless monoaural headset, detailing features, product overview, LED indicators, charging, operation, pairing, technical specifications, and compatibility for office and home use.
	KlipXtreme Duotrak KMB-501 Dual-Mode Wireless Mouse User Guide Comprehensive guide for the KlipXtreme Duotrak KMB-501 dual-mode wireless mouse, detailing its features, setup instructions for 2.4GHz and Bluetooth connectivity, basic operation, and technical specifications.
	KlipXtreme KPS-313 Pantalla de Proyección Manual - 100 pulgadas, 16:9 Información detallada sobre la pantalla de proyección manual KlipXtreme KPS-313, con pantalla de 100 pulgadas de diagonal, relación de aspecto 16:9, opciones de montaje dual y acabado mate para una visualización óptima.

Documents - Klip xtreme – KPM-310



klipxtreme

Supporte duplo para monitor LCD/LED

KPM-310



Montagem com braçadeira em C e com ilhós

Montagem com braçadeira em C e com ilhós

Introdução:

Obrigado por adquirir o suporte duplo para monitor KPM-310 LCD/LED. Este produto é fornecido com toda a ferragem e componentes de instalação apropriados. Ao abrir a caixa, certifique-se de que nenhuma das peças estão faltando ou danificadas antes de iniciar a instalação.

I. Kit de ferragens

Designação	Imagem	Nome	Quantidade
A		Placa para monitor VESA	2
B		Braco do suporte	1
C		Brinquedo em C com botão de travamento	1
D		Placa	1
E		Parafusos para o suporte	1
F		Parafusos para o suporte	1
G		Parafusos para o suporte	2
H		Parafusos para o suporte	2
I		Parafusos para o suporte	5

[pdf] User Manual

KPM 310 POR new logo Aug 27 2022 — Pelo menos duas pessoas qualificadas devem executar o procedimento de montagem Podem ocorrer lesões corporais e ou danos materiais devido à queda má Manual klip xtreme frontend s3 amazonaws media docs |||

KPM-310 Suporte duplo para monitor LCD/LED Juntas articuladas Montagem com braadeira em C e com ilhs Introduo: Obrigado por adquirir o suporte duplo para monitor **KPM-310** LCD/LED. Este produto fornecido com toda a ferragem e componentes de instalao apropriados. Ao abrir a caixa, certifique-se de... lang:pt score:41 filesize: 3.37 M page_count: 7 document date: 2018-11-14



klipxtreme

Soporte doble para monitor LCD/LED

KPM-310



Montagem com braçadeira em C e com ilhós

Montagem com braçadeira em C e com ilhós

Opções de instalação:

O suporte KPM-310 é um suporte duplo para monitor LCD/LED. Este produto é fornecido com toda a ferragem e componentes de instalação apropriados. Ao abrir a caixa, certifique-se de que nenhuma das peças estão faltando ou danificadas antes de iniciar a instalação.

II. Kit de ferragens

Designação	Imagem	Nome	Quantidade
A		Placa para monitor VESA	2
B		Braco do suporte	1
C		Brinquedo em C com botão de travamento	1
D		Placa	1
E		Parafusos para o suporte	1
F		Parafusos para o suporte	1
G		Parafusos para o suporte	2
H		Parafusos para o suporte	2
I		Parafusos para o suporte	5

[pdf]

KPM 310 DS SPA 2018 11 16 V2 OP klip xtreme frontend s3 amazonaws media docs |||

Soporte doble para monitor LCD/LED G A A G Compatible con VESA 75x75/100x100 ARANT DE POR VIDA* A ... orificio pasacables ptima exhibilidad, mxima productividad, entretenimiento a toda hora El soporte **KPM-310** no slo te permite recuperar el valioso espacio en tu escritorio, sino que tambien promueve un... lang:es score:40 filesize: 642.4 K page_count: 1 document date: 2018-11-16




[pdf] Specifications Dimension Guide Warranty

KPM 310 DS ENG 2018 11 16 V2 OP Amazon AWS klip xtreme frontend s3 amazonaws media docs |||

LCD/LED dual monitor mount VESA compatible 75x75/100x100 C-clamp/Grommet base configuration Fits ... C-clamp/Grommet base configuration Unlimited flexibility, enhanced productivity, non-stop gaming **KPM-310** allows you to reclaim your valuable desktop space, while promoting a more ergonomic posture ...

lang:en score:40 filesize: 633.25 K page_count: 1 document date: 2018-11-16



[pdf] User Manual Installation Guide Label


KPM 310 ENG new logo Klip Xtreme At least two qualified people should perform the assembly procedure

Personal injury and or property damage can result from dropping mishandling Manual klipxtreme media

LCD LED dual monitor mount Introduction 1 Hardware kit Thank you for purchasing This product is shipped with all proper installation hardware components Articulated joints C clamp Grommet base configuration

KPM-310 LCD/LED dual monitor mount Articulated joints C-clamp/Grommet base configuration Introduction: Thank you for purchasing the **KPM-310** LCD/LED dual monitor mount. This product is shipped with all proper installation hardware and components. Upon opening the box, make sure that none of these...

lang:en score:38 filesize: 3.37 M page_count: 7 document date: 2018-11-14



[pdf] User Manual

KPM 310 SPA new logo Soporte doble para monitor LCD LED Klip Xtreme Introducción 1 Kit de herrajes

Gracias por preferir el soporte Este producto viene con todos los y componentes necesarios su

instalación Manual klipxtreme media El proceso ensamblaje debe ser ejecutado al menos dos personas capacitadas manejo inadecuado o montaje defectuoso la unidad puede

KPM-310 Soporte doble para monitor LCD/LED Juntas articuladas Base configurable con tornillo en C y prensa de fijacin para orificio pasacables Introduccin: Gracias por preferir el soporte doble para monitor LCD/LED **KPM-310**. Este producto viene con todos los herrajes y componentes necesarios para...

lang:es score:37 filesize: 3.37 M page_count: 7 document date: 2018-11-14



[pdf]

KPM 310 DS POR 2018 11 16 V2 OP klipxtreme media

Suporte duplo para monitor LCD/LED G A A G Compatvel com VESA 75x75/100x100 ARANTI VITALCIA* ARAN ... com braadeira em C e com ilhs Flexibilidade ilimitada, maior produtividade e jogos ininterruptos O **KPM-310** permite que voc recupere o seu valioso espao de trabalho, promovendo uma postura mais ergonm...

lang:pt score:31 filesize: 641.31 K page_count: 1 document date: 2018-11-16



[pdf] User Manual

KPM 310 POR new logo Klip Xtreme Pelo menos duas pessoas qualificadas devem executar o procedimento de montagem Podem ocorrer lesões corporais e ou danos materiais devido à queda Manual klipxtreme media

...

lang:pt score:23 filesize: 1 M page_count: 0 document date: 0000-00-00



[pdf] Catalog

CATÁLOGO TECNOSOLUCIONES OCTUBRE 21 Descargar Catálogo Tecnosoluciones CATALOGO v 1729543351 cdn shopify s files 1 0614 8282 7849 |||

CATLOGO OCTUBRE Todos los productos mostrados en este catlogo estn sujetos a inventario, y pueden va ... 5 SOPORTE DE TECHO PARA PROYECTOR KLIP XTREME KPM-580W/AC124KLX02 SOPORTE MONITOR DOBLE KLIP XTREME **KPM-310**/13-32 INCH/AC121KLX66 TARJETA DE RED TP/LINK TL-WN822N /300 MBPS /USB/0152502333 2.700.00...

lang:es score:11 filesize: 9.22 M page_count: 105 document date: 2024-10-21



[pdf] Catalog

CATÁLOGO TECNOSOLUCIONES NOVIEMBRE 5 Descargar Catálogo Tecnosoluciones CATALOGO v 1730832970 cdn shopify s files 1 0614 8282 7849 |||

CATLOGO NOVIEMBRE Todos los productos mostrados en este catlogo estn sujetos a inventario, y pueden ... 5 SOPORTE DE TECHO PARA PROYECTOR KLIP XTREME KPM-580W/AC124KLX02 SOPORTE MONITOR DOBLE KLIP XTREME **KPM-310**/13-32 INCH/AC121KLX66 2.700.000 25.000 320.000 130.000 160.000 200.000 lnea de...

lang:es score:11 filesize: 9.14 M page_count: 105 document date: 2024-11-05

