

TecTake 800633

TecTake Metal Storage Cabinet User Manual

Model: 800633

Brand: TecTake



1. INTRODUCTION

This manual provides comprehensive instructions for the safe and efficient use of your TecTake Metal Storage Cabinet. Please read this manual thoroughly before assembly and operation to ensure proper use and to prevent damage or injury.

1.1 Safety Warnings

Attention:

- The hinged doors open to 130°. Ensure sufficient clearance when opening.
- Do not overload the shelves to avoid any risk of instability. The maximum weight capacity per shelf is 30 kg.
- Use with caution to prevent any damage or injury.
- This product is designed for floor mounting.

2. PRODUCT OVERVIEW

The TecTake Metal Storage Cabinet is a versatile and secure storage solution for offices, homes, or workshops. It features a robust steel construction with two lockable doors and multiple adjustable shelves, providing ample space for documents, files, and other items.

2.1 Key Features

- **Secure Storage:** Equipped with a cylinder lock to keep your belongings safe.
- **Durable Construction:** Made from coated steel for long-lasting use and an industrial aesthetic.
- **Adjustable Shelves:** Includes 6 storage shelves, offering flexible organization options.
- **Quiet Operation:** Reinforced hinged doors feature rubber buffers to prevent noisy slamming.
- **Spacious Design:** Dimensions of 90 x 40 x 180 cm provide significant storage capacity.

2.2 Components and Dimensions







Figure 2.1: Front view of the TecTake Metal Storage Cabinet.



Figure 2.2: Key dimensions of the cabinet (Height: 180cm, Width: 90cm, Depth: 40cm).



Figure 2.3: Detailed view of the lock, shelves, and door hinge.

3. SETUP AND ASSEMBLY

The TecTake Metal Storage Cabinet is designed for straightforward assembly. It typically arrives in two separate packages. Ensure you have both packages before beginning assembly.

3.1 Unpacking

1. Carefully open both packages and remove all components.
2. Verify that all parts listed in the packing list (if provided) are present.
3. Inspect all components for any signs of damage. If any parts are damaged or missing, contact customer support immediately.

3.2 Assembly Steps

While specific detailed instructions are usually included with the product, general assembly involves:

1. Assemble the main frame of the cabinet, ensuring all panels are correctly aligned.
2. Attach the top and bottom bracing struts. It is recommended to secure these before fully tightening other screws.
3. Install the shelves. The shelves are adjustable, allowing you to customize the internal layout.
4. Attach the doors, ensuring they swing freely and align properly.
5. Install the cylinder lock mechanism.
6. Place the cabinet in its desired location, ensuring it is on a stable, level surface.

Tip: Some users find it easier to assemble the cabinet with assistance from another person due to its size and weight.



Figure 3.1: Interior layout of the cabinet, showing shelves and hanging rod.

4. OPERATING INSTRUCTIONS

4.1 Opening and Closing Doors

- To open, turn the key in the lock and pull the handle. The doors will swing open smoothly due to the rubber buffers.
- To close, push the doors firmly until they meet the frame. Turn the key to lock the cabinet.

4.2 Adjusting Shelves

- The shelves can be repositioned to accommodate items of various heights.
- To adjust a shelf, empty its contents, lift the shelf slightly, and slide it out of its current position.
- Reinsert the shelf into the desired slots, ensuring it is level and securely seated on all four supports.

4.3 Loading the Cabinet

- Distribute weight evenly across the shelves.
- Do not exceed the maximum weight capacity of 30 kg per shelf.
- Place heavier items on lower shelves to maintain stability.

5. MAINTENANCE

Regular maintenance will ensure the longevity and optimal performance of your TecTake Metal Storage Cabinet.

5.1 Cleaning

- Wipe the exterior and interior surfaces with a soft, damp cloth.
- For stubborn marks, use a mild, non-abrasive cleaner.
- Avoid using harsh chemicals or abrasive materials, as they can damage the coated steel finish.
- Ensure the cabinet is dry after cleaning to prevent rust.

5.2 Lock and Hinge Care

- Periodically check the lock mechanism for smooth operation. If it becomes stiff, apply a small amount of graphite lubricant.
- Inspect door hinges for any signs of wear or looseness. Tighten screws if necessary.

6. TROUBLESHOOTING

Problem	Possible Cause	Solution
Cabinet is unstable/wobbly.	Uneven floor; overloaded shelves; loose assembly.	Ensure cabinet is on a level surface. Redistribute weight evenly. Check and tighten all assembly screws.
Doors do not close properly or are misaligned.	Cabinet not level; hinges loose or bent; obstruction.	Check cabinet levelness. Inspect hinges for damage and tighten screws. Remove any obstructions.
Lock is stiff or difficult to operate.	Lack of lubrication; debris in lock mechanism.	Apply a small amount of graphite lubricant to the keyhole. Ensure key is clean.

Problem	Possible Cause	Solution
Dents or minor damage upon arrival.	Shipping/handling issues.	Minor dents can sometimes be carefully reshaped with pliers or a rubber mallet. For significant damage, contact the seller or manufacturer for replacement parts or return instructions.
Missing parts during assembly.	Incomplete packaging.	Verify all packages have arrived. Contact the seller or manufacturer with your order details to request missing components.

7. SPECIFICATIONS

Attribute	Detail
Brand	TecTake
Model Number	800633
Color	90 X 40 X 180 Cm, Grey
Product Dimensions (L x W x H)	40 x 90 x 180 cm
Item Weight	37.5 Kilograms
Maximum Weight Capacity (per shelf)	30 Kilograms
Special Feature	Lockable
Recommended Uses	Documents, Files
Mounting Type	Floor Mount
Door Style	Slab

8. WARRANTY AND SUPPORT

Information regarding specific warranty terms and conditions for the TecTake Metal Storage Cabinet is not explicitly provided in the product details. Please refer to the documentation included with your purchase or contact TecTake customer support directly for warranty details and assistance.

For support inquiries, please visit the official TecTake website or contact your retailer.

