

HMVPL Vintage Glass Swag Chandelier

HMVPL Plug-in Pendant Light User Manual

Model: Vintage Glass Swag Chandelier (ASIN: B0788JX7CM)

INTRODUCTION

Thank you for purchasing the HMVPL Plug-in Pendant Light. This manual provides important information regarding the installation, operation, maintenance, and troubleshooting of your new lighting fixture. Please read this manual thoroughly before installation and keep it for future reference.

This industrial 1-light adjustable mini pendant light is designed to add a beautiful accent to various spaces such as closets, living rooms, foyers, kitchen sinks, dressers, or temporary outdoor settings. Its long plug-in cord allows for flexible hanging length and position, making it suitable for both high and low ceilings.

PRODUCT OVERVIEW



Image 1: The HMPVPL Plug-in Pendant Light featuring a vintage glass shade, black fixture, and an in-line dimmer switch on the cord.



Image 2: Diagram showing the dimensions of the pendant light: 6.7 inches diameter, 8.6 inches height. The total cord length is 16.4 feet, with the switch located 3.2 feet from the plug.

SPECIFICATIONS

Attribute	Value
Brand	HMVPL
Color	Orb Style
Material	Glass
Style	Antique
Light Fixture Form	Ceiling
Diameter	6.7 inches

Height	8.6 inches
Total Cord Length	16.4 feet
Switch to Plug Distance	3.2 feet
Max Wattage (Bulb)	60W (not included)
Safety Certification	UL listed socket

SETUP AND INSTALLATION

Before beginning installation, ensure all components are present and undamaged. It is recommended to have a second person assist with installation for safety and ease.

Package Contents:

- Pendant Light Fixture with Glass Shade
- 16.4-foot Plug-in Cord with In-line Dimmer Switch
- Mounting Hardware (hooks, anchors)
- Instruction Manual

Installation Steps:

1. **Choose Location:** Select a suitable location for hanging the pendant light. Consider the length of the cord (16.4 ft) and the proximity to an electrical outlet.
2. **Mark Mounting Points:** Use the provided hooks to mark the desired hanging points on the ceiling or wall. For secure installation, especially on drywall, use the included anchors.
3. **Install Hooks:** Drill pilot holes if necessary, then screw the hooks firmly into the marked points. Ensure the hooks are strong enough to support the weight of the light fixture.
4. **Hang the Light:** Carefully hang the pendant light cord from the installed hooks. Adjust the cord length as desired to achieve the preferred hanging height. The long cord allows for flexibility in positioning.
5. **Install Bulb:** Screw a 60-watt vintage filament incandescent equivalent DIMMER LED bulb (not included) into the socket. Ensure the bulb is fully seated.
6. **Plug In:** Plug the power cord into a standard electrical outlet.



Image 3: Example of the pendant light installed in a bedroom, demonstrating its aesthetic appeal and flexible placement.



Image 4: Three pendant lights installed above a kitchen island, showcasing how multiple units can be used together for enhanced lighting and design.

OPERATING INSTRUCTIONS

The HMOVPL Plug-in Pendant Light is designed for simple operation.

Power On/Off and Dimming:

- Locate the in-line dimmer switch on the power cord. This switch is positioned approximately 3.2 feet from the plug for convenient access.
- To turn the light **ON**, rotate the dimmer switch clockwise until you hear a click and the light illuminates.
- To **DIM** the light, continue rotating the dimmer switch clockwise to increase brightness, or counter-clockwise to decrease brightness.
- To turn the light **OFF**, rotate the dimmer switch counter-clockwise until you hear a click and the light extinguishes.

Note: For optimal dimming functionality, use a 60-watt vintage filament incandescent equivalent DIMMER LED bulb. Non-dimmable bulbs may not function correctly with the dimmer switch or may cause damage.

MAINTENANCE

Regular maintenance will help ensure the longevity and optimal performance of your pendant light.

Cleaning:

- Always unplug the light fixture from the power outlet before cleaning.
- Wipe the glass shade and metal components with a soft, dry, or slightly damp cloth.
- Do not use abrasive cleaners, solvents, or polishes as they may damage the finish or glass.
- Ensure the fixture is completely dry before plugging it back in.

Bulb Replacement:

- Ensure the light is turned off and unplugged from the power outlet.
- Allow the bulb to cool completely before attempting to remove it.
- Carefully unscrew the old bulb counter-clockwise.
- Screw in a new 60-watt vintage filament incandescent equivalent DIMMER LED bulb (or suitable replacement) clockwise until snug. Do not overtighten.
- Plug the light back in and test its operation.



Image 5: A close-up view of the light's socket and the top portion of the glass shade, illustrating the bulb housing.



Image 6: A detailed view of the bottom of the glass shade and the metal ring, showing the quality of the materials.

TROUBLESHOOTING

If you experience issues with your HMVPL Plug-in Pendant Light, please refer to the following common problems and solutions:

Problem	Possible Cause	Solution
Light does not turn on.	<ul style="list-style-type: none">◦ Power cord not fully plugged in.◦ Dimmer switch is off.◦ Bulb is loose or burnt out.◦ No power at the outlet.	<ul style="list-style-type: none">◦ Ensure the plug is securely inserted into the outlet.◦ Rotate the dimmer switch clockwise to turn on.◦ Tighten or replace the bulb.◦ Test the outlet with another device or check your circuit breaker.

Light flickers or dims inconsistently.	<ul style="list-style-type: none">◦ Bulb is not dimmable.◦ Loose bulb connection.◦ Incompatible dimmer switch.	<ul style="list-style-type: none">◦ Ensure you are using a DIMMER LED bulb or incandescent bulb.◦ Tighten the bulb.◦ This fixture comes with a built-in dimmer. Ensure no external dimmer is used.
Light makes buzzing noise.	<ul style="list-style-type: none">◦ Incompatible bulb with dimmer.◦ Loose wiring.	<ul style="list-style-type: none">◦ Replace the bulb with a high-quality dimmable LED or incandescent bulb.◦ If buzzing persists, unplug the unit and contact customer support.

If the problem persists after trying these solutions, please contact HMVPL customer support for assistance.

WARRANTY AND SUPPORT

HMVPL stands behind the quality of its products. This pendant light comes with **2-year service warranty** for any quality problems. The socket is UL listed for your safety.

For any quality issues, questions, or support needs, please contact HMVPL customer service directly. Please have your product model (Vintage Glass Swag Chandelier) and ASIN (B0788JX7CM) ready when contacting support.

You can typically find contact information on the HMVPL brand store page on Amazon or through the retailer where you purchased the product.