

Moen 87235SRS

Moen Tullis 87235SRS Spot Resist Stainless 1-Handle Deck Mount Pull-Down Kitchen Faucet Instruction Manual

1. INTRODUCTION

This manual provides detailed instructions for the installation, operation, and maintenance of your Moen Tullis 87235SRS Spot Resist Stainless 1-Handle Deck Mount Pull-Down Kitchen Faucet. Please read these instructions thoroughly before beginning installation or use to ensure proper function and longevity of the product.

The Moen Tullis faucet features a pull-down spray wand with boosted stream and spray innovation, designed for enhanced functionality in your kitchen.

2. SAFETY INFORMATION

- Always turn off the main water supply before installing or servicing the faucet.
- Wear safety glasses and gloves during installation.
- If you are unsure about any part of the installation process, consult a qualified plumber.
- Ensure all connections are secure to prevent leaks.
- Do not use abrasive cleaners or harsh chemicals on the faucet finish, as this may damage the surface.

3. PACKAGE CONTENTS

Verify that all components are present before beginning installation. While specific contents may vary slightly, a typical package includes:

- Moen Tullis Pull-Down Kitchen Faucet Assembly
- Mounting Hardware (deck plate, mounting nut, washers)
- Hot and Cold Water Supply Lines
- Weight for Pull-Down Hose
- Optional Soap Dispenser (if included with model)
- Installation Tool (if applicable)



Image showing the Moen Tullis kitchen faucet in Spot Resist Stainless finish, featuring a high-arc spout, single handle, pull-down spray wand, and a matching soap dispenser.

4. SETUP AND INSTALLATION

This faucet is designed for deck-mount installation, typically requiring one or more holes in the sink or countertop. Refer to the included installation guide for detailed diagrams and step-by-step instructions specific to your model.

- 1. Prepare the Installation Area:** Turn off water supply. Clear the area under the sink. Remove any existing faucet.
- 2. Install Deck Plate (Optional):** If your sink has multiple holes and you are using the deck plate, place it over the holes.
- 3. Mount the Faucet:** Insert the faucet body through the hole(s) in the sink/countertop. Secure it from underneath with the provided mounting hardware (washer, mounting nut).
- 4. Connect Water Supply Lines:** Connect the hot and cold water supply lines from the faucet to your home's water supply valves. Ensure connections are tight but do not overtighten.
- 5. Install Pull-Down Hose and Weight:** Connect the pull-down spray hose to the quick-connect fitting under the faucet. Attach the hose weight to the lowest point of the hose loop to ensure proper retraction.
- 6. Test for Leaks:** Slowly turn on the main water supply. Check all connections for leaks. Operate the faucet to flush out any debris.
- 7. Install Soap Dispenser (if applicable):** Follow separate instructions for installing the soap dispenser into an available hole.

Note: Professional installation is recommended for optimal results and to ensure compliance with local plumbing codes.

5. OPERATING INSTRUCTIONS

Your Moen Tullis faucet is designed for ease of use with a single handle and a versatile pull-down spray wand.

- **Water Flow and Temperature:**

- Lift the single handle to turn on the water.
- Move the handle left for hot water and right for cold water.
- Adjust the handle's height to control water flow intensity.

- **Pull-Down Spray Wand:**

- Grasp the spray wand and pull it down from the spout.
- Press the buttons on the spray wand to switch between stream and spray functions.
- The faucet features a boosted stream and spray for enhanced cleaning power.
- When finished, guide the spray wand back into the spout. The hose weight will assist in retraction.

6. MAINTENANCE

Proper care will help maintain the finish and performance of your Moen Tullis faucet.

- **Cleaning the Finish:**

- Clean the Spot Resist Stainless finish with a soft, damp cloth and mild soap.
- Rinse thoroughly with warm water and dry with a soft cloth.
- Avoid abrasive cleaners, harsh chemicals, or polishing waxes, as these can damage the finish.

- **Cleaning the Spray Nozzles:**

- Mineral deposits can accumulate on the spray nozzles over time. Gently rub the rubber nozzles with your finger or a soft brush to dislodge deposits.

- **Cartridge Replacement:**

- If the faucet begins to drip or experiences reduced flow, the cartridge may need to be replaced. Contact Moen customer support for assistance and genuine replacement parts.

7. TROUBLESHOOTING

| Problem | Possible Cause | Solution |
|--|---|---|
| Faucet Drips | Worn cartridge, loose cartridge nut, debris in cartridge. | Ensure cartridge retaining nut is tightened. Replace cartridge if dripping persists. Flush water lines. |
| Low Water Flow | Aerator clogged, supply lines kinked, water supply partially off. | Clean or replace aerator. Check supply lines for kinks. Ensure water supply valves are fully open. |
| Spray Wand Does Not Retract Fully | Hose weight improperly positioned or obstructed. | Adjust the position of the hose weight. Ensure there are no obstructions under the sink preventing hose movement. |

| Problem | Possible Cause | Solution |
|---------------------------------|---|---|
| Water Temperature Issues | Hot/cold supply lines reversed, water heater setting. | Verify hot and cold supply line connections. Check water heater settings. |

8. SPECIFICATIONS

| Feature | Detail |
|---------------------------|---|
| Brand | Moen |
| Model Name | 87235SRS |
| Finish Type | Spot Resist Stainless |
| Material | Metal (Handle Material: Stainless Steel) |
| Mounting Type | Deck Mount |
| Number of Handles | 1 |
| Hole Count | 4 (can be installed in single hole with deck plate) |
| Special Feature | Pull Down Sprayer with Power Boost Technology |
| Spout Height | 15.27 Inches |
| Spout Reach | 7.87 Inches |
| Item Weight | 6.7 Pounds |
| Product Dimensions | 15.5 x 2.5 x 8 inches |
| UPC | 026508278307 |






9. WARRANTY AND SUPPORT


Moen products are manufactured under the highest standards of quality and workmanship. Moen offers a limited lifetime warranty against leaks, drips, and finish defects to the original consumer purchaser. Other components are warranted for a specific period.

For detailed warranty information, replacement parts, or technical assistance, please contact Moen customer service directly. You can typically find contact information on the Moen official website or by referring to the warranty card included with your product.

Moen Customer Support: [Visit Moen's Official Website](#)

Related Documents - 87235SRS

| | |
|---|---|
|  | <p>Moen Adler Two Handle Lavatory Faucet Illustrated Parts List</p> <p>Detailed illustrated parts list for the Moen Adler Two Handle Lavatory Faucet, providing part numbers, descriptions, and finish options for components like handles, cartridges, and mounting hardware. Includes model numbers 84603 and 84603SRN.</p> |
|  | <p>Moen Ronan One-Handle Lavatory Faucet Illustrated Parts List & Specifications</p> <p>Detailed illustrated parts list for the Moen Ronan One-Handle Lavatory Faucet (Models 84021BL, 84021SRN). Find part numbers, descriptions, and finishes for your Moen faucet.</p> |
|  | <p>Moen Hamden 4" Lavatory Faucet Illustrated Parts</p> <p>Detailed illustrated parts list for the Moen Hamden 4-inch Lavatory Faucet (Model 84300SRN) in Spot Resist Brushed Nickel. Includes part numbers, descriptions, waste assembly details, and deck thickness compatibility.</p> |
|  | <p>Moen SLEEK™ Single-Handle High Arc Pulldown Kitchen Faucet Illustrated Parts</p> <p>Official Moen SLEEK™ kitchen faucet replacement parts list, featuring part numbers and finishes for models 7864, 7864SRS, 7864BL, and 7864BLS. Includes spout kits, handle kits, cartridges, hoses, and optional accessories.</p> |
|  | <p>Moen 87042SRS Edison One-Handle Kitchen Faucet Installation Guide</p> <p>Comprehensive installation guide for the Moen 87042SRS Edison one-handle kitchen faucet, including parts list, step-by-step instructions, cleaning recommendations, and warranty information.</p> |
|  | <p>Bokeh 87056 Series Single Handle Kitchen Pull Out Faucet Parts</p> <p>Illustrated parts list and identification for the Bokeh 87056 Series single handle pull out kitchen faucet by Moen, including finishes like Chrome, Spot Resist Stainless, and Matte Black.</p> |




[\[pdf\]](#) Catalog

87235pt.indd Illustrated Parts Moen 18 ago 2021 — TULLIST™ Single Handle High Arc Pulldown Kitchen
Faucet MODELS FINISH 87235SRS Spot Resist Stainless 3 Hole Escutcheon 141002SRS
productcatalog.plumbingonline.ca DocServer DSAonDownloadServlet action type product artifacts key
DSe536e2d7 30ef 4bf6 8acc 80bcefce3860 |||

Order by Part Number There is more than one version of this model. Page down to identify the version you have. Wand Screen and O-ring Kit 2.2 gpm 141025 Illustrated Parts TULLISTM Single-Handle High Arc Pulldown Kitchen Faucet MODELS 87225SPS FINISH Spot Resist Stainless Spout Kit 176078SPS

Janude score:99 filesize: 1.81 M page_count: 9 document_date: 2013-01-10 10:45:00

lang.de score:29 filesz: 1.81 M page_count: 2 document date: 2019-04-22




[\[pdf\]](#) Dimension Guide Guide

87235sp.indd null Moen 87235SRS Dimensions Guide Tullis Spot Resist Stainless Single Handle Pull down Kitchen Faucet with Sprayer Function Deck Plate Included 026508278307 08546478 lowes productdocuments 75a3c28e ef6c 4525 8206 15bdb0e5b638 |||

FAUCET DESCRIPTION Reflex™ pulldown system offers smooth operation, easy movement and secure docking Power Clean™ spray technology Metal construction with various finishes identified by suffix Duralock™ quick connect system Power Boost™ Technology provides boosted water performance with the...

lang:en score:27 filesize: 699.52 K page_count: 1 document date: 2017-07-26




[pdf] Specifications

87235pt indd null 08546479 Moen Tullis Single Handle Deck mount Pull down Kitchen Faucet with Sprayer Plate Included Soap Dispenser ndpf3547 87235SRSMoen 87235SRSsecure img1 ag wfcdn dm document a5b42f32 96a1 4212 a016 09f08c42be23 87235SRSSpecificationsMoen Reviews Wayfairsecure 08546479assets |||

Order by Part Number Wand Screen and O-ring Kit 2.2 gpm 141025 Wand Screen and O-ring Kit 1.5 gpm 158550 Illustrated Parts TULLISTM Single-Handle High Arc Pulldown Kitchen Faucet MODELS **87235SRS** FINISH Chrome Wand Kit 1.5 gpm 189302SRS Spot Resist Stainless Spout Kit 176078 Chrome Hos...

lang:de score:21 filesize: 1.08 M page count: 1 document date: 2017-07-26




[pdf]

87235pt.indd null 08546479 lowes productdocuments 5f242931 abe7 4040 ba67 daf8539e9328

Order by Part Number Wand Screen and O-ring Kit 2.2 gpm 141025 Wand Screen and O-ring Kit 1.5 gpm 158550 Illustrated Parts TULLISTM Single-Handle High Arc Pulldown Kitchen Faucet MODELS **87235SRS** FINISH Chrome Wand Kit 1.5 gpm 189302SRS Spot Resist Stainless Spout Kit 176078 Chrome Hos...

lang:de score:18 filesize: 1.08 M page_count: 1 document date: 2017-07-26



[pdf] Specifications

87235sp.indd Specification Sheet Moen 87235SRS Tullis 1 5 GPM Single Hole Pull Down Kitchen Faucet Ferguson Homemoen 87235 specification sheets1 img b build mediabase specifications moen 1632447 sheet |||

FAUCET DESCRIPTION ReflexTM pulldown system offers smooth operation, easy movement and secure docking Metal construction with various finishes identified by suffix DuralockTM quick connect system Power BoostTM Technology provides boosted water performance with the push of a button Flexible supp...

lang:en score:16 filesize: 774.21 K page_count: 1 document date: 2018-01-10



[pdf] Guide Declaration of Conformity Accessories Catalog

Spreads.indd RETAIL PRICE CATALOG Unilog87028SRS 87028BL DURALAST® Application One to Four Hole No of Spray Functions Three Wand Type Aerated Stream Powerful Cleaning Rinse Pause Moen 82510 Catalogassets unilogcorp 267 ITEM DOC Moen Catalog |||

RETAIL PRICE CATALOG Flara Bath Collection Every day, water pulls on us in unexpected ways, hel ... 3/8 Connection Type: Compression Cartridge Type: 1255 Duralast Cartridge DURALOCK MODEL NO. **87235SRS** DURALAST ONE-HANDLE PULLDOWN KITCHEN FAUCET Application: One to Four Hole No. of Spray F...
lang:en score:14 filesize: 16.62 M page_count: 82 document date: 2021-04-05