



[Manuals.plus](#) /

> [Ozark Trail](#) /

> Ozark Trail 12x12 Straight Leg Instant Canopy Gazebo Middle Truss Bar Replacement Manual

## Ozark Trail WMT-1212115

# Ozark Trail 12x12 Straight Leg Instant Canopy Gazebo Middle Truss Bar Replacement Manual

Brand: Ozark Trail | Model: WMT-1212115

## INTRODUCTION

This instruction manual provides detailed guidance for the replacement of middle truss bars on the Ozark Trail 12' x 12' Straight Leg Instant Canopy Gazebo, specifically Model WMT-1212115. These replacement parts are also compatible with other canopy brands that share identical dimensions and specifications. It is crucial to verify the dimensions of your existing truss bars before purchasing to ensure proper fit and function.

## IMPORTANT SAFETY INFORMATION

Always measure the truss bar before ordering to ensure a proper fit. This truss attaches to the middle, not the corners, so please follow the installation instructions carefully to avoid any installation-related issues.

## PACKAGE CONTENTS

- One Pair Metal TRUSS Bars
- No other parts are included.

## SPECIFICATIONS

Dimensions	36 3/8" x 3/4" x 3/8"
Material	Metal
Color	Gray
Assembly Required	Yes

## SETUP AND INSTALLATION

These truss bars are designed to attach to the middle section of your canopy frame, not the corners. Please follow these steps for

proper installation:

1. **Identify the Middle Truss Location:** Locate the existing middle truss bars on your canopy frame. These are typically found spanning the center sections of the canopy structure.
2. **Remove Damaged Truss Bars:** Carefully detach the damaged or old middle truss bars from the canopy frame. Note how they were connected to ensure correct reassembly.
3. **Prepare New Truss Bars:** Ensure the new replacement truss bars are clean and free of any debris. Verify their dimensions match your canopy's requirements.
4. **Attach New Truss Bars:** Connect the new metal truss bars to the designated middle attachment points on the canopy frame. Ensure all connections are secure and properly aligned.
5. **Verify Stability:** Once installed, gently test the canopy frame to ensure the new truss bars provide stable support.



This image displays the two metal truss bars, highlighting their length of 36 3/8 inches. An overlay shows where these middle truss bars connect within a 12' x 12' straight leg instant canopy gazebo frame.



A detailed view of the end of the truss bar, indicating its cross-sectional dimensions: 3/4 inch width and 3/8 inch height. This helps confirm compatibility with existing canopy frames.

## Video Guide: Understanding Truss Differences

Your browser does not support the video tag.

Watch this video for a visual guide on identifying different truss types and their measurements, which is crucial for selecting the correct replacement part for your canopy.

## OPERATING

---

These middle truss bars are structural components designed to restore the integrity and stability of your canopy frame. Once installed, the canopy can be operated as intended, providing shade and shelter. Ensure all other canopy components are in good working order for safe use.

## MAINTENANCE

---

- **Regular Inspection:** Periodically inspect the truss bars and other frame components for any signs of wear, bending, or damage.
- **Cleaning:** Clean the metal parts with a damp cloth and mild soap if necessary. Avoid harsh chemicals that could damage the finish.

- **Storage:** When not in use, store the canopy frame in a dry, protected area to prevent rust and prolong its lifespan.

## TROUBLESHOOTING

---

### Truss Bar Does Not Fit

- **Re-measure:** Double-check the dimensions of your existing truss bars and compare them with the specifications provided in this manual.
- **Check Model Compatibility:** Confirm that your canopy model number matches WMT-1212115 or that its dimensions are identical to ensure compatibility.
- **Middle vs. Corner:** Ensure you are attempting to install the truss bar in the middle section of the frame, as these specific bars are not designed for corner attachment.

## WARRANTY AND SUPPORT

---

For any questions, concerns, or support regarding this replacement part, please contact the seller, gaze parts, directly through the platform where the purchase was made. They can provide assistance with product-specific inquiries and potential warranty information.