Saved from manuals.plus.
Open the live page for links to other documents and user manuals.

Campingaz 2000031965

Campingaz Instapink 1.0L WC Cleaner & Rinsing Additive User Manual

Model: 2000031965

Product Overview

The Campingaz Instapink 1.0L is a highly effective toilet cleaner and rinsing water additive specifically designed for chemical toilets, commonly found in caravans, motorhomes, and boats. This product helps maintain hygiene, prevents unpleasant odors, and ensures efficient flushing by keeping the fresh water tank and toilet bowl clean.



Image: Campingaz Instapink 1.0L bottle. This image shows the pink liquid product in its branded bottle, highlighting its primary use as a rinsing and cleaning additive.

Safety Information

Please read and understand all safety precautions before using Instapink 1.0L. Failure to follow these instructions may result in personal injury or damage to property.

- **Keep out of reach of children and pets.**
- **Do not ingest.** If swallowed, seek immediate medical attention and show this label.

- **Avoid contact with skin and eyes.** In case of contact, rinse thoroughly with water for several minutes. If irritation persists, consult a doctor.
- Use in a well-ventilated area.
- Store in a cool, dry place, away from direct sunlight and extreme temperatures.
- Do not mix with other chemicals or cleaning agents.
- Dispose of contents/container in accordance with local regulations.

Setup and Preparation

Before using Instapink 1.0L, ensure your chemical toilet's fresh water tank is clean and ready for additive application.

1. Ensure the fresh water tank of your chemical toilet is empty or contains only clean water.
2. Locate the fresh water tank filler opening on your toilet unit. This is typically a cap or plug.
3. Open the filler cap.
4. Prepare the Instapink 1.0L bottle by shaking it gently before use.



Image: Diagram of a portable chemical toilet. This illustration shows the general structure of a portable toilet, indicating where the fresh water tank might be located.

Operating Instructions

Follow these steps to correctly add Instapink 1.0L to your chemical toilet's fresh water tank for optimal performance.

1. Carefully pour the recommended amount of Instapink 1.0L into the fresh water tank. Refer to your toilet's manual for specific tank capacity and recommended additive ratios, or use the general guideline of 100ml per 10 liters of

fresh water.

2. After adding the additive, fill the fresh water tank with clean water up to the recommended level.
3. Close the fresh water tank filler cap securely.
4. Flush the toilet a few times to ensure the additive is distributed throughout the system and coats the bowl.



Image: Person pouring Instapink into a toilet's fresh water tank using a funnel. This image demonstrates the process of adding the liquid to the toilet system.



Image: Person pouring Instapink directly into a toilet's fresh water tank opening. This image shows an alternative method of adding the liquid without a funnel.

Maintenance

Regular use of Instapink 1.0L contributes to the overall maintenance and longevity of your chemical toilet system.

- **Regular Flushing:** Ensure the toilet is flushed regularly to keep the bowl clean and prevent residue buildup.
- **Tank Cleaning:** Periodically empty and thoroughly rinse the fresh water tank to remove any potential sediment.
- **Seal Lubrication:** While Instapink helps keep seals clean, refer to your toilet's manual for specific recommendations on seal lubrication to prevent drying and cracking.
- **Winterization:** If storing the toilet for extended periods in freezing temperatures, ensure the fresh water tank is completely drained to prevent damage.

Troubleshooting

This section addresses common issues you might encounter and how to resolve them.

Problem	Possible Cause	Solution
Unpleasant Odor	Insufficient additive, tank not regularly emptied, or poor ventilation.	Increase Instapink dosage slightly, empty waste tank more frequently, ensure proper ventilation in the area.
Poor Flushing Performance	Low water level in fresh tank, clogged spray nozzles, or worn pump.	Refill fresh water tank, clean spray nozzles, inspect pump for damage (refer to toilet manual).
Residue in Bowl	Infrequent flushing or insufficient additive.	Flush more often, ensure correct Instapink dosage is used. A brush may be needed for stubborn residue.

Specifications

Feature	Detail
Product Name	Instapink WC Cleaner & Rinsing Additive
Brand	Campingaz
Model Number	2000031965
Item Volume	1 Liters (1000 Milliliters)
Item Form	Liquid
Product Dimensions	2.99 x 2.99 x 10.43 inches
Weight	2.23 Pounds

Warranty and Support

For specific warranty information regarding Campingaz products, please refer to the documentation provided with your chemical toilet or visit the official Campingaz website. For product support or inquiries about Instapink 1.0L, please contact Campingaz customer service through their official channels.
Always ensure you are purchasing genuine Campingaz products from authorized retailers to ensure product authenticity and eligibility for support.

© 2024 Campingaz. All rights reserved.

Ask a question about this manual

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. Privacy details.

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question

Open the live page

https://manuals.plus/asin/B078PLD5YQ

More documents and user manuals: **https://manuals.plus/**