

Manuals.plus /

› Habitat et Jardin /

› Habitat et Jardin Vegas Metal Garden Shed - 7.06 m² - Gray Instruction Manual

Habitat et Jardin 1299_93416

Habitat et Jardin Vegas Metal Garden Shed - 7.06 m² - Gray

Model: 1299_93416

INTRODUCTION

This manual provides essential information for the assembly, operation, and maintenance of your Habitat et Jardin Vegas Metal Garden Shed. Please read these instructions carefully before beginning assembly or use to ensure safe and efficient operation.

SAFETY INSTRUCTIONS

- Assemble the shed on a stable and flat surface.
- Avoid lifting heavy components alone. Seek assistance when necessary.
- Follow all provided assembly instructions precisely.
- Wear appropriate personal protective equipment (e.g., gloves, safety glasses) during assembly.
- Keep children and pets away from the assembly area.
- Ensure all fasteners are securely tightened after assembly.
- Do not climb on the shed roof.
- Anchor the shed securely to the ground to prevent wind damage.

PRODUCT OVERVIEW

The Habitat et Jardin Vegas Metal Garden Shed is designed for outdoor storage. It features a reinforced galvanized steel structure for durability and resistance to corrosion, UV, abrasion, and erosion. The shed includes four ventilation grilles for optimal air circulation and a double sliding door for convenient access.



Image 1: Front view of the Habitat et Jardin Vegas Metal Garden Shed with its double sliding door open, showcasing the gray galvanized steel construction and roof design.

SETUP AND ASSEMBLY

Assembly requires two or more people. Ensure you have all components listed in the packing list before starting. A foundation or base is not included and is required for proper installation.

Required Tools (Not Included):

- Gloves
- Safety glasses
- Screwdriver set
- Wrench set
- Measuring tape
- Level
- Drill (optional, for anchoring)

Assembly Steps:

1. **Prepare the Foundation:** Ensure the chosen site is level, stable, and provides adequate drainage. A concrete slab or treated timber frame is recommended as a base.
2. **Unpack Components:** Carefully unpack all parts and verify against the packing list. Separate similar parts to simplify assembly.
3. **Assemble the Base Frame:** Connect the base frame components according to the detailed diagrams in the separate assembly guide. Ensure all corners are square and secure.
4. **Install Wall Panels:** Attach the galvanized steel wall panels to the base frame, working from one

corner. Secure each panel with the provided fasteners. Pay attention to the orientation of panels with ventilation grilles.

5. **Construct the Roof Frame:** Assemble the roof support beams and trusses. Lift and secure the roof frame onto the top of the wall panels.
6. **Attach Roof Panels:** Install the roof panels, ensuring proper overlap for water resistance. Secure them firmly to the roof frame.
7. **Install Doors:** Mount the double sliding doors onto their tracks. Test the sliding mechanism to ensure smooth operation.
8. **Final Checks and Anchoring:** Review all connections for tightness. Anchor the shed to the prepared foundation using appropriate anchor bolts (not included) to prevent movement due to wind.

Refer to the separate detailed assembly manual for step-by-step diagrams and specific fastener information.

OPERATING INSTRUCTIONS

Door Operation:

The shed features a double sliding door. To open, grasp the handle and slide the door along its track. Ensure the track is clear of debris for smooth operation. To close, slide the door completely until it meets the frame. The shed does not include a lock mechanism; a padlock can be added for security (not included).

Ventilation:

The four integrated ventilation grilles facilitate air circulation within the shed, helping to prevent moisture buildup and odors. Ensure these grilles remain unobstructed.

MAINTENANCE

- **Regular Cleaning:** Clean the exterior of the shed periodically with mild soap and water. Avoid abrasive cleaners or harsh chemicals that could damage the galvanized finish.
- **Inspect Fasteners:** Annually inspect all bolts and screws for tightness. Retighten as necessary to maintain structural integrity.
- **Door Tracks:** Keep the door tracks clean and free of dirt, leaves, or other debris to ensure smooth sliding operation. Lubricate tracks with a silicone-based spray if movement becomes stiff.
- **Ventilation Grilles:** Ensure ventilation grilles are clear of obstructions to maintain proper airflow.
- **Snow Removal:** In areas with heavy snowfall, remove accumulated snow from the roof to prevent excessive weight and potential damage.

TROUBLESHOOTING

Problem	Possible Cause	Solution
Door sticks or is difficult to slide.	Debris in track, misaligned door, lack of lubrication.	Clean door tracks. Check door alignment and adjust if necessary. Apply silicone lubricant to tracks.
Water leakage inside the shed.	Improperly sealed seams, damaged panels, inadequate foundation.	Inspect all seams and panel overlaps. Apply silicone sealant if gaps are found. Ensure the foundation is level and properly drains water away from the shed. Check for any damage to panels and replace if necessary.
Shed feels unstable or wobbly.	Loose fasteners, inadequate anchoring, uneven foundation.	Retighten all bolts and screws. Ensure the shed is securely anchored to a stable foundation. Verify the foundation is level.
Condensation inside the shed.	Poor ventilation, high humidity.	Ensure ventilation grilles are clear. Consider adding a dehumidifier if humidity is consistently high.

SPECIFICATIONS

Model Number	1299_93416
Brand	Habitat et Jardin
Material	Galvanized Steel (Wall thickness: 0.25 mm, Structure thickness: 0.5-0.8 mm)
Color	Gray
Overall Dimensions (L x W x H)	2.55 m x 2.77 m x 2.02 m (8.36 ft x 9.08 ft x 6.62 ft)
Exterior Dimensions (L x W)	2.45 m x 2.67 m (8.03 ft x 8.76 ft)
Interior Dimensions (L x W)	2.41 m x 2.63 m (7.90 ft x 8.63 ft)
Total Surface Area	7.06 m ² (75.99 sq ft)
Ridge Height	1.92 m (6.30 ft)
Wall Height	1.55 m (5.08 ft)
Door Type	Double Sliding Door with Handle
Door Dimensions (W x H)	0.96 m x 1.52 m (3.15 ft x 4.98 ft)
Ventilation	4 Grilles
Weight	72.5 kg (159.8 lbs)
Water Resistance	Water repellent
Foundation/Base	Not included
Anchor Kit	None included

WARRANTY AND SUPPORT

For warranty information and customer support, please refer to the documentation provided with your purchase or contact Habitat et Jardin customer service directly. Keep your proof of purchase for any warranty claims.

Contact Information: Please refer to the manufacturer's website or your purchase receipt for the most up-to-date contact details for Habitat et Jardin.