

[Manuals.plus](#) /

› [Thule](#) /

› Thule Jogging Stroller Infant Car Seat Adapter Universal (Glide/Urban Glide 1.0 & 2.0) Instruction Manual

Thule 20110713

Thule Jogging Stroller Infant Car Seat Adapter

Model: 20110713 | Brand: Thule

INTRODUCTION

This manual provides comprehensive instructions for the safe and effective use of your Thule Jogging Stroller Infant Car Seat Adapter. Designed for universal compatibility with Thule Glide and Urban Glide 1.0 & 2.0 strollers, this adapter allows you to securely attach popular infant car seat models, enabling your baby to face you while strolling. Its simple and easy installation ensures a convenient experience for parents.

SETUP

The Thule Infant Car Seat Adapter is designed for straightforward installation. Before beginning, ensure your stroller is in a stable, upright position with the brakes engaged.

Adapter Components

The adapter consists of a lightweight aluminum frame with padded sections and secure attachment points. It includes two main arms that connect to the stroller frame and a strap system for securing the car seat.



Figure 1: Thule Infant Car Seat Adapter (component view)

Attaching the Adapter to the Stroller

1. Locate the attachment points on both sides of your Thule Glide or Urban Glide stroller frame. These are typically small notches or slots designed to receive the adapter's arms.
2. Align the adapter's arms with these attachment points. The adapter is designed to fit snugly.
3. Push the adapter arms firmly into the attachment points until you hear a distinct "click" on both sides, indicating that the adapter is securely locked into place. Verify by gently pulling upwards on the adapter to ensure it is fixed.

Attaching the Infant Car Seat

1. With the adapter securely installed on the stroller, position your compatible infant car seat onto the adapter. Ensure the car seat's base aligns correctly with the adapter's support bars.
2. Press down firmly on the car seat until it clicks into place on the adapter.
3. Utilize the integrated safety straps on the adapter to further secure the car seat. Fasten the buckles and tighten the straps to ensure the car seat is firmly held against the adapter, minimizing any movement.



Figure 2: Infant Car Seat attached to Stroller via Adapter

OPERATING

Once the infant car seat is securely attached to the adapter, you can use your Thule jogging stroller for strolling. This configuration allows your baby to face you, promoting interaction and easy monitoring. Remember, this setup is recommended for strolling only, not for jogging or running activities.

Detaching the Infant Car Seat

1. Unfasten the safety straps securing the car seat to the adapter.
2. Locate the release mechanism on your infant car seat (typically a handle or button). Activate the release mechanism

while lifting the car seat upwards from the adapter.

3. Ensure the car seat is fully disengaged before lifting it clear of the stroller.

Removing the Adapter from the Stroller

To remove the adapter, locate the release levers or buttons on the adapter's arms where they connect to the stroller frame. Press these mechanisms and gently pull the adapter upwards and away from the stroller frame.

COMPATIBILITY

This universal adapter is compatible with a wide range of popular infant car seat models and is designed for use with Thule Glide and Urban Glide 1.0 & 2.0 strollers. For a detailed list of compatible car seat brands and models, please refer to the compatibility guide below.



Figure 3: Car Seat Compatibility Chart

Note: Thule Urban Glide 2 will only accommodate 1 Car Seat Adapter. Maximum child weight must not exceed 10kg (22lbs) when using these car seats with the Car Seat Adapter.

MAINTENANCE

To ensure the longevity and proper function of your Thule Infant Car Seat Adapter, regular maintenance is recommended:

- **Cleaning:** Wipe down the adapter frame and fabric components with a damp cloth and mild soap. Avoid harsh chemicals or abrasive cleaners.
- **Inspection:** Periodically check all attachment points, straps, and buckles for signs of wear, damage, or loose connections.
- **Storage:** Store the adapter in a clean, dry place away from direct sunlight and extreme temperatures when not in use.

TROUBLESHOOTING

If you encounter issues with your Thule Infant Car Seat Adapter, consider the following:

- **Difficulty Attaching Adapter:** Ensure the adapter arms are correctly aligned with the stroller's attachment points. Apply firm, even pressure until you hear a click. Check for any obstructions.
- **Car Seat Not Securing:** Verify that your car seat model is listed as compatible. Ensure the car seat is properly seated on the adapter and that all safety straps are fastened and tightened.
- **Loose Fit:** Re-check all connection points on both the adapter and the car seat. If the issue persists, inspect for any damage to the adapter or stroller frame.

For persistent issues or concerns, please contact Thule customer support.

SPECIFICATIONS

Feature	Detail
Brand	Thule
Model Number	20110713
Included Components	1 adapter
Fabric Type	100 polyester
Frame Material	Aluminum
Item Weight	1.8 Pounds
Maximum Weight Recommendation	15 Kilograms (22 lbs with car seat)
Car Seat Compatible	Yes
Certification	JPMA

WARRANTY

The Thule Jogging Stroller Infant Car Seat Adapter comes with a limited lifetime manufacturer warranty. Please retain your proof of purchase for warranty claims. For full details on warranty coverage and terms, refer to the official Thule warranty documentation or contact Thule customer support.

SUPPORT

For additional support, product registration, or to explore other Thule products, please visit the official Thule website or their Amazon store:

[Visit the Thule Store on Amazon](#)

Always refer to the latest information available on the manufacturer's official channels for the most up-to-date support and product details.

© 2025 Thule. All rights reserved. Information subject to change without notice.

ASK A QUESTION ABOUT THIS MANUAL

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. [Privacy details](#).

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

[Submit question](#)