

## Fricosmos 057428

# Fricosmos Wall-Mounted Sink Instruction Manual

Model: 057428

## 1. INTRODUCTION

This manual provides comprehensive instructions for the installation, operation, and maintenance of your Fricosmos wall-mounted stainless steel sink. Please read this manual thoroughly before installation and use to ensure proper function and longevity of the product. Keep this manual for future reference.



**Figure 1:** Fricosmos wall-mounted stainless steel sink, featuring a single basin on the left and a ribbed drainboard on the right. The unit is designed for wall mounting, with a raised back edge for splash protection.

## 2. SAFETY INFORMATION

Always observe the following safety precautions:

- Ensure the wall structure is capable of supporting the weight of the sink when filled with water.
- Use appropriate mounting hardware for your wall type.
- Professional installation is recommended for plumbing connections.
- Do not use abrasive cleaners or tools that could scratch the stainless steel surface.
- Keep children away from the installation area.

## 3. COMPONENTS AND PARTS LIST

Verify that all components are present and undamaged before beginning installation.

- Fricosmos Wall-Mounted Sink Unit (Model 057428)
- Drain Assembly (Grid type)
- Mounting Brackets (Integrated with sink unit)
- Installation Hardware (Screws, anchors - may vary based on wall type, not always included)

## 4. SETUP AND INSTALLATION

---

Follow these steps for proper installation:

- 1. Prepare the Installation Area:** Ensure the wall is clean, dry, and structurally sound. Identify the desired height for the sink, considering ergonomic use and plumbing connections.
- 2. Mark Mounting Points:** Hold the sink unit against the wall at the desired height. Use a level to ensure it is perfectly horizontal. Mark the locations for the mounting screws through the pre-drilled holes in the integrated mounting brackets.
- 3. Drill Pilot Holes:** Drill pilot holes at the marked locations. The drill bit size and type of anchor will depend on your wall material (e.g., concrete, brick, drywall with studs).
- 4. Secure the Sink:** Align the sink with the drilled holes and secure it to the wall using appropriate heavy-duty screws and anchors. Ensure the sink is firmly attached and does not wobble.
- 5. Install Drain Assembly:** Insert the grid-type drain into the sink basin opening. Connect the plumbing according to local codes and regulations. Ensure all connections are watertight.
- 6. Test for Leaks:** Turn on the water supply and fill the sink. Check all plumbing connections for any leaks.

## 5. OPERATING INSTRUCTIONS

---

The Fricosmos wall-mounted sink is designed for general washing and rinsing tasks in commercial or industrial environments.

- **Water Flow:** Use standard faucets (not included) to control water flow and temperature.
- **Drainage:** The integrated grid drain efficiently removes water. Ensure the drain is clear of large debris to prevent blockages.
- **Drainboard Use:** The ribbed drainboard provides a convenient area for drying dishes, utensils, or other items.

## 6. MAINTENANCE

---

Regular cleaning and maintenance will preserve the appearance and functionality of your stainless steel sink.

- **Daily Cleaning:** Wipe down the sink and drainboard with a soft cloth or sponge and mild soap or detergent after each use. Rinse thoroughly with clean water.
- **Stain Removal:** For stubborn stains, use a non-abrasive stainless steel cleaner. Always rub in the direction of the grain.
- **Avoid:** Do not use steel wool, abrasive pads, harsh chemicals (e.g., bleach, strong acids), or cleaners containing chlorides, as these can damage the stainless steel finish.
- **Drain Maintenance:** Periodically remove the drain grid and clean any accumulated debris to ensure proper drainage.

## 7. TROUBLESHOOTING

---

Problem	Possible Cause	Solution
Sink is wobbly after installation.	Insufficiently tightened mounting screws or inadequate wall anchors.	Ensure mounting screws are fully tightened. If still wobbly, consider using stronger anchors or consulting a professional for wall reinforcement.

Problem	Possible Cause	Solution
Water drains slowly.	Drain blockage or debris in the grid.	Remove the drain grid and clear any debris. Use a drain cleaner if necessary, ensuring it is safe for stainless steel and plumbing.
Water leaks from plumbing connections.	Loose connections or improperly sealed pipes.	Tighten all plumbing connections. Apply plumber's tape or sealant if needed. If leaks persist, consult a plumber.
Surface stains or discoloration.	Hard water deposits, food residue, or use of improper cleaning agents.	Clean with a mild stainless steel cleaner and a soft cloth, rubbing with the grain. For hard water, use a vinegar solution followed by rinsing. Avoid abrasive cleaners.

## 8. SPECIFICATIONS

Feature	Detail
Brand	Fricosmos
Model	057428
Material	Stainless Steel
Installation Method	Wall-Mounted
Shape	Rectangular
Overall Dimensions (L x W x H)	1000 x 500 x 200 mm (Approx. 39.4 x 19.7 x 7.9 inches)
Basin Dimensions (L x W x D)	340 x 370 x 150 mm (Approx. 13.4 x 14.6 x 5.9 inches)
Drain Type	Grid

## 9. WARRANTY AND SUPPORT

Information regarding specific warranty terms is not available in this manual. For warranty claims, technical support, or spare parts inquiries, please contact your original point of purchase or the Fricosmos customer service department.

**Manufacturer:** Fricosmos

**ASIN:** B078Y5JS7V





### [pdf] User Manual Dimension Guide Catalog Price List

Tarifa precios Este grifo electrónico de acción no manual está fabricado en acero inoxidable AISI 304

Ideal para ubicar fuentes agua espacios pú Catalogo FRICOSMO sv WEB cdn website editor net

f33cca4613694af8a33036037abe99f1 files uploaded |||

Tarifa de precios Price list Liste de prix 2018 V.1.43 PROHIBIDA LA REPRODUCCIN

TOTAL O PARCIAL DE ... 18,5 057630 800 500 205 340 370 150 25 25 5,1 057416

1.000 500 205 340 370 150 25 25 5,8 **057428** 1.000 550 205 340 340 200 100 40

10,5 057802 1.000 600 205 500 400 250 100 40 11,0 05...

lang:en score:23 filesize: 46.95 M page\_count: 569 document date: 2021-04-20



### [pdf] Dimension Guide Catalog Price List

fricosmos catalogo 2021 kl cdn webshopapp shops 57149 files 418399834 |||

HOSTELERA, CATERING Y RESTAURACION HOSPITALITY, RESTAURANT AND

CATERING HTELLERIE, RESTAURATION ET CA ... 18,5 057630 800 500 205 340

370 150 25 25 5,1 057416 1.000 500 205 340 370 150 25 25 5,8 **057428** 1.000 550

205 330 330 200 100 40 10,5 057802 1.000 600 205 500 400 250 100 40 11,0 05...

lang:es score:18 filesize: 48.11 M page\_count: 494 document date: 2021-06-29



### [pdf] Dimension Guide Catalog

fricosmos catalogo logo 2023 v100 sv 1 cdn webshopapp shops 57149 files 422455356 |||

Flanders Inox Karperstraat 6 8400 Oostende info flandersinox. be 32 475634699

versie 2023/1 PROHI ... 18,5 057630 800 500 205 340 370 150 25 25 5,1 057416

1.000 500 205 340 370 150 25 25 5,8 **057428** 1.000 550 205 330 330 200 100 40

10,5 057802 1.000 600 205 500 400 250 100 40 11,0 057...

lang:es score:17 filesize: 51.41 M page\_count: 490 document date: 2023-01-25

[illegible]

[\[pdf\]](#)

Catálogo Fregadero Colgante con Cartela de Fricosmos fregadero colgante cartela fricosmos fregaderos  
gama 600 gran capacidad 700 500 Hosteleria10 hosteleria10 recursos s |||

Fregaderos colgantes con cartelas Wall mounted sinks with brackets Plonges inox  
suspendues avec quer ... 26,00 800 500 205 340 370 150 25 25 5,1 057416 168,00  
1.000 500 205 340 370 150 25 25 5,8 **057428** 183,00 1.000 550 205 330 330 200 100  
40 10,5 057802 336,00 1.000 600 205 500 400 250 10...

lang:pt score:17 filesize: 272.27 K page\_count: 2 document date: 2021-10-26

[\[pdf\]](#)

Fricosmos Fregadero Colgante con Cartela fregaderos para hosteleria mesas de lavado fregadero barato  
bar Hosteleria10 fricosmos ficha colgante hosteleria10 recursos s |||

FICHA DE PRODUCTO PRODUCTO: FREGADEROS COLGANTES CON  
CARTELAS Codigo: Varios Edicin: 2 Pgina 1 de ... 250 0 057628 16,5 1000 600 205  
860 420 350 0 057630 18,5 1200 600 057416 5,1 800 500 **057428** 5,8 1000 500  
057802 10,5 1000 550 057606 11,0 1000 600 057610 13,6 1200 600 057614 14...

lang:es score:16 filesize: 167.82 K page\_count: 3 document date: 2024-01-10