

## Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

[manuals.plus](#) /

› [Danalock](#) /

› [Danalock V3 Bluetooth & Z-Wave Smart Lock User Manual](#)

## Danalock 01032030

# Danalock V3 Bluetooth & Z-Wave Smart Lock User Manual

Model: 01032030 | Brand: Danalock

## INTRODUCTION

Welcome to the Danalock V3 Bluetooth & Z-Wave Smart Lock user manual. This guide provides detailed instructions for the installation, operation, and maintenance of your new smart lock. The Danalock V3 offers a secure and convenient way to control access to your home using your smartphone, eliminating the need for traditional keys.

## KEY FEATURES

- Bluetooth 4.2 & Z-Wave connectivity for versatile smart home integration.
- Advanced encryption methods (AES 128 via Bluetooth Z-Wave) and TLS 1.2 protocol for secure data transfer.
- Digital keys authenticated and stored in a Hardware Security Module (HSM) chip for enhanced security.
- Sleek, Danish design with anodized aluminum and a scratch-free surface.
- Compact form factor for a modern aesthetic.
- Motorized locking assistance with "twist assist" for effortless locking and unlocking.

## PACKAGE CONTENTS

Ensure all components are present before beginning installation.

- Danalock V3 Smart Lock
- Mounting hardware

- 4 x CR123A batteries (included)

## SETUP & INSTALLATION

Follow these steps carefully to install your Danalock V3.

### Physical Installation

The Danalock V3 is designed for easy installation. Refer to the included mounting hardware and ensure your door is prepared according to the instructions.




This image illustrates the various parts of the Danalock V3 smart lock, including the main unit, mounting plate, and a green adapter, positioned next to a door handle, demonstrating the assembly process.

### Battery Installation

The Danalock V3 requires 4 CR123A batteries, which are included. Insert them according to the polarity indicators inside the battery compartment.

### App Setup and Calibration

Download the official Danalock app from your smartphone's app store. Follow the in-app instructions to pair your lock and perform the initial calibration. This process ensures the lock operates smoothly with your door.



A person is shown holding a smartphone, which is used to control the Danalock V3 smart lock.

This highlights the primary method of interaction with the device.



This diagram visually represents the key advancements of the Danalock V3, including its smaller size, increased power and speed, enhanced intelligence, and automatic calibration capabilities.

## OPERATING INSTRUCTIONS

### Locking and Unlocking via Smartphone

Use the Danalock app to remotely lock or unlock your door. The app provides a simple interface for secure access control.

Your browser does not support the video tag.

This video showcases the Danalock V3 Smart Lock in action, demonstrating how it can be locked and unlocked remotely using a smartphone application.

### Twist Assist Feature

The motorized twist assist function helps engage the thumb turn. Simply begin to turn the Danalock a few degrees, and the motor will complete the locking or unlocking action.

### Granting Access

The Danalock app allows you to grant temporary or permanent access to family, friends, or service providers through digital keys.

## MAINTENANCE

### Battery Replacement

The Danalock V3 uses 4 CR123A batteries. When the battery level is low, the app will notify you. Replace all four batteries simultaneously for optimal performance.

### Cleaning

Clean the exterior of the lock with a soft, dry cloth. Avoid using abrasive cleaners or solvents, which may

damage the anodized aluminum finish.

## TROUBLESHOOTING

### Lock Not Responding to App

- Ensure Bluetooth is enabled on your smartphone.
- Check if the lock's batteries are charged.
- Restart the Danalock app.
- Try recalibrating the lock through the app.

### Z-Wave Inclusion Issues

- Ensure your Z-Wave hub is in inclusion mode.
- Activate the Z-Wave inclusion process directly on the lock's hardware as per the specific instructions in the full user guide.
- Verify the lock is within range of your Z-Wave network.

## SPECIFICATIONS

Feature	Detail
Model	01032030
Dimensions (L x W x H)	2.75 x 2.5 x 2.5 inches
Weight	1.2 Pounds
Material	Anodized Aluminium / ABS plastic
Connectivity	Bluetooth 4.2, Z-Wave
Control Method	App
Batteries	4 x CR123A (included)
Compatible Controllers	Vera, SmartThings
UPC	858125000074



A front view of the Danalock V3 smart lock, showcasing its sleek silver design and compact form factor.



This composite image displays the Danalock V3 from various perspectives, including top, side, and angled views, highlighting its overall design and dimensions.

## **WARRANTY INFORMATION**

The Danalock V3 Smart Lock comes with a 90-day warranty. Please retain your proof of purchase for warranty claims.

## SUPPORT

For further assistance, please refer to the official Danalock user manual:[Download User Manual \(PDF\)](#).

You can also visit the Danalock website for FAQs and contact information.