

- Manuals.plus /
- › LKPower /
- › LKPower AC Adapter for Stanley Tools SL2M09 Spotlight - User Manual

LKPower 180117125

LKPower AC Adapter for Stanley Tools SL2M09 Spotlight - User Manual

Model: 180117125

1. PRODUCT OVERVIEW

The LKPower AC Adapter is designed to provide reliable power to your device, specifically compatible with the Stanley Tools SL2M09 2M Ser Spotlight. This adapter converts standard AC wall power into the DC power required by your equipment, enabling both operation and battery charging. Manufactured with quality materials, it ensures consistent performance and is suitable for various environments, including travel.



Image 1.1: Front view of the LKPower AC Adapter, showing the main unit with the input prongs and the attached output cable with a barrel

connector.

Key Features:

- High-quality replacement AC wall power charger adapter.
- Universal input voltage: AC 100-240V, 50/60Hz (worldwide compatibility).
- Integrated over-voltage protection for device safety.
- Integrated over-heat protection for adapter longevity.
- Tested units ensuring reliable working condition.

2. PACKAGE CONTENTS

Upon opening the package, please verify that all components are present and undamaged:

- 1 x LKPower AC Adapter (Model: 180117125)

3. SETUP

Follow these steps to properly connect your LKPower AC Adapter:

1. **Identify the Power Port:** Locate the DC input power port on your Stanley Tools SL2M09 Spotlight.
2. **Connect the Adapter:** Insert the barrel connector of the LKPower AC Adapter firmly into the power port of your spotlight. Ensure a secure connection.
3. **Plug into Outlet:** Insert the AC prongs of the adapter into a standard electrical wall outlet (AC 100-240V, 50/60Hz).
4. **Verify Power:** Once connected, your spotlight should receive power or begin charging its battery. Refer to your spotlight's manual for indicators of power or charging status.



Image 3.1: The LKPower AC Adapter connected to a power strip, illustrating a typical setup for powering a device.

4. OPERATING INSTRUCTIONS

Once the LKPower AC Adapter is correctly set up, it will automatically provide power to your connected device. No further user interaction is typically required for basic operation.

- **Powering the Device:** The adapter supplies continuous DC power to operate your Stanley Tools SL2M09 Spotlight directly from an AC outlet.
- **Charging the Battery:** If your spotlight has a rechargeable battery, the adapter will also facilitate charging when connected. The charging status will be indicated by your spotlight's built-in indicators.
- **Disconnection:** To disconnect, first unplug the adapter from the wall outlet, then disconnect the barrel connector from your device.

5. MAINTENANCE

Proper care and maintenance will extend the lifespan of your LKPower AC Adapter:

- **Cleaning:** Use a dry, soft cloth to clean the adapter. Do not use liquid cleaners or solvents.
- **Storage:** When not in use, store the adapter in a cool, dry place away from direct sunlight and extreme temperatures. Avoid tightly coiling the cable to prevent damage.
- **Handling:** Do not drop the adapter or subject it to strong impacts. Avoid pulling the cable forcefully when disconnecting from the wall or device. Always grasp the plug or connector.
- **Inspection:** Periodically inspect the adapter and cable for any signs of damage, such as frayed wires, cracked casing, or bent prongs. If damage is observed, discontinue use immediately.

6. TROUBLESHOOTING

If you encounter issues with your LKPower AC Adapter, consider the following common solutions:

Problem	Possible Cause	Solution
Device not powering on/charging.	<ul style="list-style-type: none">• Adapter not fully plugged into outlet.• Barrel connector not fully inserted into device.• Wall outlet is not active.• Adapter or cable is damaged.	<ul style="list-style-type: none">• Ensure adapter is securely plugged into a live wall outlet.• Verify the barrel connector is fully seated in the device's power port.• Test the wall outlet with another device.• Inspect adapter and cable for visible damage. If damaged, discontinue use.
Adapter feels warm during use.	<ul style="list-style-type: none">• Normal operation.• Poor ventilation.	<ul style="list-style-type: none">• A slight warmth is normal.• Ensure the adapter is in a well-ventilated area and not covered. If it becomes excessively hot, disconnect immediately.

If the problem persists after attempting these solutions, please contact customer support for further assistance.

7. SPECIFICATIONS




Image 7.1: Dimensions of the LKPower AC Adapter and its cable length.

Feature	Detail
Model Number	180117125
Input Voltage	AC 100-240V, 50/60Hz
Compatible Devices	Stanley Tools SL2M09 2M Ser Spotlight (and other compatible devices requiring a barrel connector adapter)
Connector Type	Barrel Connector
Power Source	Corded Electric
Wattage	120 watts
Over-Voltage Protection	Yes
Over-Heat Protection	Yes

Feature	Detail
Date First Available	January 17, 2018

8. WARRANTY AND SUPPORT

For warranty information or technical support regarding your LKPower AC Adapter, please refer to the documentation provided with your purchase or contact the manufacturer directly. Keep your purchase receipt as proof of purchase. For general inquiries or to report issues, you may visit the LKPower website or contact their customer service department. Specific contact details are typically found on the product packaging or the manufacturer's official website.

© 2023 LKPower. All rights reserved.

This manual is for informational purposes only. Specifications are subject to change without notice.

ASK A QUESTION ABOUT THIS MANUAL

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. [Privacy details](#).

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question

Open the live page

<https://manuals.plus/asin/B0792VMGYK>

More documents and user manuals: <https://manuals.plus/>