



Manuals.plus /

› Pylex /

› Pylex Deck Sunblind System 11070 Instruction Manual

## Pylex 11070

# Pylex Deck Sunblind System 11070 Instruction Manual

Model: 11070 | Brand: Pylex

## 1. PRODUCT OVERVIEW

The Pylex Deck Sunblind System is an innovative and versatile solution designed to enhance outdoor spaces such as decks, gazebos, and fences. It provides adjustable shade and UV protection, ensuring a comfortable outdoor environment in various weather conditions. This system features a sleek, minimalist design that complements any outdoor decor while offering functional benefits.

The kit includes durable stainless steel brackets and supports, allowing for the installation of horizontal or vertical sunblind slats. This enables users to easily control the amount of sunlight and wind entering their space, offering both privacy and comfort.



Figure 1.1: Pylex Deck Sunblind System 11070 Kit, showing the packaging and included hardware components.

## 2. KEY FEATURES

- **Outdoor Comfort:** Provides adjustable shade and UV protection for a comfortable outdoor space.
- **Modern Design:** Features a sleek, minimalist aesthetic that enhances outdoor decor.
- **Easy Operation:** Fully adjustable system allows for easy control of sunlight and wind.
- **Strong & Durable:** Constructed from stainless steel for superior strength, durability, and rust resistance compared to plastic alternatives.
- **Versatile Installation:** Can be used horizontally or vertically on decks, pergolas, gazebos, and other outdoor structures.




Figure 2.1: Examples of the Pylex Sunblind System's versatility, demonstrating its use vertically and on various outdoor structures like decks, pergolas, and gazebos.

**MADE OF PREMIUM  
STAINLESS STEEL**

**\*Not plastic like others\***



**Gives a modern look**



**Control the incoming wind**



**Adjustable shade & UV  
protection**



**Gives privacy**



Figure 2.2: Visual representation of the benefits, including a modern look, control over incoming wind, adjustable shade and UV protection, and enhanced privacy.

### **3. SETUP AND INSTALLATION**

#### **3.1 Components Included**

The Pylex Deck Sunblind System kit includes the following hardware:

- Brackets
- Bushings
- Screws

*Note: Wood boards are NOT included and must be purchased separately.*

### 3.2 Recommended Wood Dimensions

For optimal performance and compatibility, it is recommended to use wood boards with the following dimensions:

- **Width:** 6 inches
- **Thickness:** 5/8 inches
- **Maximum Length:** 72 inches

The system supports up to 11 boards for a height of 48 inches.

**HIGH QUALITY**

**Pylex is a family-owned company founded in 1997, dedicated to the research and development of innovative products. Every year, new products are developed and marketed thanks to the hard work of Pylex employees and their desire to always go the extra mile to offer you the very best. Today, Pylex offers over 150 high-quality products and specializes in decks and fences.**

**FENCE**      **PERGOLA**      **GAZEBO**      **DECK**

**Pylex**  
.COM

Figure 3.1: Detailed parts list, required tools, and a table indicating the number of boards needed versus the required opening dimensions.

### 3.3 Installation Overview

Installation is straightforward, and a detailed instruction manual is included with your kit. Please follow the provided instructions carefully for proper assembly and secure mounting. The system can be installed to create either horizontal or vertical louvers.

For a visual guide on the installation process, please refer to the official product overview video below:

## 4. OPERATION

The Pylex Deck Sunblind System allows for easy adjustment of the louvers to control light, airflow, and privacy. Simply manipulate the louvers to your desired open or closed position. This flexibility enables you to adapt your outdoor space to changing weather conditions or privacy needs throughout the day.



Figure 4.1: Comparison of the sunblind system in opened and closed positions, illustrating how it can provide shade and privacy.

## 5. MAINTENANCE

The Pylex Deck Sunblind System is designed for low maintenance. The stainless steel construction provides excellent resistance to rust and corrosion, ensuring long-lasting performance in outdoor environments. Regular cleaning with mild soap and water is recommended to remove dirt and debris and maintain its appearance.

## **6. TROUBLESHOOTING**

### **6.1 Loose or Insecure Installation**

If you find that the installed louvers or the overall structure feels loose or insecure, ensure that all screws are properly tightened. Some users have found that using longer or more robust screws than those initially provided can enhance stability, particularly when attaching to posts or for the louver connections. Always ensure screws are appropriate for the wood type and thickness being used.

## **7. PRODUCT SPECIFICATIONS**

Attribute	Detail
Manufacturer	Pylex
Part Number	11070
Item Weight	2.99 pounds
Product Dimensions	8.25 x 8.25 x 1.5 inches
Country of Origin	China
Item Model Number	11070
Color	Stainless
Style	Modern
Material	Stainless Steel
Shape	Rectangular
Item Package Quantity	1
Handle Material	Stainless Steel
Special Features	Rust Resistant
Usage	Sun
Included Components	screws, bushings, brackets
Batteries Included?	No
Batteries Required?	No
Date First Available	January 28, 2018
Specific Uses For Product	Sun
Recommended Uses For Product	Patio
Target Audience	Adult
Shaft Material	Stainless Steel
Frame Material	Stainless Steel

## 8. WARRANTY INFORMATION

The Pylex Deck Sunblind System 11070 comes with a **5-year limited warranty**. Please retain your proof of purchase for any warranty claims. For specific terms and conditions, refer to the warranty documentation included with your product or contact Pylex customer support.

## **9. CUSTOMER SUPPORT**

For further assistance, technical support, or inquiries regarding your Pylex Deck Sunblind System, please visit the official Pylex website or contact their customer service department. Contact information can typically be found on the product packaging or on the manufacturer's website.