

Migali C-SP72-30BT-HC

Migali C-SP72-30BT-HC 72-inch 30-Pan Big Top Sandwich Prep Table User Manual

Model: C-SP72-30BT-HC

INTRODUCTION

This manual provides essential instructions for the safe and efficient operation, installation, and maintenance of your Migali C-SP72-30BT-HC 72-inch 30-Pan Big Top Sandwich Prep Table. Please read this manual thoroughly before installation and use to ensure proper function and longevity of the unit. Retain this manual for future reference.

SAFETY INFORMATION

Always follow basic safety precautions when using this appliance to reduce the risk of fire, electric shock, or injury. This unit is designed for commercial use only.

- Ensure the unit is properly grounded to prevent electrical shock.
- Do not operate the unit with a damaged power cord or plug. Contact a qualified technician for replacement.
- Keep all ventilation openings clear of obstructions to ensure proper airflow and prevent overheating.
- Do not store explosive substances, such as aerosol cans with flammable propellants, inside this appliance.
- Only qualified service personnel should perform repairs or maintenance beyond routine cleaning.

SETUP AND INSTALLATION

1. Unpacking and Inspection

Carefully remove all packaging materials. Inspect the unit thoroughly for any signs of shipping damage. Report any damage immediately to the carrier and your supplier. Do not discard packaging until the unit has been inspected and is confirmed to be in good condition.

2. Placement

Position the unit on a strong, level surface capable of supporting its weight (approximately 362 pounds). Ensure adequate ventilation around the unit. Maintain a minimum of 6 inches of clearance from walls or other equipment for proper airflow to the condenser. Avoid direct sunlight or proximity to heat-generating appliances.

Product Dimensions: 72.7 inches (Width) x 34 inches (Depth) x 47.2 inches (Height).

Product Dimensions

72.7" W x 30" D x 46.6" H



American Family Owned



SINCE 1955

Image Description: A Migali C-SP72-30BT-HC sandwich prep table shown with its overall width, depth, and height dimensions indicated by arrows and text overlays.

3. Caster Verification

This unit is shipped with casters preinstalled for convenient mobility. Once the unit is in its final desired position, verify that all casters are securely attached and locked to prevent unintended movement.

4. Shelf Installation

Install the three provided shelves into the desired positions within the refrigerated compartments. Ensure each shelf is level and securely seated on its supports before loading any products.



Image Description: A close-up view of the interior of the prep table, highlighting a sturdy wire shelf resting on adjustable shelf clips. This illustrates the shelf installation points.

5. Power Connection

Connect the unit to a dedicated, properly grounded electrical outlet. Refer to the unit's data plate for specific electrical requirements. Allow the unit to sit undisturbed for at least 2 hours after placement before plugging it in to allow refrigerants to settle.

OPERATING INSTRUCTIONS

1. Powering On/Off

Locate the power switch, typically positioned near the digital temperature controller. Press the switch to the 'ON' position to activate the unit. To turn off the unit, press the switch to the 'OFF' position.



Image Description: A close-up of the digital temperature controller panel, featuring a digital display showing the current temperature, flanked by a red power button and a green power button.

2. Temperature Control

The unit is equipped with a digital temperature controller. Use the controls on the panel to set the desired operating temperature. The display will show the current internal temperature. Allow several hours for the unit to reach the set temperature before loading perishable products.

3. Loading Food Pans

Place standard food pans into the top section of the prep table. Ensure pans are properly seated to maintain optimal cooling and prevent air gaps. The unit is designed to accommodate up to 30 pans.



Image Description: A full view of the Migali C-SP72-30BT-HC sandwich prep table. The stainless steel unit has three doors on the front and two hinged lids on top, revealing multiple food pans for ingredients.

4. Forced Air Refrigeration

The robust forced air refrigeration system ensures rapid cooling and consistent temperature stability throughout the unit. To maintain efficient cooling, do not block the internal air circulation vents.



Image Description: A close-up of the interior of the refrigerated compartment, showing a circular fan unit mounted on the back wall, indicating the forced air circulation system.

MAINTENANCE

1. Cleaning the Exterior

Clean the stainless steel exterior regularly with a mild soap and water solution. Wipe dry immediately with a soft cloth to prevent water spots and maintain the finish. Avoid using abrasive cleaners, steel wool, or scouring pads, as these can scratch the surface.

2. Cleaning the Interior

Periodically clean the interior with a mild, food-safe cleaning solution. Remove shelves and food pans for thorough cleaning. Rinse with clean water and dry completely before returning items and resuming operation.

3. Condenser Coil Cleaning

The condenser coil should be cleaned every 30 days or more frequently in dusty environments to ensure efficient operation. **Always unplug the unit before cleaning the condenser.** Use a stiff brush or vacuum cleaner to remove accumulated dust and debris from the condenser fins. A dirty condenser can significantly reduce cooling efficiency and increase energy consumption.

4. Automatic Defrost System

This unit features an automatic defrost system, minimizing the need for manual defrosting. However, ensure that the drain line is clear and free of obstructions to allow proper water drainage during the defrost cycle. Blockages can lead to water accumulation inside or outside the unit.

5. Gasket Maintenance

Inspect door gaskets regularly for any signs of cracks, tears, or hardening. Clean gaskets with warm, soapy water to maintain their flexibility and ensure a proper seal. Replace damaged gaskets promptly to prevent air leakage, which can compromise cooling efficiency and increase energy costs.

TROUBLESHOOTING

Before contacting service, review the following common issues and their potential solutions:

| Problem | Possible Cause | Solution |
|--|--|--|
| Unit not cooling or insufficient cooling | No power, dirty condenser coil, blocked airflow, thermostat set incorrectly, door left open. | Check power connection and circuit breaker. Clean condenser coil. Ensure proper ventilation and clear internal vents. Verify thermostat setting. Close doors completely. |
| Excessive noise during operation | Loose components, fan obstruction, unit not level. | Inspect for loose screws or parts. Clear any obstructions from fan blades. Ensure the unit is level. If noise persists, contact service. |
| Water accumulating on floor or inside unit | Clogged drain line, excessive humidity, door gasket issues. | Clear any blockages in the drain line. Ensure doors are properly closed and gaskets are sealing. Reduce ambient humidity if possible. |
| Digital display not working | Power interruption, faulty display component. | Check power supply. If power is present and other functions work, contact a service technician for display repair. |

SPECIFICATIONS



| Feature | Detail |
|--------------------------------|--------------------------|
| Model Number | C-SP72-30BT-HC |
| Product Dimensions (W x D x H) | 72.7" x 34" x 47.2" |
| Weight | 362 Pounds |
| Capacity | 25.2 Cubic Feet |
| Number of Doors | 3 |
| Defrost System | Automatic |
| Refrigerant | R290 (Hydrocarbon) |
| Exterior/Interior Material | Polished Stainless Steel |
| Special Feature | Quiet Operation |
| Date First Available | April 9, 2018 |





WARRANTY AND SUPPORT

Migali provides comprehensive support for its products. For detailed warranty information, technical assistance, or to locate authorized service providers, please refer to the official Migali website or contact their customer service department directly. It is recommended to keep your purchase receipt for any warranty claims.

Note: This product typically features a 5-year compressor warranty and a 2-year parts and labor warranty. Specific terms and conditions may apply.

Related Documents - C-SP72-30BT-HC

| | |
|---|---|
| <div><p>MIGALI C-PP93-HC</p></div> | <p>MIGALI C-PP93-HC Parts List and Assembly Guide</p> <p>Detailed parts list and assembly guide for the MIGALI C-PP93-HC pizza prep table, including descriptions and part numbers for each component.</p> |
| <div><p>MIGALI C-PP67-HC</p></div> | <p>MIGALI C-PP67-HC Parts Breakdown and Assembly Guide</p> <p>Comprehensive parts list and assembly guide for the MIGALI C-PP67-HC commercial pizza prep refrigerator. Details components for counter top, door, shelf, cabinet, condensing unit, evaporator, and motor cover assemblies.</p> |

| | |
|--|---|
|  <p>INSTRUCTION MANUAL Display Fridge</p> | <p>Migali Display Fridge Instruction Manual</p> <p>Instruction manual for Migali display refrigerators, covering safety, operation, installation, maintenance, troubleshooting, and technical specifications.</p> |
| <p>MIGALI C-3FB-HC</p>  | <p>Migali C-3FB-HC Parts List and Assembly Breakdown</p> <p>Detailed parts list and assembly diagrams for the Migali C-3FB-HC refrigerator, including component SKUs and descriptions for each assembly. This document serves as a technical reference for replacement parts.</p> |
| <p>MIGALI C-23FM-HC</p>  | <p>MIGALI C-23FM-HC Refrigerator Parts and Assembly Guide</p> <p>Detailed parts list and assembly information for the MIGALI C-23FM-HC refrigerator, including main overview, door, motor cover, evaporator, shelf, and condensing unit assemblies.</p> |
|  | <p>Migali Refrigeration Warranty Protection Plan</p> <p>Details the Migali Refrigeration Warranty Protection Plan, including coverage for parts, labor, and compressors, as well as exclusions and limitations. Registration is required to activate the warranty.</p> |

[illegible]

[\[pdf\]](#) Specifications Dimension Guide Warranty

Manufacturer Specs Migali C SP72 30BT HC 30 Pan 3 Door Mega Top Sandwich Prep Table 72 5 8 W
mg0094df equipments migali c sp72 30bt hc pan door mega top sandwich prep table 58w images |||

COMPETITOR SERIES PROJECT: LOCATION: ITEM#: QUANTITY: C-SP27-12BT-
HC C-SP48-18BT-HC C-SP60-24BT-HC **C-SP72-30BT-HC** BIG TOP SANDWICH
PREPARATION TABLES Beautiful ergonomic construction rounded corners Digital
Controller with Temperature Read-out All stainless steel exterior and interior F...
lang:en score:60 filesize: 603.46 K page_count: 2 document date: 2021-09-29

[illegible]

[\[pdf\]](#) Specifications Dimension Guide Warranty

Spec Sheet Migali C SP72 30BT HC Big Top Sandwich Prep Table 72 30 Pan cap Competitor Series w
jeansrs media wysiwyg SpecSheets |||

COMPETITOR SERIES PROJECT: LOCATION: ITEM#: QUANTITY: C-SP27-12BT-
HC C-SP48-18BT-HC C-SP60-24BT-HC **C-SP72-30BT-HC** BIG TOP SANDWICH
PREPARATION TABLES Beautiful ergonomic construction rounded corners Digital
Controller with Temperature Read-out All stainless steel exterior and interior F...
lang:en score:56 filesize: 1.62 M page count: 2 document date: 2019-05-09


[illegible]

[\[pdf\]](#) Dimension Guide Warranty

Product Spec Sheet Migali C SP72 30BT HC 72" 30 Pans Big Top Sandwich Prep Table Restaurant And
More Wholesale Supplies Foodservice Equipment 10 restaurantandmore 2020 08 |||

COMPETITOR SERIES PROJECT: LOCATION: ITEM#: QUANTITY: C-SP27-12BT-
HC C-SP48-18BT-HC C-SP60-24BT-HC **C-SP72-30BT-HC** BIG TOP SANDWICH
PREPARATION TABLES Beautiful ergonomic construction rounded corners Digital
Controller with Temperature Read-out All stainless steel exterior and interior F...
lang:en score:55 filesize: 1.44 M page count: 2 document date: 2019-06-25

MIGALI
C-SP72-30BT-HC



[pdf]

MIGALI C SP72 30BT HC srsltid AfmBOortE7IF 3qVyDLRgQTWKrmV r YgrqnYINMsaEG tRwqwm OxEYb
guaranteedparts picture library Migali sandwich prep tables |||

MIGALI **C-SP72-30BT-HC** A- COUNTER TOP ASSEMBLY Part No. 1 2 3 4 5 6 7 8 9
10 11 12 13 14 15 16 17 18 19 20 SKU 1759-762 1759-853 1759-189 1759-514 1759-
618 1759-609 1759-512 1759-608 1759-513 1759-811 1759-628 1759-632 1759-421
1759-830 1759-814 1759-858 1759-631 1759-629 1759-612 1759-611 Desc...
lang:en score:53 filesize: 1.94 M page_count: 13 document date: 2025-05-13

Migali
COMPETITOR SERIES

PRODUCT: _____
LOCATION: _____
ITEM: _____
QUANTITY: _____

C-SP27-12BT-HC C-SP48-18BT-HC C-SP60-24BT-HC C-SP72-30BT-HC

BIG TOP SANDWICH PREPARATION TABLES

- Beautiful ergonomic construction & rounded corners
- Digital Controller with Temperature Read-out
- All stainless steel exterior and interior
- Forced air refrigeration system
- 8" deep cutting board included
- Recessed door handles
- Pre-installed casters and shelving
- 90 degree hold open door feature for loading products
- All Natural R290 Hydrocarbon Refrigerant
- US Department of Energy Certified
- Migali® Protection Plan: 1 Year Parts & Labor Warranty, 5 Years Compressor Warranty

| MODEL | WIDTH | DEPTH | HEIGHT | DOOR HEIGHT | DOOR WIDTH | DOOR WEIGHT | NET WEIGHT | GROSS WEIGHT | REF. CAP. | REF. TYPE | REF. COEFF. | REF. CLASS | REF. TYPE | REF. COEFF. | REF. CLASS | REF. TYPE | REF. COEFF. | REF. CLASS |
|----------------|-------|-------|--------|-------------|------------|-------------|------------|--------------|-----------|-----------|-------------|------------|-----------|-------------|------------|-----------|-------------|------------|
| C-SP27-12BT-HC | 12 | 18 | 34.5 | 18 | 34.5 | 100 lbs. | 110 lbs. | 120 lbs. | 12 | 18 | 34.5 | 12 | 18 | 34.5 | 12 | 18 | 34.5 | 12 |
| C-SP48-18BT-HC | 48 | 18 | 34.5 | 18 | 34.5 | 100 lbs. | 110 lbs. | 120 lbs. | 48 | 18 | 34.5 | 48 | 18 | 34.5 | 48 | 18 | 34.5 | 48 |
| C-SP60-24BT-HC | 60 | 24 | 34.5 | 24 | 34.5 | 100 lbs. | 110 lbs. | 120 lbs. | 60 | 24 | 34.5 | 60 | 24 | 34.5 | 60 | 24 | 34.5 | 60 |
| C-SP72-30BT-HC | 72 | 30 | 34.5 | 30 | 34.5 | 100 lbs. | 110 lbs. | 120 lbs. | 72 | 30 | 34.5 | 72 | 30 | 34.5 | 72 | 30 | 34.5 | 72 |

* Prices are not included
** Weight includes casters

NOTE: MIGALI RESERVES THE RIGHT TO CHANGE SPECIFICATIONS WITHOUT NOTICE

TOLL FREE: 800.852.5262
WEB: www.migali.com

18

[pdf] Specifications Dimension Guide Warranty

Migali C SP72 30BT HC Competitor Series® Three Section Refrigerated Co Charlie s FixturesMigali
SpecSheet b2c0ad67 8a5e 4fb6 aaf6 20cf422ff5e7cdn shopify files 1 0003 3082 5764 20cf422ff5e7
39225 SP48 18BT Two Big Top Sandwich 20cf422ff5e7Migali 501e2ef2 d599 4aaf b3aa
c2f165e9c90ccdn 39225cdn c2f165e9c90c |||

COMPETITOR SERIES PROJECT: LOCATION: ITEM#: QUANTITY: C-SP27-12BT-
HC C-SP48-18BT-HC C-SP60-24BT-HC **C-SP72-30BT-HC** BIG TOP SANDWICH
PREPARATION TABLES Beautiful ergonomic construction rounded corners Digital
Controller with Temperature Read-out All stainless steel exterior and interior F...
lang:en score:51 filesize: 1.62 M page_count: 2 document date: 2018-05-15

Migali
COMPETITOR SERIES

C-SP27-12BT-HC C-SP48-18BT-HC C-SP60-24BT-HC C-SP72-30BT-HC

BIG TOP SANDWICH PREPARATION TABLES

- Beautiful ergonomic construction & rounded corners
- Digital temperature controller and read-out
- All stainless steel exterior and interior
- Forced air refrigeration system
- 8" deep cutting board included
- Recessed door handles
- Pre-installed casters and shelving
- 90 degree hold open door feature for loading products
- All Natural R290 Hydrocarbon Refrigerant
- US Department of Energy Certified
- Insulated hood and lab ensure food products in rail stay cold
- Migali® Protection Plan: 2 Year Parts & Labor Warranty, 5 Years Compressor Warranty

| MODEL | WIDTH | DEPTH | HEIGHT | DOOR HEIGHT | DOOR WIDTH | DOOR WEIGHT | NET WEIGHT | GROSS WEIGHT | REF. CAP. | REF. TYPE | REF. COEFF. | REF. CLASS | REF. TYPE | REF. COEFF. | REF. CLASS | REF. TYPE | REF. COEFF. | REF. CLASS |
|----------------|-------|-------|--------|-------------|------------|-------------|------------|--------------|-----------|-----------|-------------|------------|-----------|-------------|------------|-----------|-------------|------------|
| C-SP27-12BT-HC | 12 | 18 | 34.5 | 18 | 34.5 | 100 lbs. | 110 lbs. | 120 lbs. | 12 | 18 | 34.5 | 12 | 18 | 34.5 | 12 | 18 | 34.5 | 12 |
| C-SP48-18BT-HC | 48 | 18 | 34.5 | 18 | 34.5 | 100 lbs. | 110 lbs. | 120 lbs. | 48 | 18 | 34.5 | 48 | 18 | 34.5 | 48 | 18 | 34.5 | 48 |
| C-SP60-24BT-HC | 60 | 24 | 34.5 | 24 | 34.5 | 100 lbs. | 110 lbs. | 120 lbs. | 60 | 24 | 34.5 | 60 | 24 | 34.5 | 60 | 24 | 34.5 | 60 |
| C-SP72-30BT-HC | 72 | 30 | 34.5 | 30 | 34.5 | 100 lbs. | 110 lbs. | 120 lbs. | 72 | 30 | 34.5 | 72 | 30 | 34.5 | 72 | 30 | 34.5 | 72 |

* Prices are not included
** Weight includes casters



NOTE: MIGALI RESERVES THE RIGHT TO CHANGE SPECIFICATIONS WITHOUT NOTICE

TOLL FREE: 800.852.5262
WEB: www.migali.com

18

[pdf] Dimension Guide Warranty

Spec SheetMigali C SP72 30BT HC 72 7 10 Competitor Series® Sandwich Salad Prep Table w
Refrigerated Base 115v338 CSP7230BTHCres katom products 338 CSP7230BTHC SheetSpec
115vMigali SP48 18BT 48 1 5 CSP4818BTHCres CSP4818BTHC ||| ||| COMPETITOR SERIES C-SP27-
12BT-HC C-SP48-18BT-HC C-SP60-24BT-HC C-SP72-30BT-HC BIG TOP SANDWICH PREPARATION
TABLES Beautiful ergonomic construction rounded corners Pre-installed casters and shelving Digital
temperature controller and read-o
COMPETITOR SERIES C-SP27-12BT-HC C-SP48-18BT-HC C-SP60-24BT-HC **C-
SP72-30BT-HC** BIG TOP SANDWICH PREPARATION TABLES Beautiful ergonomic
construction rounded corners Pre-installed casters and shelving Digital temperature
controller and read-out 90 degree hold open open door feature for loading...
lang:en score:49 filesize: 799.43 K page_count: 2 document date: 2022-11-21



Preface..... - 45 R290 4.2 48.233446.53 13.38 C-SP60-
24BT-HC 115 60 320 2.8 33- 45 R290 4.2 60.243446.53 17.2 **C-SP72-30BT-HC** 115
60 320 2.8 33- 45 R290 4.6 72.683446.53 21.13 33- 45 115 60 260 2.3 R290 4.9...
lang:it **score:43** filesize: 63.68 M page_count: 24 document date: 2022-01-20

COMPETITOR SERIES C-SP27-12BT-HC C-SP48-18BT-HC C-SP60-24BT-HC **C-SP72-30BT-HC** BIG TOP SANDWICH PREPARATION TABLES Beautiful ergonomic construction rounded corners Pre-installed casters and shelving Digital temperature controller and read-out 90 degree hold open door feature for loading...

lang:en score:39 filesize: 799.43 K page_count: 2 document date: 2022-11-21

COMPETITOR SERIES PROJECT: LOCATION: ITEM#: QUANTITY: C-SP27-12BT-HC C-SP48-18BT-HC C-SP60-24BT-HC **C-SP72-30BT-HC** BIG TOP SANDWICH PREPARATION TABLES Beautiful ergonomic construction rounded corners Digital Controller with Temperature Read-out All stainless steel exterior and interior F...
lang:en score:38 filesize: 603.46 K page count: 2 document date: 2021-09-29

PROJECT:
LOCATION:
ITEM:
QUANTITY:

BIG TOP SANDWICH PREPARATION TABLES

- Beautiful ergonomic construction & rounded corners
- Digital Controller with Temperature Read-out
- All stainless steel exterior and interior
- Forced air refrigeration system
- 8" deep cutting board included
- Recessed door handles

- Pre-installed cutters and shelving
- 90 degree hold open door feature for loading products
- All natural R290 Hydrocarbon Refrigerant
- US Department of Energy Certified
- Migali® Protection Plan: 1 Year Parts & Labor Warranty, 5 Years Compressor Warranty

| MODEL | WIDTH (IN) | DEPTH (IN) | HEIGHT (IN) | NET WT (LBS) | GROSS WT (LBS) | REFrigerant (LBS) | COOLING CAPACITY (BTU/H) | TEMPERATURE RANGE (°F) | DOOR TYPE | DOOR WEIGHT (LBS) | DOOR HEIGHT (IN) | DOOR WIDTH (IN) | DOOR DEPTH (IN) | DOOR WEIGHT (LBS) | DOOR HEIGHT (IN) | DOOR WIDTH (IN) | DOOR DEPTH (IN) |
|----------------|------------|------------|-------------|--------------|----------------|-------------------|--------------------------|------------------------|-----------|-------------------|------------------|-----------------|-----------------|-------------------|------------------|-----------------|-----------------|
| C-SP27-12BT-HC | 1 | 12 | 8.5 | 1 | 14 | 0.3 | 10000 | 1.0 | Top | 10.0 | 12.0 | 8.5 | 1.0 | 10.0 | 12.0 | 8.5 | 1.0 |
| C-SP48-18BT-HC | 2 | 18 | 12 | 2 | 22 | 0.6 | 15000 | 1.5 | Top | 15.0 | 18.0 | 12.0 | 1.5 | 15.0 | 18.0 | 12.0 | 1.5 |
| C-SP60-24BT-HC | 3 | 24 | 16 | 3 | 34 | 0.9 | 20000 | 2.0 | Top | 20.0 | 24.0 | 16.0 | 2.0 | 20.0 | 24.0 | 16.0 | 2.0 |
| C-SP72-30BT-HC | 4 | 30 | 20 | 4 | 44 | 1.2 | 25000 | 2.5 | Top | 25.0 | 30.0 | 20.0 | 2.5 | 25.0 | 30.0 | 20.0 | 2.5 |

* Prices are not included
** Some heights include cutters

NOTE: MIGALI® RESERVES THE RIGHT TO CHANGE SPECIFICATIONS WITHOUT NOTICE

TOLL FREE: 800.852.5520
WEB: www.migali.com

[pdf] Dimension Guide Warranty

Manufacturer Spec Sheet Restaurant Equipment Supplies Migali C SP48 18BT HC 18 Pan 2 Door Mega Top Sandwich Prep Table 48 1 8 W equippers mw link id 192872 |||

COMPETITOR SERIES PROJECT: LOCATION: ITEM#: QUANTITY: C-SP27-12BT-HC C-SP48-18BT-HC C-SP60-24BT-HC **C-SP72-30BT-HC** BIG TOP SANDWICH PREPARATION TABLES Beautiful ergonomic construction rounded corners Digital Controller with Temperature Read-out All stainless steel exterior and interior F... lang:en score:38 filesize: 603.45 K page_count: 2 document date: 2021-09-29

PROJECT:
LOCATION:
ITEM:
QUANTITY:

BIG TOP SANDWICH PREPARATION TABLES

- Beautiful ergonomic construction & rounded corners
- Digital Controller with Temperature Read-out
- All stainless steel exterior and interior
- Forced air refrigeration system
- 8" deep cutting board included
- Recessed door handles

- Pre-installed cutters and shelving
- 90 degree hold open door feature for loading products
- All natural R290 Hydrocarbon Refrigerant
- US Department of Energy Certified
- Migali® Protection Plan: 1 Year Parts & Labor Warranty, 5 Years Compressor Warranty

| MODEL | WIDTH (IN) | DEPTH (IN) | HEIGHT (IN) | NET WT (LBS) | GROSS WT (LBS) | REFrigerant (LBS) | COOLING CAPACITY (BTU/H) | TEMPERATURE RANGE (°F) | DOOR TYPE | DOOR WEIGHT (LBS) | DOOR HEIGHT (IN) | DOOR WIDTH (IN) | DOOR DEPTH (IN) | DOOR WEIGHT (LBS) | DOOR HEIGHT (IN) | DOOR WIDTH (IN) | DOOR DEPTH (IN) |
|----------------|------------|------------|-------------|--------------|----------------|-------------------|--------------------------|------------------------|-----------|-------------------|------------------|-----------------|-----------------|-------------------|------------------|-----------------|-----------------|
| C-SP27-12BT-HC | 1 | 12 | 8.5 | 1 | 14 | 0.3 | 10000 | 1.0 | Top | 10.0 | 12.0 | 8.5 | 1.0 | 10.0 | 12.0 | 8.5 | 1.0 |
| C-SP48-18BT-HC | 2 | 18 | 12 | 2 | 22 | 0.6 | 15000 | 1.5 | Top | 15.0 | 18.0 | 12.0 | 1.5 | 15.0 | 18.0 | 12.0 | 1.5 |
| C-SP60-24BT-HC | 3 | 24 | 16 | 3 | 34 | 0.9 | 20000 | 2.0 | Top | 20.0 | 24.0 | 16.0 | 2.0 | 20.0 | 24.0 | 16.0 | 2.0 |
| C-SP72-30BT-HC | 4 | 30 | 20 | 4 | 44 | 1.2 | 25000 | 2.5 | Top | 25.0 | 30.0 | 20.0 | 2.5 | 25.0 | 30.0 | 20.0 | 2.5 |

* Prices are not included
** Some heights include cutters

NOTE: MIGALI® RESERVES THE RIGHT TO CHANGE SPECIFICATIONS WITHOUT NOTICE

TOLL FREE: 800.852.5520
WEB: www.migali.com

[pdf] Dimension Guide Warranty

BIG TOP SANDWICH PREPARATION TABLES mg0087df equippers images

COMPETITOR SERIES PROJECT: LOCATION: ITEM#: QUANTITY: C-SP27-12BT-HC C-SP48-18BT-HC C-SP60-24BT-HC **C-SP72-30BT-HC** BIG TOP SANDWICH PREPARATION TABLES Beautiful ergonomic construction rounded corners Digital Controller with Temperature Read-out All stainless steel exterior and interior F... lang:en score:33 filesize: 603.45 K page_count: 2 document date: 2021-09-29