

Quooker 22FSBLK

Quooker Fusion Square Combi Boiling Water Tap User Manual

Model: **22FSBLK**

Brand: **Quooker**

PRODUCT OVERVIEW

The Quooker Fusion Square Combi is an innovative kitchen appliance that combines a mixer tap with a boiling water tap, providing instant 100°C boiling water, as well as hot and cold water, all from a single spout. Designed for efficiency and safety, this system features a compact boiler unit that is installed discreetly under your kitchen sink, while the elegant tap sits on your countertop. Its patented high-vacuum insulation ensures minimal energy consumption, making it an economical choice for modern kitchens. The Fusion Square Combi is equipped with advanced safety features, including a child-safe control mechanism and a double-walled spout that remains cool to the touch, preventing accidental burns.



Image: The Quooker Fusion Square tap in black, alongside the Quooker Combi boiler unit. This setup provides instant boiling, hot, and cold water.

SETUP AND INSTALLATION

The Quooker Fusion Square Combi system requires professional installation to ensure proper functionality and adherence to safety standards. The installation process typically involves mounting the tap on the kitchen countertop and connecting the Combi boiler unit within the cabinet below. All necessary water and electrical connections must be made by a qualified professional.

Key Components:

- **Quooker Fusion Square Tap:** The faucet unit installed on your countertop.
- **Quooker Combi Boiler:** The under-sink tank that heats and stores boiling water, and provides hot water.
- **Connection Hoses:** For water supply and tap connection.
- **Power Cable:** For electrical connection to the boiler.



Image: A side view of the Quooker Fusion Square tap and the Combi boiler, illustrating their relative sizes and components.

Pre-Installation Considerations:

- Ensure adequate space under the sink for the Combi boiler.
- Verify availability of a suitable power outlet and water supply connections.
- Consult the detailed installation manual provided with the product packaging for specific requirements and diagrams.

OPERATING INSTRUCTIONS

The Quooker Fusion Square Combi tap is designed for intuitive and safe operation, providing instant access to boiling, hot, and cold water.

Accessing Boiling Water (100°C):

1. **Activate Child Safety:** Push the textured ring on the tap handle down twice.
2. **Rotate and Hold:** While holding the ring down, turn it clockwise. The light ring on the tap will illuminate red,

indicating boiling water is being dispensed.

3. **Dispense:** Hold your container under the tap. The boiling water will flow as a fine spray, not a solid jet, which helps prevent scalding.
4. **Stop Flow:** Release the ring to stop the flow of boiling water.



Image: A close-up view of the Quooker Fusion Square tap, highlighting the textured ring for child-safe operation.



Image: A user demonstrating the dispensing of boiling water from the Quooker Fusion Square tap, with visible steam.

Accessing Hot and Cold Water:

- **Cold Water:** Turn the tap handle counter-clockwise.
- **Hot Water:** Turn the tap handle clockwise (without pushing down).
- **Temperature Control:** Adjust the handle position to mix hot and cold water to your desired temperature.



Image: A user operating the Quooker Fusion Square tap for general water use, showcasing its versatility.



Image: The Quooker tap dispensing water directly into a pot, demonstrating its convenience for cooking tasks.



Image: The Quooker tap providing water for a cooking application, highlighting its integration into kitchen activities.

MAINTENANCE

Regular maintenance ensures the longevity and optimal performance of your Quooker Fusion Square Combi system.

Cleaning the Tap:

- Clean the exterior of the tap with a soft, damp cloth and mild detergent.
- Avoid abrasive cleaners, scouring pads, or strong chemicals, as these can damage the finish.
- For stubborn water marks, a solution of water and white vinegar can be used, followed by rinsing and drying.

Descaling the Boiler:

Depending on the hardness of your local water, the Combi boiler may require periodic descaling. Signs of limescale buildup include reduced water flow or unusual noises from the boiler. It is recommended to consult a qualified technician for descaling procedures or refer to the specific descaling instructions in the full product manual.

Filter Replacement:

While not explicitly detailed in the product description, many boiling water systems utilize filters to maintain water quality and prevent limescale. If your Quooker system includes a filter, follow the manufacturer's guidelines for replacement intervals, typically every 6-12 months, or as indicated by a service light.

TROUBLESHOOTING

This section addresses common issues you might encounter with your Quooker Fusion Square Combi system. For more complex problems, contact customer support.

Problem	Possible Cause	Solution
No boiling water dispensed.	Child safety mechanism not fully engaged; boiler not powered; boiler fault.	Ensure the child safety ring is pushed down twice and rotated correctly. Check power supply to the boiler. If problem persists, contact service.
Low water flow from tap.	Limescale buildup in tap or boiler; kinked hose.	Check for kinks in hoses. Descale the boiler if necessary (professional service recommended).
Tap dripping after use.	Normal residual drip; worn O-rings or seals.	A slight drip after boiling water is normal as the spout cools. If persistent or excessive, contact service.
Unusual noise from boiler.	Limescale buildup; air in the system.	This can be a sign of limescale. Professional descaling may be required. Ensure proper water flow.

SPECIFICATIONS

Detailed technical specifications for the Quooker Fusion Square Combi system.

Feature	Detail
Manufacturer	Quooker

Feature	Detail
Model Number	22FSBLK
ASIN	B079M3DZVM
Color	Black
Finish	Black
Material (Tap)	Brass/Metallic Alloy
Material (Handle)	Stainless Steel
Installation Method	Single Hole
Number of Handles	1
Special Features	On-demand boiling water, child-proof handle, energy-efficient design
Included Components	Boiler, Mixer Tap
Product Dimensions (Package)	56 x 35 x 26 cm
Item Weight	10 Kilograms

WARRANTY AND SUPPORT

For information regarding the product warranty, please refer to the documentation included with your purchase or contact your retailer. Quooker products typically come with a manufacturer's warranty covering defects in materials and workmanship.

For technical support, spare parts, or service inquiries, please visit the official Quooker website or contact their authorized service centers. Ensure you have your model number (**22FSBLK**) and purchase details ready when seeking support.

Related Documents

Tips for use Before using the Quooker, please read the instructions carefully. The Quooker is a hot water tap and should be used with caution. The Quooker is not a drinking water tap and should not be used for drinking water. The Quooker is a hot water tap and should be used with caution. The Quooker is not a drinking water tap and should not be used for drinking water. The Quooker is a hot water tap and should be used with caution. The Quooker is not a drinking water tap and should not be used for drinking water. The Quooker is a hot water tap and should be used with caution. The Quooker is not a drinking water tap and should not be used for drinking water. The Quooker is a hot water tap and should be used with caution. The Quooker is not a drinking water tap and should not be used for drinking water. The Quooker is a hot water tap and should be used with caution. The Quooker is not a drinking water tap and should not be used for drinking water. The Quooker is a hot water tap and should be used with caution. The Quooker is not a drinking water tap and should not be used for drinking water. The Quooker is a hot water tap and should be used with caution. The Quooker is not a drinking water tap and should not be used for drinking water.	Quooker Boiling Water Tap: Tips for Use and Maintenance Comprehensive guide to using and maintaining your Quooker boiling water tap, covering features like the light ring, tap protection, descaling, water filter, and warranty information.
Installation Guide Quooker 	Quooker Installation Guide: Taps and Boiling Water Tanks Comprehensive installation guide for Quooker taps and boiling water tanks, covering technical specifications, package contents, step-by-step installation for various models (Nordic, Fusion, Flex, Front) with PRO3, COMBI, and COMBI+ tanks, maintenance, and troubleshooting.
Quooker  Prijslijst	Quooker Prijslijst en Systeemconfiguratie Gids Ontdek de Quooker prijslijst en leer hoe u uw ideale Quooker kokendwatersysteem kunt samenstellen, inclusief kraankeuzes, reservoirs en accessoires.
Installatiehandleiding CUBE Quooker 	Quooker CUBE Installation Guide This document provides a comprehensive installation guide for the Quooker CUBE, detailing the steps required to connect it to a Quooker system for filtered, chilled, and sparkling water. It includes safety precautions, technical specifications, and troubleshooting tips.



[\[pdf\]](#) Installation Guide Borchure

Dealerbrochure versie 24 deeplink naar fabrikant reservoir combi quooker desco be D PRO0003 BEDUT brochure dealer V24 manuals installation guides BE BENL |||

Dealerbrochure versie 24 Dealerbrochure Voorwoord Bij Quooker werken wij sinds de oprichting van ... 22FRBLK 22FRGME 22FRRCO 22FRPTN 22FRGLD 1595 1745 1945 1945 1945 2045 2495 22FSCHR 22FSRVS **22FSBLK** 22FSGME 22FSRCO 22FSPTN 22FSGLD 1595 1745 1945 1945 1945 2045 2495 22CFRCHR 22CFRRV... lang:nl score:43 filesize: 5.34 M page_count: 45 document date: 2023-08-21



[\[pdf\]](#) Borchure

januari 2024 D PRO0003 NLDUT brochure dealer V28 manuals quooker Guideliness Service Productinformatie NL |||

Dealerbrochure 28 j2a0nu2a4ri Dealerbrochure Voorwoord Bij Quooker werken wij sinds de oprichti ... 22FRBLK 22FRGME 22FRRCO 22FRPTN 22FRGLD 1595 1745 1945 1945 1945 2045 2495 22FSCHR 22FSRVS **22FSBLK** 22FSGME 22FSRCO 22FSPTN 22FSGLD 1595 1745 1945 1945 1945 2045 2495 22CFRCHR 22CFRRV... lang:nl score:32 filesize: 7.07 M page_count: 88 document date: 2024-01-04



[\[pdf\]](#) Borchure

Brochure destinée aux revendeurs version 18 D PRO0003 BEFRE V18 brochure dealer 02 manuals quooker Guideliness Service Productinformatie |||

Brochure destine aux revendeurs version 18 Brochure destine aux revendeurs Avant-propos Depuis ... E 22FRRCO 22FRPTN 22FRGLD 1318,18 1442,15 1607,44 1607,44 1607,44 1690,08 2061,98 22FSCHR 22FSRVS **22FSBLK** 22FSGME 22FSRCO 22FSPTN 22FSGLD 1318,18 1442,15 1607,44 1607,44 1607,44 1690,08 2061,98 22...

lang:fr score:30 filesize: 13.21 M page_count: 88 document date: 2024-07-17




[\[pdf\]](#) Borchure

Brochure destinée aux distributeurs lien fabricant mitgeur de cuisine front quooker noir desco be PRO0003 BEFRE V17 brochure dealer manuals quooker Guideliness Service Productinformatie ||| Brochure destine aux distributeurs version 17 Brochure destine aux distributeurs Avant-propos D ... E 22FRRCO 22FRPTN 22FRGLD 1318,18 1442,15 1607,44 1607,44 1607,44 1690,08 2061,98 22FSCHR 22FSRVS **22FSBLK** 22FSGME 22FSRCO 22FSPTN 22FSGLD 1318,18 1442,15 1607,44 1607,44 1607,44 1690,08 2061,98 22...
lang:fr **score:28** filesize: 13.41 M page_count: 88 document date: 2024-04-02



[\[pdf\]](#) User Manual

Verkaufshandbuch CH 3 quooker co uk media wysiwyg ||| Verkaufshandbuch Verkaufshandbuch Vorwort Schon seit der Grndung von Quooker arbeiten wir an au ... RCHR 22FRRVS 22FRBLK 22FRPTN 22FRGLD CHF 2200 CHF 2400 CHF 2700 CHF 2900 CHF 3400 22FSCHR 22FSRVS **22FSBLK** 22FSPTN 22FSGLD CHF 2200 CHF 2400 CHF 2700 CHF 2900 CHF 3400 22CFRCHR 22CFRRVS 22CFRPTN C...
lang:de **score:24** filesize: 4.85 M page_count: 68 document date: 2022-01-19



[\[pdf\]](#)

HandleidingQuooker 22FRRVS Quooker Veldkamp Keukens22318d2hdyb6idpgoy4 cloudfront net 2897 22318 HandleidingHandleidingQuooker KeukensQuooker 22FSGLD Keukens22322d2hdyb6idpgoy4 22318d2hdyb6idpgoy4 2496 22322 HandleidingHandleidingHandleidingQuooker 22FSBLK Keukens22319d2hdyb6idpgoy4 7645 22319d2hdyb6idpgoy4 Keukens2231922150 22270d2hdyb6idpgoy4 22322keukenloods nl multimedia 60222 22150 22270 ||| ||| Installatiehandleiding COMBI Lees voor het installeren eerst deze handleiding Inleiding De werking van de Quooker COMBI De Quooker COMBI is een kokend- en warmwatervoorziening die bestaat uit een inlaatcombinatie, een reservoir, een mengven ||| Installatiehandleiding COMBI Lees voor het installeren eerst deze handleiding Inleiding De werking van de Quooker COMBI De Quooker COMBI is een kokend- en warmwatervoorziening die bestaat uit een inlaatcombinatie, een reservoir, een mengven ||| Installatiehandleiding COMBI Lees voor het installeren eerst deze handleiding Inleiding De werking van de Quooker COMBI De Quooker COMBI is een kokend- en warmwatervoorziening die bestaat uit een inlaatcombinatie, een reservoir, een mengventiel en een Nordic single tap, een Fusion of een Flex. Het...
lang:nl **score:21** filesize: 1.98 M page_count: 20 document date: 2021-10-11