

## RCA RMIS129

# RCA RMIS129 Mini Fridge User Manual

Model: RMIS129

## 1. INTRODUCTION

---

Thank you for purchasing the RCA RMIS129 Mini Fridge. This compact and portable cooling unit is designed for convenience, offering a small storage solution for beverages, snacks, or personal care items. Please read this manual thoroughly before operating your new mini fridge to ensure safe use, optimal performance, and longevity of the product. Keep this manual for future reference.



Image 1.1: The RCA RMIS129 Mini Fridge, showcasing its mint color and compact design.

## 2. SAFETY INFORMATION

---

To reduce the risk of fire, electric shock, or injury when using your mini fridge, follow these basic precautions:

- Read all instructions before using the appliance.
- Do not touch cold surfaces immediately after the unit has been plugged in.
- Ensure proper ventilation around the unit. Maintain at least 4 inches (10 cm) of space from walls or other objects.
- Do not immerse the power cord, plug, or the appliance itself in water or other liquids.
- Unplug the appliance from the outlet when not in use and before cleaning.
- Do not operate any appliance with a damaged cord or plug, or after the appliance malfunctions or has been damaged in any manner.
- Do not use outdoors. This appliance is for indoor use only.
- Do not place the appliance near heat sources such as radiators, heat registers, stoves, or other heat-producing appliances.

- Do not use abrasive cleaners or sharp objects to clean the interior or exterior of the unit.
- This appliance is not intended for use by persons (including children) with reduced physical, sensory, or mental capabilities, or lack of experience and knowledge, unless they have been given supervision or instruction concerning use of the appliance by a person responsible for their safety.
- Children should be supervised to ensure that they do not play with the appliance.

### 3. PACKAGE CONTENTS

---

Verify that all items are present in the packaging:

- RCA RMIS129 Mini Fridge Unit
- Removable Shelf
- AC Power Cord (for home use)
- DC Power Cord (for car/portable use)
- Owner's Manual (this document)

### 4. SETUP

---

#### 4.1 Unpacking

1. Carefully remove the mini fridge and all packaging materials from the box.
2. Remove any tape or labels from the unit.
3. Retain the packaging for future transport or storage.

#### 4.2 Placement

Choose a suitable location for your mini fridge:

- Place the unit on a firm, level surface to prevent vibrations and ensure proper operation.
- Ensure adequate air circulation. Leave at least 4 inches (10 cm) of space on all sides (back, top, and sides) for proper ventilation.
- Avoid placing the unit in direct sunlight or near heat sources.
- This mini fridge is designed for indoor use. If using in a vehicle, ensure it is secured and has proper ventilation.



Image 4.1: Example of mini fridge placement on a kitchen island, highlighting its compact size.

### 4.3 Power Connection

The RCA RMIS129 Mini Fridge can be powered by either AC (home) or DC (car) power.

- **For AC Power (Home/Office):** Connect the AC power cord to the AC port on the back of the unit, then plug the other end into a standard 120V AC wall outlet.
- **For DC Power (Vehicle):** Connect the DC power cord to the DC port on the back of the unit, then plug the other end into your vehicle's 12V DC accessory outlet (cigarette lighter socket).

Allow the unit to stand upright for at least 30 minutes before plugging it in, especially if it was transported horizontally.

## 5. OPERATING INSTRUCTIONS

---

### 5.1 Turning On/Off

Once connected to a power source, the unit will begin to cool. There is typically no separate on/off switch; operation is controlled by plugging/unplugging the unit.

### 5.2 Cooling Function

This mini fridge utilizes thermoelectric cooling technology, which cools items to approximately 20°F (11°C)

below the ambient room temperature. It is designed to keep pre-chilled items cool, rather than rapidly cooling warm items.

- For best results, place pre-chilled beverages or items into the mini fridge.
- Avoid opening the door frequently to maintain internal temperature.

### 5.3 Capacity and Shelf Adjustment

The interior of the mini fridge can hold up to 6 standard 12 oz beverage cans. It includes a removable shelf that can be adjusted to accommodate various items such as small bottles, snacks, or cosmetics.



Image 5.1: Interior of the mini fridge demonstrating capacity for six beverage cans.



Image 5.2: Interior of the mini fridge showing how the adjustable shelf can store cosmetics.

## 6. MAINTENANCE

---

### 6.1 Cleaning

Regular cleaning helps maintain hygiene and performance.

1. Unplug the mini fridge from the power source before cleaning.
2. Wipe the interior and exterior surfaces with a soft cloth dampened with a mild detergent solution.
3. Do not use abrasive cleaners, scouring pads, or harsh chemicals.
4. Ensure all surfaces are dry before plugging the unit back in.

### 6.2 Defrosting

This unit features manual defrost. Frost may accumulate on the interior cooling plate over time. When frost



buildup is excessive (approximately 1/4 inch or 0.6 cm thick):

1. Unplug the mini fridge.
2. Remove all contents.
3. Leave the door ajar to allow frost to melt naturally. Place a towel inside to absorb water.
4. Once defrosted, wipe the interior dry and plug the unit back in.
5. Do not use sharp objects or heating devices to remove frost, as this can damage the cooling system.

6.3 Storage

If the mini fridge will not be used for an extended period:

- Unplug the unit and clean it thoroughly.
- Leave the door slightly ajar to prevent odors and mold growth.
- Store in a dry, well-ventilated area.

7. TROUBLESHOOTING

Review the following common issues and solutions before contacting customer support.

Problem	Possible Cause	Solution
Unit does not cool	No power supply	Ensure the power cord is securely plugged into both the unit and the outlet. Check the outlet for power.
Unit is not cold enough	Ambient temperature too high	Move the unit to a cooler location. Remember it cools relative to ambient temperature.
	Poor ventilation	Ensure adequate space around the unit for air circulation.
	Door opened too frequently	Minimize door openings to maintain internal temperature.
Excessive noise	Unit not level	Place the unit on a flat, stable surface.
	Obstruction of fan	Ensure nothing is blocking the fan vents on the back of the unit.
Frost buildup	Normal operation	Perform manual defrost as described in Section 6.2.

8. SPECIFICATIONS

Detailed technical specifications for the RCA RMIS129 Mini Fridge:

Feature	Specification
Model Number	RMIS129
Capacity	0.15 Cubic Feet (approx. 3.8 Liters)
Dimensions (W x D x H)	7.1 x 9.9 x 10.6 inches (18 x 25.1 x 26.9 cm)
Item Weight	2 Pounds (approx. 0.9 kg)

Feature	Specification
Color	Mint
Voltage	AC 120V, DC 12V
Cooling Technology	Thermoelectric
Defrost Type	Manual
Special Features	Compact, Portable, Adjustable Shelf
Certification	ETL
Material Type	Metal, Plastic









Image 8.1: Dimensions of the RCA RMIS129 Mini Fridge.


## 9. WARRANTY AND SUPPORT

This product is covered by a manufacturer's warranty. Please refer to the warranty card included with your purchase for specific terms and conditions, including warranty duration and coverage details. For technical assistance, troubleshooting beyond this manual, or to inquire about warranty service, please contact RCA customer support. Contact information can typically be found on the product packaging or the official RCA website.



## Related Documents - RMIS129

	<p><a href="#">Frigidaire &amp; RCA Mini Beverage Refrigerator User Manual &amp; Warranty</a></p> <p>Comprehensive user manual and limited warranty information for Frigidaire EFMS129-RED and RCA RMIS129-BLACK (RM5129) mini beverage refrigerators. Covers features, operation, maintenance, safety, and warranty claims.</p>
	<p><a href="#">RCA 4.4 Cu. Ft. Refrigerator User Manual (RFR441-D)</a></p> <p>Comprehensive user manual for the RCA 4.4 Cu. Ft. Refrigerator (Model RFR441-D). Includes detailed instructions on safety precautions, installation, operation, temperature control, defrosting, door reversal, care and maintenance, troubleshooting, and product specifications. Learn how to properly use and maintain your RCA refrigerator.</p>
	<p><a href="#">RCA RFR176-C-BLACK Retro 1.6 Cu. Ft. Refrigerator User Manual</a></p> <p>Official user manual for the RCA RFR176-C-BLACK Retro 1.6 Cu. Ft. Refrigerator. Includes installation, operation, safety, care, and troubleshooting guides.</p>
	<p><a href="#">RCA Compact Refrigerator Use and Care Manual</a></p> <p>Comprehensive use and care manual for RCA compact refrigerators, including installation, operation, safety, and maintenance guidelines. Features model information for RCA RFR series appliances.</p>
	<p><a href="#">RingConn Gen 2 Smart Ring User Manual and Product Information</a></p> <p>Comprehensive guide to the RingConn Gen 2 Smart Ring, including safety instructions, package contents, product specifications, usage, maintenance, warranty information, and FCC compliance.</p>
	<p><a href="#">The RCA Radiotron Manual - Technical Series R-10</a></p> <p>A technical manual from RCA Radiotron detailing the characteristics, application, and manufacturing of various radio tubes, including diodes, triodes, tetrodes, and pentodes. Features an index of tube types and technical specifications.</p>




[\[pdf\]](#) User Manual Specifications Dimension Guide

RMIS129 6 22 DownloadRCA Appliances Manuals Curtis InternationalUser Manual RMIS129

ENFR 180 Dayslegacy curtisint.html CustService User Days |||

MINI BEVERAGE REFRIGERATOR **RMIS129** This product has been manufactured and sold under the responsibility of CURTIS INTERNATIONAL LTD. RCA, the RCA logo and the two dogs Nipper and Chipper logo are trademarks used under license by CURTIS INTERNATIONAL LTD. further information at [www.rca-brand.com](http://www.rca-brand.com). ...

lang:en score:37 filesize: 7.18 M page\_count: 8 document date: 2022-11-14




[\[pdf\]](#) User Manual

User Manual RCA RMIS129 MINT Mini Fridge Mint 0 15 cubic feet YELLOW Yellow 3 Cubic Feet Home Kitchen 51LUr8fuAeL m media amazon images I |||

User Manual of Product 1: RCA**RMIS129**-MINT Mini Fridge, Mint, 0.15 cubic feet

User Manual of Product 2: RCA **RMIS129**-YELLOW Mini Fridge, Yellow, 0.3 Cubic Feet ...


lang:en score:37 filesize: 53.07 K page\_count: 3 document date: 0000-00-00



[Frigidaire & RCA Mini Beverage Refrigerator User Manual & Warranty](#)

Comprehensive user manual and limited warranty information for Frigidaire EFMIS129-RED and RCA RMIS129-BLACK (RM5129) mini beverage refrigerators. Covers features, operation, maintenance, safety, and warranty claims.

lang:en score:29 filesize: 3.32 M page\_count: 6 document date: 0000-00-00



[\[pdf\]](#) User Manual

User Manual RCA RMIS129 MINT Mini Fridge Mint 0 15 cubic feet Home Kitchen 51TgZv9b9 L m media amazon images I |||

...

lang:en score:20 filesize: 51.33 K page\_count: 1 document date: 2022-11-13



[pdf]

Constructional Data Report Standard Gil Diaz authorization to mark This Authorization Mark is for the exclusive use of Intertek s Client and provided pursuant Certification agreement between its 72759800lowes productdocuments 294b2b61 9c43 4e8b 9891 515d8e0441be 72759800 ||| AUTHORIZATION TO MARK This authorizes the application of the Certification Mark s shown below to th ... wed by up three to eight characters, EFMIS040, EFMIS045, EFMIS121, EFMIS160, EFMIS175, EFMIS129-GB, **RMIS129**, IMP129, RMIS462, RJ48, RJ48-M, RJ48-ML, RJ48-4-ML, RJ48-6-ML, NH48-W, KRT04 or EFMIS151; ma...

lang:en score:14 filesize: 419.25 K page\_count: 2 document date: 2023-12-25



[pdf] Datasheet Borchure

RCA 350 Sq Ft Window Air Conditioner Product Datasheet Brochure RACE8002E 0058465790592 White 09e7aa39 c8d5 4f5f 97c4 df7c6b623dce files bbystatic fiACt2HQganWBP2dnc6Tvg ||| Appliances www.curtisint.com Microwaves 1.6 CU FT OVER THE RANGE MICROWAVE- STAINLESS STEEL DESI ... S BELOW AMBIENT TEMPERATURE THERMOELECTRIC TECHNOLOGY ASSORTED COLORS MINI RETRO BEVERAGE FRIDGE **RMIS129** RETRO-INSPIRED COOLER HOLDS 6 CANS STORE SNACKS AND BEVERAGES COMPACT SEE THROUGH WINDOW...

lang:i-klngon score:13 filesize: 12.13 M page\_count: 28 document date: 2016-12-29