

[Manuals.plus](#) /

› [Dent Fix](#) /

› Dent Fix 5-Piece Clip Lifter Set (DF-618LK) Instruction Manual

Dent Fix DF-618LK

Dent Fix 5-Piece Clip Lifter Set (DF-618LK) Instruction Manual

Model: DF-618LK | Brand: Dent Fix

INTRODUCTION

This manual provides comprehensive instructions for the safe and effective use of the Dent Fix 5-Piece Clip Lifter Set (DF-618LK). This set is designed for professional automotive body repair, specifically for the removal of various clips and fasteners without causing damage to surrounding panels or the clips themselves. Please read this manual thoroughly before using the tools.

SAFETY INFORMATION

- Always wear appropriate personal protective equipment (PPE), including safety glasses, when working with tools.
- Ensure the work area is well-lit and free from obstructions.
- Use the correct tool for the job. Do not force tools or use them for purposes for which they were not designed.
- Keep tools clean and in good working condition.
- Store tools securely when not in use to prevent injury.
- Keep hands and fingers clear of pinch points during operation.

WHAT'S IN THE BOX

The Dent Fix 5-Piece Clip Lifter Set (DF-618LK) includes the following components:

- One (1) Dent Fix 5-Piece Clip Lifter Set (DF-618LK) containing five distinct clip lifter tools.



Image: The complete Dent Fix 5-Piece Clip Lifter Set (DF-618LK) displayed in its custom foam storage tray. The set includes five tools with yellow handles and various angled metal tips designed for clip removal.

SETUP

The Dent Fix 5-Piece Clip Lifter Set requires no assembly. The tools are ready for immediate use upon removal from their packaging. It is recommended to familiarize yourself with each tool's specific tip design to understand its intended application.



Image: A close-up view of one of the clip lifter tools, highlighting its ergonomic yellow handle and precisely angled metal tip, designed for effective and non-damaging clip removal.

OPERATING INSTRUCTIONS

The 5-Piece Clip Lifter Set provides specialized tools for various types of automotive clips and fasteners. Each tool is designed to provide leverage and access in tight spaces, minimizing damage to plastic components and painted surfaces.

General Usage Guidelines:

1. **Identify the Clip Type:** Before attempting removal, observe the type of clip or fastener you need to remove. This will help you select the most appropriate tool from the set.
2. **Select the Correct Tool:** Choose the clip lifter with the tip profile that best matches the clip's design. The various angles and forks are designed to slide under or around different clip heads.
3. **Position the Tool:** Carefully slide the tool's tip under the clip head or into the designated slot. Apply gentle pressure to ensure proper engagement.
4. **Apply Leverage:** Once the tool is properly seated, apply steady, controlled leverage to lift or release the clip. Avoid sudden jerking motions that could damage the clip or the surrounding panel.
5. **Remove the Clip:** Continue to apply leverage until the clip is safely disengaged. Some clips may require a twisting motion in addition to lifting.
6. **Inspect:** After removal, inspect both the clip and the mounting area for any signs of damage.



Image: A detailed view of another specialized clip lifter tool from the set, showcasing its unique fork-shaped tip, ideal for prying open specific types of automotive clips and plastic fasteners.

MAINTENANCE

- **Cleaning:** After each use, wipe down the tools with a clean, dry cloth to remove any dirt, grease, or debris.
- **Storage:** Store the tools in their original foam tray or a suitable toolbox to protect them from damage and corrosion. Keep them in a dry environment.
- **Inspection:** Periodically inspect the tools for any signs of wear, bending, or damage to the tips or handles. Replace any damaged tools immediately to ensure safe and effective operation.

TROUBLESHOOTING

If you encounter difficulties while using the Dent Fix 5-Piece Clip Lifter Set, consider the following:

- **Clip Not Releasing:** Ensure you are using the correct tool for the specific clip type. Apply steady, increasing pressure rather than sudden force. Sometimes, a slight wiggling motion can help.
- **Tool Slipping:** Verify that the tool's tip is properly engaged with the clip. If the tool is slipping, it may be the wrong size or angle for the clip, or the clip may be seized. Do not force it, as this can cause damage.
- **Damage to Panel/Clip:** If you are consistently damaging clips or panels, re-evaluate your technique and tool selection. Ensure you are applying leverage correctly and not prying against painted surfaces without protection.

SPECIFICATIONS

Attribute	Detail
Model Number	DF-618LK
Brand	Dent Fix
Item Weight	3 pounds
Product Dimensions	10.5 x 6.5 x 1 inches
Number of Pieces	5
Application	Automotive Clip and Fastener Removal

WARRANTY AND SUPPORT

For information regarding warranty coverage, product support, or replacement parts for your Dent Fix 5-Piece Clip Lifter Set (DF-618LK), please refer to the official Dent Fix website or contact their customer service directly. Keep your purchase receipt as proof of purchase.

For general inquiries, you may visit the Dent Fix official website or contact their support channels.