

[Manuals.plus](#) /

› [RealTruck](#) /

› RealTruck TruXedo TruXport Soft Roll Up Truck Bed Tonneau Cover Instruction Manual

RealTruck 284901

TruXedo TruXport Soft Roll Up Truck Bed Tonneau Cover Instruction Manual

Model: 284901 | Brand: RealTruck

PRODUCT OVERVIEW

The TruXedo TruXport is a soft roll-up truck bed tonneau cover designed for durability, ease of use, and cargo protection. It features a low-profile design and is engineered to withstand various weather conditions, including heavy snow loads. The cover provides convenient access to your truck bed while keeping contents secure and dry.



Image: TruXedo TruXport Tonneau Cover installed on a truck bed.

KEY FEATURES

- **Vehicle Compatibility:** Fits 2019 - 2024 Dodge Ram 1500 w/RamBox, w/ or w/o Multifunction tailgate, 5' 7" Bed (67.4").

- **Durable Construction:** Engineered with a heavy-duty 1.5" frame and high-quality leather-embossed vinyl.
- **Weather Protection:** Features pre-set tarp tension to keep the cover tight and prevent water intrusion, protecting cargo from dust, dirt, rain, and snow.
- **Easy Operation:** Designed for exceptional ease of use with dual paddle latches for quick unlocking and rolling up.
- **Full Bed Access:** The cover rolls up and stores compactly at the front of the truck bed, allowing for full access when needed.
- **No-Drill Installation:** Installs in under 30 minutes without the need for drilling or special tools, using a simple clamp-on system.
- **UV Resistant:** The leather-grain vinyl is UV resistant, maintaining its appearance over time.

WHAT'S IN THE BOX

Upon opening your TruXedo TruXport package, you should find the following components:

- Tonneau Cover Assembly
- Mounting Hardware
- Side Rails
- Installation Instructions

SETUP AND INSTALLATION

The TruXport Tonneau Cover is designed for a straightforward, no-drill installation that can typically be completed in under 30 minutes. Follow these general steps:

1. **Prepare Truck Bed:** Ensure your truck bed rails are clean and free of debris.
2. **Attach Side Rails:** Securely clamp the provided side rails onto your truck bed. No drilling is required; the clamps will hold the rails firmly in place.
3. **Connect Cover Assembly:** Connect the main tonneau cover assembly to the installed side rails.
4. **Adjust Tension:** The cover features a pre-set tension control system. For optimal appearance and weather sealing, you may manually adjust the tension as needed to keep the cover smooth and tight.



Image: Detail of the TruXport latch mechanism for secure installation.




Image: The industrial hook and loop system ensures a tight seal along the rails.

OPERATING INSTRUCTIONS

The TruXport cover is designed for simple and efficient operation:

- **To Open:** Locate the dual paddle latches at each side of the tailgate. Simply unlock each latch and roll the cover up towards the cab. A convenient cab buckle is provided to keep the cover rolled up tight and secure while your vehicle is in motion, allowing full bed access.
- **To Close:** Unroll the cover from the cab towards the tailgate. Ensure the cover is properly aligned with the side rails. Slam the cover down at the tailgate to engage the dual paddle latches, securing it in place. The industrial hook and loop system along the sides will seal the cover down.
- **Removal:** The TruXport can be completely removed from the truck bed without tools in seconds, offering maximum flexibility for hauling oversized cargo.

MAINTENANCE

To ensure the longevity and optimal performance of your TruXedo TruXport Tonneau Cover, regular maintenance is recommended:

- **Cleaning:** Clean the vinyl cover regularly with mild soap and water. Avoid harsh chemicals or abrasive cleaners, as these can damage the material.
- **Tension Adjustment:** Periodically check the cover's tension. If the cover appears loose or sags, manually adjust the tension control system to keep it tight and smooth. This helps maintain its low-profile appearance and weather-sealing capabilities.
- **Seal Inspection:** Inspect the front and tailgate seals, as well as the industrial hook and loop system, for any signs of wear or damage. Proper seals are crucial for keeping elements out of your truck bed.

TROUBLESHOOTING

If you encounter issues with your TruXedo TruXport Tonneau Cover, consider the following:

- **Water Leakage:**
 - Check the tension of the cover. A loose cover may not seal properly.
 - Inspect the front, tailgate, and side seals for proper placement and any damage. Ensure they are making full contact with the truck bed.
 - Verify that the industrial hook and loop system is fully engaged along both side rails.
- **Difficulty Latching/Unlatching:**
 - Ensure the cover is properly aligned with the side rails. Misalignment can prevent latches from engaging or disengaging smoothly.
 - Check for any obstructions around the dual paddle latches.
- **Cover Flapping at Highway Speeds:**
 - This is typically due to insufficient tension. Adjust the pre-set tension control system to tighten the cover.

SPECIFICATIONS

Brand	RealTruck
Style	TruXport
Model Number	284901
Lock Type	Tailgate
Weight Limit	200 Pounds

Item Weight	24 pounds
Product Dimensions	80 x 7 x 7 inches
Country of Origin	USA
UPC	845742011576

Safety Information

Proposition 65 Warning: This product may contain chemicals known to the State of California to cause cancer and reproductive harm. For more information, visit www.P65Warnings.ca.gov.

Warranty and Support

The TruXedo TruXport Tonneau Cover is proudly manufactured in the USA and backed by a **5-year warranty**. For warranty claims, technical support, or additional assistance, please refer to the contact information provided in your product packaging or visit the official RealTruck website.

© 2024 RealTruck. All rights reserved.

Ask a Question About This Manual

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. [Privacy details](#).

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question