



[Manuals.plus](#) /

› [Summer Waves](#) /

› Summer Waves P43216521 32ft x 16ft x 52in Outdoor Rectangular Frame Above Ground Swimming Pool Set Instruction Manual

Summer Waves P43216521

Summer Waves P43216521 Rectangular Frame Above Ground Swimming Pool Set

Model: P43216521

[Introduction](#)

[Setup](#)

[Operating](#)

[Maintenance](#)

[Troubleshooting](#)

[Specifications](#)

[Warranty &](#)

[Support](#)

1. INTRODUCTION

This manual provides essential instructions for the safe assembly, operation, and maintenance of your Summer Waves P43216521 Rectangular Frame Above Ground Swimming Pool Set. Please read all instructions carefully before beginning installation and retain this manual for future reference. Proper installation and maintenance are crucial for the longevity and safe use of your pool.



Summer Waves 32ft x 16ft x 52in Rectangular Frame Above Ground Swimming Pool Set with people enjoying it. This image illustrates the fully assembled pool in use.

1.1 Safety Information

- Always supervise children and non-swimmers.
- Ensure the pool is installed on a firm, level surface.
- Do not dive or jump into the pool.
- Keep electrical equipment away from the pool area.
- Regularly check and maintain water chemistry.

2. SETUP

2.1 Ground Preparation

1. Select a suitable location for your pool. The area must be completely flat and level. Uneven ground can cause the pool to collapse, leading to serious injury or property damage.

2. Clear the area of any sharp objects, debris, or vegetation.
3. Lay the included ground cloth on the prepared surface. Ensure it is spread smoothly without wrinkles.

2.2 Frame Assembly

Unpack all components and identify each part using the parts list provided in your packaging. Assemble the frame according to the diagrams in your specific product manual. Generally, this involves connecting horizontal beams to vertical legs using the provided connectors and pins.



Summer Waves Rectangular Frame Pool showing the sturdy frame structure. This image highlights the robust metal frame components.



Side view of the Summer Waves Rectangular Frame Pool. This image provides a perspective of the pool's exterior design.

2.3 Liner Installation

1. Carefully spread the pool liner inside the assembled frame. Ensure the drain plug is accessible.
2. Smooth out any wrinkles on the bottom of the liner.
3. Attach the liner to the frame as instructed in your product manual, typically by sliding the top edge over the horizontal beams.

2.4 Filling the Pool

1. Begin filling the pool with water. As the water level rises, continue to smooth out any remaining wrinkles on the bottom and sides of the liner.
2. Stop filling when the water reaches the recommended fill line, typically just below the top rail.

2.5 Sand Filter Pump Connection

Connect the sand filter pump to the pool's inlet and outlet fittings using the provided hoses and clamps. Ensure all connections are secure to prevent leaks. Refer to the pump's specific instruction manual for detailed setup and priming procedures.



Summer Waves Rectangular Frame Pool with the sand filter pump connected. This image shows the pump system attached to the pool.

3. OPERATING THE POOL SYSTEM

3.1 Sand Filter Pump Operation

The sand filter pump is essential for keeping your pool water clean. Always ensure the pump is primed before starting. Refer to the pump's manual for specific instructions on its multi-port valve settings:

- **Filter:** Normal operation for filtering pool water.
- **Backwash:** Cleans the sand filter by reversing water flow. Perform when pressure gauge reads high.
- **Rinse:** Used after backwashing to settle the sand.
- **Waste:** Drains water directly from the pool, bypassing the filter. Useful for lowering water level or vacuuming heavy debris.
- **Recirculate:** Circulates water without filtering.
- **Closed:** Shuts off flow to the filter. Only use when performing maintenance on the pump or filter.



Detailed view of the Summer Waves Sand Filter Pump with hoses and controls. This image shows the various components of the filtration system.

3.2 Water Circulation

Run the filter pump for at least 8-12 hours daily to ensure proper water circulation and filtration. This helps distribute chemicals and remove suspended particles.

4. MAINTENANCE

4.1 Water Chemistry

Maintaining proper water chemistry is vital for a clean and safe pool. Test your water daily or as recommended by your local pool supply store.

- **Chlorine:** Maintain levels between 1-3 ppm.
- **pH:** Keep pH between 7.4-7.6.
- **Alkalinity:** Ideal range is 80-120 ppm.

4.2 Cleaning the Pool

Regular cleaning prevents debris buildup and keeps your pool inviting.

- **Skimming:** Use a skimmer net (included in the maintenance kit) daily to remove leaves and floating debris from the water surface.
- **Vacuumping:** Vacuum the pool bottom at least once a week to remove settled debris.
- **Brushing:** Brush the pool walls and floor weekly to prevent algae growth.



Summer Waves Pool Maintenance Kit including a skimmer net and vacuum head. This kit assists in keeping the pool clean.

4.3 Pool Cover and Ground Cloth

Use the included pool cover when the pool is not in use to prevent debris from entering and reduce water evaporation. The ground cloth protects the pool liner from punctures and abrasions from the ground.



Summer Waves Rectangular Frame Pool covered with a protective pool cover. The cover helps keep the pool clean when not in use.

4.4 Ladder Installation and Safety

Assemble the pool ladder according to its separate instructions. Ensure it is securely placed and stable before use. Always remove the ladder or secure it in an upright position when the pool is not in use to prevent unsupervised access, especially by children.



Summer Waves Pool Ladder providing safe entry and exit. This image shows the ladder attached to the pool frame.

4.5 Winterization

Before freezing temperatures arrive, it is recommended to properly winterize your pool. This typically involves draining the pool, cleaning the liner, disassembling the frame, and storing all components in a dry, protected area. Consult your specific product manual for detailed winterization steps.

5. TROUBLESHOOTING

Problem	Possible Cause	Solution
Cloudy Water	Improper filtration, chemical imbalance, algae.	Check filter pump operation, backwash filter, test and adjust water chemistry, shock treat if algae is present.
Pump Not Working	No power, clogged impeller, air lock.	Check power connection and circuit breaker, clear debris from impeller, prime the pump.

Problem	Possible Cause	Solution
Water Leak	Loose connections, liner puncture.	Tighten all hose clamps and fittings. Inspect liner for tears and use a repair kit if necessary.
Algae Growth	Low chlorine, high pH, poor circulation.	Shock treat the pool, adjust pH, ensure adequate filtration, brush pool surfaces.

6. SPECIFICATIONS

Feature	Detail
Brand	Summer Waves
Model Number	P43216521 (Product Identifier), CP2000-S (Component Model)
Dimensions	32 ft x 16 ft x 52 in (Length x Width x Height)
Shape	Rectangular
Material	Metal (Frame)
Included Components	Sand Filter Pump, Pool Cover, Ladder, Ground Cloth
Required Assembly	Yes
Indoor/Outdoor Usage	Outdoor
Item Weight	550 Pounds
GTIN/UPC	192072005615

7. WARRANTY & SUPPORT

7.1 Warranty Information

Your Summer Waves P43216521 Pool Set comes with a limited manufacturer's warranty. Please refer to the warranty card included in your product packaging for specific terms, conditions, and duration of coverage. Keep your proof of purchase for any warranty claims.

7.2 Customer Support

For technical assistance, missing parts, or warranty inquiries, please contact Summer Waves customer support. Contact details can typically be found on the product packaging, the manufacturer's official website, or the warranty card.

Online Resources: Visit the official Summer Waves website for FAQs, additional troubleshooting guides, and product registration.