

## Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

Manuals.plus /

› [Braun](#) /

› Braun 845 Lumen Underhood Rechargeable Work Light Instruction Manual - Model 63990

## Braun 63990

# Braun 845 Lumen Underhood Rechargeable Work Light

Model: 63990 - Instruction Manual

## INTRODUCTION

---

Thank you for purchasing the Braun 845 Lumen Underhood Rechargeable Work Light. This manual provides important information regarding the safe operation, maintenance, and specifications of your new work light. Please read this manual thoroughly before use and retain it for future reference.

## SAFETY INFORMATION

---

Always observe basic safety precautions when using electrical products to reduce the risk of fire, electric shock, and personal injury.

- Do not look directly into the light beam.
- Do not immerse the work light in water. This product is not water resistant.
- Keep the work light away from flammable materials.
- Use only the provided charging adapters (12V cigarette lighter adapter and 120V wall adapter) to charge the device.
- Do not attempt to open or modify the battery compartment or the work light itself. There are no user-serviceable parts inside.
- Store the work light in a dry, cool place when not in use.
- Keep out of reach of children.

## PACKAGE CONTENTS

---

- Braun 845 Lumen Underhood Rechargeable Work Light (Model 63990)
- 12V Cigarette Lighter Adapter
- 120V Wall Adapter

## FEATURES

---

- **High Brightness:** 845 lumen output for wide area illumination.
- **Adjustable Brightness:** Two distinct brightness settings (High and Low).
- **Rechargeable Battery:** Integrated Lithium-Ion battery provides up to 7 hours of runtime.
- **Charge While Operating:** The light can be used while it is charging.
- **Durable Construction:** Features a shatter-resistant polycarbonate tube.
- **Versatile Mounting:** Equipped with a 3-in-1 mounting system for various applications.
- **Magnetic Ends:** Strong magnets on both ends for secure attachment and stability.
- **Beam Distance:** Provides effective illumination up to 88 feet.

## SETUP AND CHARGING

---

### Initial Charge

Before first use, fully charge the work light. Connect the appropriate charging adapter (120V wall adapter or 12V cigarette lighter adapter) to the charging port on the work light. The charging indicator light will illuminate to show charging status. A full charge may take several hours.

### Charging During Use

The work light is designed to operate even while connected to a power source and charging. This allows for extended use during longer tasks.

## OPERATION

---

### Power On/Off and Brightness Settings

Locate the power button on the work light. Press the button once to turn the light on to the High brightness setting. Press it a second time to switch to the Low brightness setting. Press it a third time to turn the light off.

## MOUNTING OPTIONS

---

The Braun 845 Lumen Underhood Rechargeable Work Light features a versatile 3-in-1 mounting system to adapt to various work environments.



Image: The Braun 845 Lumen Underhood Rechargeable Work Light, illustrating its key features including the 3-in-1 mounting system, 845 lumens, 7 hours runtime, rechargeable Lithium-Ion battery, and magnetic ends. The image shows the light itself, along with diagrams for vertical stand, horizontal stand with magnetic clamp, and fold-away swivel hooks.

### 1. Vertical Stand

Utilize the strong magnets located on both ends of the work light. These magnets allow the light to be securely attached to metallic surfaces, such as the underside of a vehicle hood, providing stable vertical illumination. The magnets add stability to the light when placed upright.

## 2. Horizontal Stand with Magnetic Clamp

For wider area lighting, the work light includes a magnetic clamp with a pull-out stretch cord. Attach the magnetic clamp to a suitable metallic surface, then extend the stretch cord to position the light horizontally across an engine bay or other wide area. This setup is ideal for illuminating larger workspaces.

## 3. Fold-Away Swivel Hooks

The work light features integrated fold-away swivel hooks. These hooks can be rotated 360 degrees, allowing the light to be hung from various points for targeted illumination in tight spaces or for convenient storage. Simply unfold the hooks and hang the light as needed.

## MAINTENANCE

---

- **Cleaning:** Wipe the work light with a soft, damp cloth. Do not use abrasive cleaners or solvents.
- **Storage:** When not in use, store the work light in a clean, dry environment, away from direct sunlight and extreme temperatures.
- **Battery Care:** To prolong battery life, avoid fully discharging the battery frequently. Recharge the battery regularly, even if the light has not been used for an extended period.

## TROUBLESHOOTING

---

Problem	Possible Cause	Solution
Light does not turn on.	Battery is discharged.	Charge the work light using the provided adapters.
Light is dim or flickers.	Low battery charge.	Recharge the work light.
Light does not charge.	Charging cable or adapter is faulty; charging port is obstructed.	Ensure charging cable and adapter are properly connected and functional. Check charging port for debris.

## SPECIFICATIONS

---

- **Model:** 63990
- **Light Output:** 845 Lumens
- **Light Source Type:** LED
- **Power Source:** Battery Powered
- **Battery Type:** Lithium Ion
- **Battery Voltage:** 3.7 Volts
- **Runtime:** Up to 7 hours (on a full charge)
- **Material:** ABS (Acrylonitrile Butadiene Styrene)
- **Lens Material:** Shatter-resistant Polycarbonate
- **Mounting:** Magnetic Mount, Swivel Hooks, Magnetic Clamp with Stretch Cord
- **Included Components:** LED Work Light, 12V Cigarette Lighter Adapter, 120V Wall Adapter

- **Water Resistance:** Not Water Resistant
- **Manufacturer:** Central Purchasing, LLC

## WARRANTY AND SUPPORT

---

This product comes with a manufacturer's warranty of 30 days from the date of purchase. For warranty claims or technical support, please contact Central Purchasing, LLC directly. Please retain your proof of purchase for warranty validation.

For further assistance, refer to the contact information provided with your purchase documentation.