

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

manuals.plus /

> [ULTRAFIRE](#) /

> [ULTRAFIRE SK68 Mini LED Flashlight User Manual](#)

ULTRAFIRE SK68

ULTRAFIRE SK68 Mini LED Flashlight User Manual

Model: SK68

1. PRODUCT OVERVIEW

The ULTRAFIRE SK68 Mini LED Flashlight is a compact, durable, and ultra-bright tactical flashlight designed for everyday carry and various lighting needs. Featuring a single mode operation and an adjustable focus, it provides reliable illumination without complex settings. Its robust aluminum body ensures shock-resistance and water resistance, making it suitable for diverse environments.



Figure 1: Three ULTRAFIRE SK68 Mini LED Flashlights, showcasing their compact design and clip.



Figure 2: Examples of the flashlight in use, including outdoor activities, cycling, and security applications.

2. SETUP

2.1 Battery Installation

The ULTRAFIRE SK68 flashlight operates on either one (1) AA battery or one (1) 14500 3.7V rechargeable battery. Batteries are not included with the product.

1. Unscrew the tail cap of the flashlight by turning it counter-clockwise.
2. Insert one compatible battery (AA or 14500) into the battery compartment with the positive (+) end facing towards the flashlight head.
3. Screw the tail cap back on clockwise until it is securely tightened. Ensure a tight seal for proper operation and water resistance.



Figure 3: Illustration of the two compatible battery types: 1x AA or 1x 14500 3.7V rechargeable battery.

3. OPERATING INSTRUCTIONS

3.1 Power On/Off

The ULTRAFIRE SK68 features a simple single-mode operation. To turn the flashlight on or off, firmly press the orange button located on the tail cap.

SINGLE MODE

SK68 Mini Flashlight

Quick start, no cycle mode required



Figure 4: A hand demonstrating the simple on/off operation by pressing the tail cap button.

3.2 Adjusting Focus (Zoom Function)

The flashlight features a stepless zoom function, allowing you to adjust the beam from a wide floodlight to a concentrated spotlight.

- To zoom in (narrow the beam for a spotlight), gently push the head of the flashlight forward.
- To zoom out (widen the beam for a floodlight), gently pull the head of the flashlight backward.

ZOOM IN OR OUT

You're in Control



Figure 5: Visual representation of the stepless zoom feature, showing both zoom-in (spotlight) and zoom-out (floodlight) capabilities.



Figure 6: Various beam patterns demonstrating the effect of the zoom function in different environments.

SMALL LED FLASHLIGHT

300LM ☀️
MAX OUTPUT

100M
MAX BEAM DISTANCE



Figure 7: The flashlight's maximum output of 300 lumens and a maximum beam distance of 100 meters.

4. MAINTENANCE

4.1 General Care

- Keep the flashlight clean and dry. Wipe with a soft, damp cloth as needed.
- Avoid dropping the flashlight from excessive heights, although it is designed to be shock-resistant.
- If not in use for an extended period, remove the battery to prevent leakage and damage to the flashlight.

4.2 Water Resistance

The ULTRAFIRE SK68 flashlight is IP65-rated water resistant, meaning it is protected from low-pressure water jets from any direction. It is suitable for use in heavy rain but is not designed for submersion in water.

WATER RESISTANCE

Suitable for any environment



IP65 RATED

Figure 8: The flashlight demonstrating its IP65 water resistance, suitable for use in wet conditions.

5. TROUBLESHOOTING

- **Flashlight does not turn on:**
Ensure the battery is inserted correctly with the positive (+) end facing the head. Check if the battery has sufficient charge. Tighten the tail cap completely.
- **Light is dim or flickers:**
Replace the battery with a fresh one or recharge the 14500 battery. Ensure the battery contacts are clean and free of debris.
- **Zoom function is stiff:**
Clean the sliding mechanism of the flashlight head. A small amount of silicone grease can be applied to the O-rings if necessary, but avoid petroleum-based lubricants.

6. SPECIFICATIONS

ADJUSTABLE SK68 MIMI TACTICAL FLASHLIGHT



Figure 9: Visual representation of the flashlight's dimensions and key specifications.

Feature	Specification
Brand	ULTRAFIRE
Model	SK68
Light Source Type	LED
Brightness	300 Lumens (Max Output)
Beam Distance	Up to 100 Meters (50 Meters specified in specs, 100M in image)
Modes	Single Mode (On/Off)
Zoom Function	Stepless Zoom (Spotlight to Floodlight)
Power Source	1x AA Battery or 1x 14500 3.7V Rechargeable Battery (Not Included)
Material	Aluminum Alloy
Water Resistance	IP65 Rated (Water Resistant)

Feature	Specification
Shock Resistance	Yes
Dimensions (L x W x H)	Approx. 3.89" x 1.03" x 1.03"
Weight	Approx. 0.44 lbs (7 ounces)
Runtime	100,000 hours (LED lifespan)

7. WARRANTY AND SUPPORT

The ULTRAFIRE SK68 Mini LED Flashlight comes with a seller warranty. For any support inquiries, warranty claims, or further assistance, please contact the seller directly through your purchase platform. For more information about ULTRAFIRE products, you may visit the official ULTRAFIRE Store: [ULTRAFIRE Store on Amazon](#).