

[manuals.plus](#) /

› [XPOWER](#) /

› [XPOWER FC-300 Air Circulator Utility Fan User Manual](#)

XPOWER FC-300

XPOWER FC-300 Air Circulator Utility Fan

User Manual

INTRODUCTION

The XPOWER FC-300 is a professional-grade air circulator utility fan designed for heavy-duty applications requiring significant air movement for drying, cooling, or ventilation. This manual provides essential information for the safe and effective operation, maintenance, and troubleshooting of your FC-300 unit.



Image: The XPOWER FC-300 Air Circulator Utility Fan, showcasing its blue and black housing with a sturdy stand.

SAFETY INFORMATION

Please read and understand all safety instructions before operating the XPOWER FC-300. Failure to follow these instructions may result in electric shock, fire, or serious injury.

- Always connect the unit to a properly grounded electrical outlet.
- Do not operate any fan with a damaged cord or plug. Discard fan or return to an authorized service facility for examination and/or repair.
- Do not run cord under carpeting. Do not cover cord with throw rugs, runners, or similar coverings. Arrange cord away from traffic area and where it will not be tripped over.
- Keep children and pets away from the unit during operation.

- Do not insert fingers or foreign objects into the grille or any openings.
- Disconnect power before servicing or cleaning the unit.
- This unit is ETL / CETL safety certified, indicating compliance with recognized safety standards.

PRODUCT OVERVIEW

The XPOWER FC-300 is designed for optimal air circulation and durability. Key components include:

- **Durable Housing:** Injection-molded for resilience.
- **Control Panel:** Features a 4-speed operating switch and a 3-hour timer.
- **Rugged Rack/Stand:** Allows for 360-degree rotational angle adjustment.
- **Grab-N-Go Handle:** For easy portability.
- **Heavy-Duty Wrap-Around Cord Design:** For convenient storage and transport.



Image: Front view of the XPOWER FC-300, highlighting the fan blades and protective grille.

SETUP

1. **Unpacking:** Carefully remove the FC-300 from its packaging. Inspect the unit for any signs of damage.
2. **Placement:** Place the unit on a stable, level surface. Ensure there are no obstructions to the airflow intake or exhaust.
3. **Power Connection:** Plug the 10-foot heavy-duty power cord into a standard, grounded electrical outlet.
4. **Adjusting Angle:** The FC-300 features a rugged rack/stand that allows for a 360-degree rotational angle. Loosen the knobs on the side of the stand, adjust the fan to the desired angle, and then tighten the knobs securely.



Image: Side view of the FC-300 demonstrating its ability to rotate 360 degrees on its stand, indicated by arrows.

OPERATING INSTRUCTIONS

Control Panel

The control panel is located on the top of the unit and includes a speed selector and a timer knob.



Image: Close-up of the FC-300's control panel, showing the rotary switch for OFF and speeds 1-4, and the timer knob.

Power and Speed Control

1. To turn the unit ON, rotate the speed selector knob from 'OFF' to your desired speed setting (1-4).
2. Speed 1 provides the lowest airflow, while Speed 4 provides the maximum 2100 CFM airflow.
3. To turn the unit OFF, rotate the speed selector knob back to 'OFF'.


Timer Function

The FC-300 is equipped with a 3-hour 'Set-N-Forget' timer. Rotate the timer knob to set the desired operating duration up to 3 hours. The unit will automatically shut off once the set time has elapsed.

Airflow Applications

The FC-300's advanced air fin guide technology and 360-degree directional airflow make it versatile for various applications:


- **Focused Airflow:** The unique grille design creates a focused airflow that can travel up to 170 feet, ideal for directing air to specific areas.



**External roto-motor and front grill design
creates focused air flow that travels up to 170ft**

Image: Diagram showing the FC-300 generating a focused air stream that extends up to 170 feet.


- **Whole Room Circulation:** Position the fan to bounce air off walls to ensure air reaches every corner of a room, preventing stale or stagnant air.



**Bounce the air off the walls to ensure
the air reaches every corner**

Image: Diagram depicting how the FC-300 can be used to circulate air throughout a room by directing airflow to rebound off walls.

- **Drying and Ventilation:** For faster drying, position the fan to constantly recirculate air, creating a consistent stream of airflow. For ventilation, direct the airflow towards an open window or door.



Constantly recirculates air to create a gentle and consistent stream of airflow to shorten drying time

Image: Diagram showing the FC-300 recirculating air to create a gentle and consistent airflow, which helps shorten drying times.

- **Floor Drying:** Point the fan downward to dry areas around the fan up to 85 feet in diameter.




Image: Diagram showing the FC-300 directed downwards to dry a circular area on the floor up to 85 feet in diameter.



Image: The FC-300 positioned on a tiled floor, demonstrating its compact size and utility in a typical setting.

MAINTENANCE

Regular maintenance ensures optimal performance and longevity of your FC-300.

- **Cleaning:** Disconnect the unit from power before cleaning. Use a soft, damp cloth to wipe down the exterior housing. For the fan blades and grille, use a brush or vacuum cleaner to remove dust and debris. Do not use harsh chemicals or abrasive cleaners.
- **Storage:** The FC-300 features a lightweight and compact injection molded housing that allows units to be stacked up to 5 high for easy storage. Utilize the wrap-around cord design to secure the power cord neatly before storing.
- **Inspection:** Periodically inspect the power cord and plug for any damage. If damage is found, discontinue use and contact customer support.

TROUBLESHOOTING

If you encounter issues with your FC-300, refer to the following common troubleshooting steps:

Problem	Possible Cause	Solution
Unit does not turn on	No power supply; Power cord not fully plugged in; Circuit breaker tripped	Check power outlet; Ensure cord is securely plugged in; Reset circuit breaker
Reduced airflow	Intake or exhaust blocked; Fan blades dirty	Clear obstructions; Clean fan blades and grille
Unusual noise during operation	Loose components; Debris inside unit	Turn off and unplug the unit. Carefully inspect for loose parts or debris and remove if safe to do so. If noise persists, contact customer support.

If these steps do not resolve the issue, please contact XPOWER customer service for further assistance.

SPECIFICATIONS

Feature	Detail
Model Name	FC-300
Air Flow Capacity	2100 Cubic Feet Per Minute (CFM)
Power Source	Corded Electric
Wattage	100W (1.5 Amps)
Voltage	220 Volts
Number of Power Levels	4
Timer	3-hour Set-N-Forget
Product Dimensions (D x W x H)	18.6" x 19.2" x 9.4"
Item Weight	13 Pounds
Cable Length	10 Feet
Color	Black, Blue
Certifications	ETL / CETL Safety Certified

WARRANTY AND SUPPORT

Warranty

The XPOWER FC-300 comes with a **1-year limited warranty** from the date of purchase. This warranty covers defects in materials and workmanship under normal use. Please retain your proof of purchase for warranty claims.





Customer Support

For any questions, technical assistance, or warranty inquiries, please contact XPOWER's California-based customer

service team. They are available to provide comprehensive support and ensure a satisfactory customer experience. Contact information can typically be found on the official XPOWER website or on the product packaging.


© 2023 XPOWER Manufacture, Inc. All rights reserved.

Related Documents - FC-300

 Air Circulator Owner's Manual Questions or Feedback Please Email Us Model: FC 100, FC 200 Series, FC 300, FC 420 (EFT) (R42) Read and save these instructions Carefully read these instructions before use www.xpower.com 1-800-855-0000 info@xpower.com Model: FC 300 EFT: EFT R42: R42	XPOWER FC Series Air Circulator Owner's Manual and Specifications Comprehensive owner's manual and technical specifications for XPOWER FC Series Air Circulators (FC-100, FC-200, FC-250D, FC-250AD, FC-300, FC-420). Includes safety instructions, installation guide, operation, maintenance, troubleshooting, and warranty information.
 Drum Fan Owner's Manual Model: FD-630D (EFT) (R42) Read and save these instructions Carefully read these instructions before use www.xpower.com 1-800-855-0000 info@xpower.com Model: FD-630D EFT: EFT R42: R42	XPOWER FD-630D Drum Fan Owner's Manual and Technical Specifications Owner's manual for the XPOWER FD-630D Drum Fan, providing detailed safety instructions, parts description, operation guide, maintenance procedures, troubleshooting tips, technical specifications, and warranty information for optimal use and care.
 Air Circulator Owner's Manual Questions or Feedback Please Email Us Model: FC 100, FC 200 Series, FC 300, FC 420 (EFT) (R42) Read and save these instructions Carefully read these instructions before use www.xpower.com 1-800-855-0000 info@xpower.com Model: FC 300 EFT: EFT R42: R42	XPOWER Air Circulator Owner's Manual and Specifications Comprehensive owner's manual and technical specifications for XPOWER Air Circulators, models FC-100, FC-200 Series, FC-300, and FC-420. Includes safety instructions, parts description, installation and operation guide, maintenance, troubleshooting, and warranty information.
 Rechargeable Air Circulator / Misting Fan Owner's Manual Questions or Feedback Please Email Us Model / Modelo / Modèle FC 125B, FC 150B, FM-65B, FM-65WB, FT-65WB (EFT) (R42) Read and save these instructions Carefully read these instructions before use www.xpower.com 1-800-855-0000 info@xpower.com Model: FC 125B EFT: EFT R42: R42	XPOWER Rechargeable Air Circulator / Misting Fan Owner's Manual This manual provides comprehensive instructions for operating, maintaining, and troubleshooting XPOWER Rechargeable Air Circulators and Misting Fans. It covers safety precautions, parts identification, installation, usage for various models (FC-125B, FC-150B, FM-65B, FM-65WB, FT-65WB), battery maintenance, technical specifications, and warranty information.

  Rechargeable Air Circulator / Misting Fan Owner's Manual Circulator de Ar / Ventilador con Nebulizador / Ventilador con Nebulizador / Ventilador con Nebulizador / Ventilador con Nebulizador Model / Modelo / Modèle FC-125B, FC-150B, FM-65B, FM-65WB, FT-65WB Read and keep this manual for future reference. Lire et garder ce manuel pour référence future. Les lire et garder ce manuel pour référence future. www.xpower.com 1-800-855-0000 1-800-855-0000 © 2014 XPOWER 10-Rev-12-27-14	XPOWER Rechargeable Air Circulator / Misting Fan Owner's Manual FC-125B, FC-150B, FM-65B, FM-65WB, FT-65WB Comprehensive owner's manual for XPOWER Rechargeable Air Circulators and Misting Fans (Models FC-125B, FC-150B, FM-65B, FM-65WB, FT-65WB). Includes safety instructions, operation guides, maintenance tips, troubleshooting, and technical specifications.
  OWNER'S MANUAL Turbo-Pro (Hi-Temp) Professional Axial Air Mover Model X-35AR, X-48ATR Read and keep this manual for future reference. Lire et garder ce manuel pour référence future. Les lire et garder ce manuel pour référence future. www.xpower.com 1-800-855-0000 1-800-855-0000 © 2014 XPOWER 10-Rev-12-27-14	XPOWER Turbo-Pro (Hi-Temp) Professional Axial Air Mover Owner's Manual Owner's manual for the XPOWER Turbo-Pro (Hi-Temp) Professional Axial Air Mover (models X-35AR, X-48ATR). Discover key features like sealed induction motor, variable speed control, and daisy-chaining. Includes operation, specifications, safety, warranty, maintenance, and troubleshooting guides.

ManualXPOWER FC 420 18 Multipurpose Sealed Motor Air Circulator Fan — US Cleaning ToolsFC 100
200 Series 300 Owner Manualcdn shopify s files 1 0651 8112 2717 Manual v 1752079025 XPOWER
ToolsXPOWER 250D 13 Brushless DC with Timer ManualFC 3cdn 1752079025cdn 3 1752600760 300A
14 Pro Utility Da 3FC 1cdn 1752600760cdn 1752593619 4FC 4 1752601627cdn 1FC 5cdn
1752593619cdn 5 1752603082 11 HappygroomerHQXPOWER 0799 9304 5268 1739049804cdn 250AD
Pow 5FC 2cdn 1752603082cdn 2 1752600234 Owners InchXPOWER 0910 5912 6550 1740548877cdn
ManualDownloadXPOWER Multi Purpose Speed 1100 CFM Yellow in Canadian TireXPOWER
Manual0437028 609e1b18 e29a 4a40 9218 fb875a0438c1FC 1740548877media canadiantire ca manual
product 0437028 fb875a0438c1cdn FanXPOWER 2FC 0d47ed34 6622 4f5c a1ef 762af36883eecd
1752600234cdn 762af36883ee 1757944730 ||| ||| Air Circulator Owner s Manual Circulateur d air Manuel
d emploi Model: FC-100, FC-200 Series, FC-300, FC-420 115V 60HZ Read and save these instructions
Lisez et gadez ces instructions www.xpower.com 1- 855 -855-8868 info xpower.com Index: N ||| Air
Circulator Owner s Manual Circulateur d air Manuel d emploi Model: FC-100, FC-200 Series, FC-300, FC-
420 115V 60HZ Read and save these instructions Lisez et gadez ces instructions www.xpower.com 1-
855 -855-8868 info xpower.com Index: N ||| Air Circulator Owner s Manual Circulateur d air Manuel d
emploi Model: FC-100, FC-200 Series, FC-300, FC-420 115V 60HZ Read and save these instructions
Lisez et gadez ces instructions www.xpower.com 1- 855 -855-8868 info xpower.com Index: N ||| Air
Circulator Owner s Manual Circulateur d air Manuel d emploi Model: FC-100, FC-200 Series, FC-300, FC-
420 115V 60HZ Read and save these instructions Lisez et gadez ces instructions www.xpower.com 1-
855 -855-8868 info xpower.com Index: N ||| Air Circulator Owner s Manual Circulateur d air Manuel d
emploi Model: FC-100, FC-200 Series, FC-300, FC-420 115V 60HZ Read and save these instructions
Lisez et gadez ces instructions www.xpower.com 1- 855 -855-8868 info xpower.com Index: N ||| Air
Circulator Owner s Manual Circulateur d air Manuel d emploi Model: FC-100, FC-200 Series, FC-300, FC-
420 115V 60HZ Read and save these instructions Lisez et gadez ces instructions www.xpower.com 1-
855 -855-8868 info xpower.com Index: N ||| Air Circulator Owner s Manual Circulateur d air Manuel d
emploi Model: FC-100, FC-200 Series, FC-300, FC-420 115V 60HZ Read and save these instructions
Lisez et gadez ces instructions www.xpower.com 1- 855 -855-8868 info xpower.com Index: N ||| Air
Circulator Owner s Manual Circulateur d air Manuel d emploi Model: FC-100, FC-200 Series, FC-300, FC-
420 115V 60HZ Read and save these instructions Lisez et gadez ces instructions www.xpower.com 1-
855 -855-8868 info xpower.com Index: N ||| Air Circulator Owner s Manual Circulateur d air Manuel d
emploi Model: FC-100, FC-200 Series, FC-300, FC-420 115V 60HZ Read and save these instructions
Lisez et gadez ces instructions www.xpower.com 1- 855 -855-8868 info xpower.com Index: N
Air Circulator Owner s Manual Circulateur d air Manuel d emploi Model: FC-100, FC-
200 Series, **FC-300**, FC-420 115V 60HZ Read and save these instructions Lisez et
gadez ces instructions www.xpower.com 1- 855 -855-8868 info xpower.com Index:
NA-1-A9 Edition: 4.1.Final Safety Instructions WARN...




[\[pdf\]](#) User Manual Owner's Manual Instructions Specifications Warranty

Air Circulator Owner s Manual XPOWER Manufacture 2022 05 08 — Model Modelo Modèle FC 100S 300S 115V~ 60HZ Read and save these instructions Lea y guarde estas instrucciones Lisez et gadez ces xpower x user manuals 15 |||

Air Circulator Owner s Manual Cicalador de Aire Manual de Usuario Circulateur d air Manuel d emploi Model / Modelo / Modle: FC-100S, **FC-300S** 115V- 60HZ Read and save these instructions Lea y guarde estas instrucciones Lisez et gadez ces instructions www.xpower.com 1- 855 -855-8868 info xpower....


lang:en score:40 filesize: 2.41 M page_count: 12 document date: 2021-08-10



[XPOWER FC Series Air Circulator Owner's Manual and Specifications](#)

Comprehensive owner's manual and technical specifications for XPOWER FC Series Air Circulators (FC-100, FC-200, FC-250D, FC-250AD, FC-300, FC-420). Includes safety instructions, installation guide, operation, maintenance, troubleshooting, and warranty information.

lang:en score:40 filesize: 8.53 M page_count: 28 document date: 2023-09-26




[\[pdf\]](#) User Manual Owner's Manual Instructions Specifications Warranty

Air Circulator Owner s Manual Sylvane WARNING READ AND SAVE THIS INSTRUCTIONS BEFORE USING PRODUCT The user of electrical products may create hazards that include but are not limited to owner manual xpower fc series brushless motor fans s3 assets sylvane media documents

Air Circulator Owner s Manual Circulateur d air Manuel d emploi Model: FC-100, FC-200 Series, **FC-300**, FC-420 115V 60HZ Read and save these instructions Lisez et gadez ces instructions www.xpower.com 1- 855 -855-8868 info xpower.com Index: NA-1-A9 Edition: 4.1.Final Safety Instructions WARN...

lang:en score:39 filesize: 5.67 M page_count: 14 document date: 2019-09-19




[\[pdf\]](#) User Manual Owner's Manual Instructions Specifications Warranty

Owner s Manual XPOWER FC 300 2100 CFM 4 Speed High Velocity Air Circulator Sylvane owner manual xpower fc axial utility fan optimized s3 assets sylvane media documents products |||

Air Circulator Owner s Manual Circulateur d air Manuel d emploi Model: FC-100, FC-200 Series, **FC-300**, FC-420 115V 60HZ Read and save these instructions Lisez et gadez ces instructions www.xpower.com 1- 855 -855-8868 info [xpower.com](mailto:info@xpower.com) Index: NA-1-A9 Edition: 4.1.Final Safety Instructions WARN...

lang:en **score:37** filesize: 8.85 M page_count: 28 document date: 2022-11-16




[\[pdf\]](#) User Manual Owner's Manual Instructions Specifications Warranty

1458864 Man1 Air Circulator Owner s Manual Tractor Supply Co Global Industrial FC 100 200 300 420 115V 60HZ Read and save these instructions before use xpower 1 855 8868 info@xpower Index NA A9 Model media tractorsupply is content TractorSupplyCompany tsc product 45 88 64

Air Circulator Owner s Manual Model: FC-100, FC-200, **FC-300**, FC-420 115V 60HZ Read and save these instructions before use www.xpower.com 1- 855 -855-8868 info [xpower.com](mailto:info@xpower.com) Index: NA-1-A9 Edition: 2.0.Alpha Safety Instructions WARNING - READ AND SAVE THIS INSTRUCTIONS BEFORE USING THIS PRODUC...

lang:en **score:36** filesize: 6.43 M page_count: 16 document date: 2020-10-25




[\[pdf\]](#) User Manual Owner's Manual Instructions Troubleshooting Guide Specifications Guide Warranty Catalog

Air Circulator Owner s Manual Tractor Supply Co Model FC 100 200 300 420 115V 60HZ Read and save these instructions before use xpower 2b078a8b 810f 441f 95ba 1cf07b13e67d images thdstatic catalog Images 2b Global Industrial owner manual fc series air mover assets sylvane media documents products 39 Axial Fan XXX De Usuario página 10 Mode d emploi page 18 Modelo Modèle P 80 Series 1 5V be fore Lea y guarde estas instrucciones antes de usar la unidad Lire et conse rver ces avant utilisation Alpha English 2 Safety Instructions! W A RNI NG R ED AND S VE THIS UCIO B F ORE G D The user of electrical may create hazards that include but are not limited to 0 x 1* Body in Before contacting XPOWER please try one or more the following Consult this follow troubleshooting guide Access for advice information could helpful address your problems If you need additional assistance from

Air Circulator Owner s Manual Model: FC-100, FC-200, **FC-300**, FC-420 115V 60HZ Read and save these instructions before use www.xpower.com 1- 855 -855-8868 info [xpower.com](mailto:info@xpower.com) Index: NA-1-A9 Edition: 2.0.Alpha Safety Instructions WARNING - READ AND SAVE THIS INSTRUCTIONS BEFORE USING THIS PRODUC...

lang:en **score:35** filesize: 6.43 M page_count: 16 document date: 2018-03-23




[\[pdf\]](#) User Manual Owner's Manual Instructions Specifications Warranty

Air Circulator Owner s Manual WebstaurantStoreAxial Fan XXX De Usuario página 10 Mode d emploi page 18 Model Modelo Modèle P 80 Series 100 200 1 5V 60HZ Read and save these instructions before use Lea y guarde estas instrucciones antes de usar la unidad Lire et conservez ces avant utilisationfc 300 420 manualcdnimg webstaurantstore documents manual |||

Air Circulator Owner s Manual Model: FC-100, FC-200,**FC-300**, FC-420 115V 60HZ Read and save these instructions before use www.xpower.com 1- 855 -855-8868 info xpower.com Index: NA-1-A9 Edition: 2.0.Alpha Safety Instructions WARNING - READ AND SAVE THIS INSTRUCTIONS BEFORE USING THIS PRODUC...

lang:en score:35 filesize: 6.43 M page_count: 16 document date: 2018-03-23




[\[pdf\]](#) User Manual Owner's Manual Instructions Specifications Warranty

Provided by ManualsAndMore Download User Manual XPower FC 100 Owner s FC100 Owners manualsandmore |||

Air Circulator Owner s Manual Model: FC-100, FC-200,**FC-300**, FC-420 115V 60HZ Read and save these instructions before use www.xpower.com 1- 855 -855-8868 info xpower.com Index: NA-1-A9 Edition: 2.0.Alpha Safety Instructions WARNING - READ AND SAVE THIS INSTRUCTIONS BEFORE USING THIS PRODUC...

lang:en score:31 filesize: 5.29 M page_count: 16 document date: 2019-07-24



[XPOWER Air Circulator Owner's Manual and Specifications](#)

Comprehensive owner's manual and technical specifications for XPOWER Air Circulators, models FC-100, FC-200 Series, FC-300, and FC-420. Includes safety instructions, parts description, installation and operation guide, maintenance, troubleshooting, and warranty information.

lang:en score:27 filesize: 8.52 M page_count: 28 document date: 2025-08-14




[\[pdf\]](#) Guide Catalog

XtremeDry Professional Drying Solution Equipment Solutions That Make a Difference EQUIPMENT SOLUTIONS THAT MAKE A DIFFERENCE 5 Jan San Guide XPOWER air movers are known as the most powerful reliable toughest and least costly to purchase Industry tested offers wide range of models from mini 1 8 HP full 1HP motor units Catalog 2021 xpower x catalogs |||

Jan-San EQUIPMENT SOLUTIONS THAT MAKE A DIFFERENCE To o l s f o r E v e r y I n d u s t r y D T R ... ut ranges from 1100, 1300, 2100, and 3600 CFM. Features: 360 Degree Rotation MODEL# FC-100 FC-200 **FC-300** FC-420 44 POWER 69 W 115 W 1/4 HP 1/3 HP Precise Airflow AMPS .6 A 1 A 4 A 4 A Stackable ...

lang:en score:26 filesize: 5.57 M page_count: 48 document date: 2022-02-27




[\[pdf\]](#) User Manual Owner's Manual Instructions Specifications Warranty Catalog

XPOWER Multipurpose 14 in 4 Speed Utility Drum Fan FC 300 The Home Depot6470d9c3 3953 4cd6 a2e5 526b6f3709faimages thdstatic catalog Images 64 6470d9c3 526b6f3709fa |||

Air Circulator Owner s Manual Ciculador de Aire Manual de Usuario Circulateur d air Manuel d emploi Model / Modelo / Modle: FC-100, FC-200 Series, **FC-300** Series, FC-420 115V- 60HZ Read and save these instructions Lea y guarde estas instrucciones Lisez et gadez ces instructions www.xpower.com 1- ...

lang:en score:26 filesize: 14.87 M page_count: 40 document date: 2021-08-10



[\[pdf\]](#) User Manual Owner's Manual Instructions Specifications Warranty Catalog

FC 300A 1 4 HP 2100 CFM Speed Portable Multipurpose 14 Heavy Duty Shop Fan Air Circulator with Built in Power Outlets Use and Care Manual XPOWER 848025041963 0848025041963 1008499246 1279703b b96b 449b b8cf 8b87e62143de images thdstatic catalog Images 12 |||

Air Circulator Owner s Manual Ciculador de Aire Manual de Usuario Circulateur d air Manuel d emploi Model / Modelo / Modle: FC-100, FC-200 Series, **FC-300** Series, FC-420 115V- 60HZ Read and save these instructions Lea y guarde estas instrucciones Lisez et gadez ces instructions www.xpower.com 1- ...

lang:en score:26 filesize: 14.87 M page_count: 40 document date: 2021-08-10




[\[pdf\]](#) User Manual Owner's Manual Instructions Specifications Warranty

Air Circulator Owner s Manual XPOFC 250D cf1 bettymills product more info |||

Air Circulator Owner s Manual Circulateur d air Manuel d emploi Model: FC-100, FC-200 Series, **FC-300**, FC-420 115V 60HZ Read and save these instructions Lisez et gadez ces instructions www.xpower.com 1- 855 -855-8868 info xpower.com Index: NA-1-A9 Edition: 4.1.Final Safety Instructions WARN...

lang:en score:25 filesize: 10.04 M page_count: 28 document date: 2019-09-19



Handleiding van de luchtcirculator
Luchtcirculator Manuel d'werkneer

Model:
FC-100, FC-200-serie, FC-300, FC-420
(115V 60Hz)

Lees en bewaar deze instructies



Index: NA-1-A9
Editie: 4.1 Definitief

[pdf] User Manual Owner's Manual

Modelfc 100 fc 200 series 300 420 owner manual en nl 1airsain at atlantis media files 1 |||

Translated from English to Dutch - www.onlinedoctranslator.com Handleiding van de
luchtcirculator Luchtcirculator Manuel d'werkneer Model: FC-100, FC-200-serie, **FC-300**, FC-420 115V 60Hz Lees en bewaar deze instructies Index: NA-1-A9 Editie:
4.1.Definitief Veiligheidsinstructies WAARSCHUWING - ...

lang:nl **score:24** filesize: 4.59 M page_count: 13 document date: 2023-09-26

[pdf] Guide

FC 100S 300S PDS 300s PDSDigital Download XPOWER Manufacturexpowers product sheets Air
Circulators PDSSpec SheetDigital ManufactureXPOWER Multipurpose 14 Pro Circulator Utility Fan with
Os — US Cleaning Toolsxpowers PDScdn shopify s files 1 0651 8112 2717 v 1752594619 SheetSpec
ToolsXPOWER 11 ToolsFC 1xpowers 1752594619cdn 1752598208 PDSxpowers ManufactureFC
SheetXPOWER Professional Grade is the ideal fan for whole room air circulation ventilation and
coolingDigital Oscillating Feature 1752598208xpowers PDSProduct HappygroomerHQPPOWER 0799
9304 5268 1739052358cdn ||| ||| XPOWER MANUFACTURE, INC 668 S. 6TH AVENUE, CITY OF
INDUSTRY, CA, 91746 PHONE: 626 285-3301 EMAIL: INFO XPOWER.COM FC 100S/300S AIR
CIRCULATOR UTILITY FAN WITH OSCILLATING FEATURE XPOWER FC-100S FC-300S Professional
Grade Air Circulator Util ||| XPOWER MANUFACTURE, INC 668 S. 6TH AVENUE, CITY OF INDUSTRY,
CA, 91746 PHONE: 626 285-3301 EMAIL: INFO XPOWER.COM FC 100S/300S AIR CIRCULATOR
UTILITY FAN WITH OSCILLATING FEATURE XPOWER FC-100S FC-300S Professional Grade Air
Circulator Util ||| XPOWER MANUFACTURE, INC 668 S. 6TH AVENUE, CITY OF INDUSTRY, CA,
91746 PHONE: 626 285-3301 EMAIL: INFO XPOWER.COM FC 100S/300S AIR CIRCULATOR UTILITY
FAN WITH OSCILLATING FEATURE XPOWER FC-100S FC-300S Professional Grade Air Circulator Util
XPOWER MANUFACTURE, INC 668 S. 6TH AVENUE, CITY OF INDUSTRY, CA,
91746 PHONE: 626 285-3301 EMAIL: INFO XPOWER.COM FC 100S/300S AIR
CIRCULATOR UTILITY FAN WITH OSCILLATING FEATURE XPOWER FC-100S
FC-300S Professional Grade Air Circulator Utility Fan is the ideal fan for whole room
air circulation...

lang:en **score:24** filesize: 853.78 K page_count: 2 document date: 2024-02-06



[pdf] Specifications

FC Series Product Date Sheet xpowers product sheets Line |||

XPOWER MANUFACTURE, INC 668 S. 6TH AVENUE, CITY OF INDUSTRY, CA,
91746 PHONE: 626 285-3301 EMAIL: ... Ft. 4 Speed 6 Ft. 360 Rotation 6 Units 10.1
Lbs. 17.3 x 15.4 x 8.9 in. PP ETL / CETL Yes 72 Units **FC-300** 115V / 60 Hz 1/4 HP
1.5 Amps 2100 CFM 170 Ft. 4 Speed 10 Ft. 360 Rotation 5 Units 13 Lbs. 18....

lang:en **score:19** filesize: 1.15 M page_count: 2 document date: 2022-03-14

[pdf] Specifications Datasheet

FC Series Product Date Sheet Spec SheetXPOWER 420 18 Multipurpose Sealed Motor Air Circulator Fan

— US Cleaning ToolsFC Data Sheetcdn shopify s files 1 0651 8112 2717 v 1752079022 SheetSpec

ToolsXPOWER 300A 14 Pro Utility with Da SheetFC 2cdn 1752079022cdn 2 1752593616 300 3FC 3

1752601624cdn P 39AR Professional Axial 4 HP 2FC 1cdn 1752593616cdn 1752590888 200 13 1FC

4cdn 1752590888cdn 1752603079 100 11 HappygroomerHQXPOWER 0799 9304 5268 1739049803cdn

XPOWER SheetProduct InchXPOWER 0910 5912 6550 1740548877cdn FanXPOWER 4FC 4472f09d

cb98 46c6 be8c af5afc9c7ffdcn 1752603079cdn af5afc9c7ffd 1757944727 ||| ||| XPOWER

MANUFACTURE, INC 668 S. 6TH AVENUE, CITY OF INDUSTRY, CA, 91746 PHONE: 626 285-3301

EMAIL: INFO XPOWER.COM FC SERIES PRO AIR CIRCULATOR FAN The XPOWER FC Line of Utility

Fans are the next generation of air circulators and ventilators ||| XPOWER MANUFACTURE, INC 668 S.

6TH AVENUE, CITY OF INDUSTRY, CA, 91746 PHONE: 626 285-3301 EMAIL: INFO XPOWER.COM

FC SERIES PRO AIR CIRCULATOR FAN The XPOWER FC Line of Utility Fans are the next generation

of air circulators and ventilators ||| XPOWER MANUFACTURE, INC 668 S. 6TH AVENUE, CITY OF

INDUSTRY, CA, 91746 PHONE: 626 285-3301 EMAIL: INFO XPOWER.COM FC SERIES PRO AIR

CIRCULATOR FAN The XPOWER FC Line of Utility Fans are the next generation of air circulators and

ventilators ||| XPOWER MANUFACTURE, INC 668 S. 6TH AVENUE, CITY OF INDUSTRY, CA, 91746

PHONE: 626 285-3301 EMAIL: INFO XPOWER.COM FC SERIES PRO AIR CIRCULATOR FAN The

XPOWER FC Line of Utility Fans are the next generation of air circulators and ventilators ||| XPOWER

MANUFACTURE, INC 668 S. 6TH AVENUE, CITY OF INDUSTRY, CA, 91746 PHONE: 626 285-3301

EMAIL: INFO XPOWER.COM FC SERIES PRO AIR CIRCULATOR FAN The XPOWER FC Line of Utility

Fans are the next generation of air circulators and ventilators ||| XPOWER MANUFACTURE, INC 668 S.

6TH AVENUE, CITY OF INDUSTRY, CA, 91746 PHONE: 626 285-3301 EMAIL: INFO XPOWER.COM

FC SERIES PRO AIR CIRCULATOR FAN The XPOWER FC Line of Utility Fans are the next generation

of air circulators and ventilators ||| XPOWER MANUFACTURE, INC 668 S. 6TH AVENUE, CITY OF

INDUSTRY, CA, 91746 PHONE: 626 285-3301 EMAIL: INFO XPOWER.COM FC SERIES PRO AIR

CIRCULATOR FAN The XPOWER FC Line of Utility Fans are the next generation of air circulators and

ventilators

XPOWER MANUFACTURE, INC 668 S. 6TH AVENUE, CITY OF INDUSTRY, CA,

91746 PHONE: 626 285-3301 EMAIL: ... Ft. 4 Speed 6 Ft. 360 Rotation 6 Units 10.1

Lbs. 17.3 x 15.4 x 8.9 in. PP ETL / CETL Yes 72 Units **FC-300** 115V / 60 Hz 1/4 HP

1.5 Amps 2100 CFM 170 Ft. 4 Speed 10 Ft. 360 Rotation 5 Units 13 Lbs. 18....

lang:en score:19 filesize: 1.15 M page_count: 2 document date: 2022-03-14



XPOWER		Invoice	
XPOWER Manufacture, Inc.		Invoice #	
668 S. 6th Ave.		1752079022	48074
City of Industry, CA 91746			
Bill To		Ship To	
Paul Ahn		Paul Ahn	
16300 Sh...		1752079022	
City of Industry, CA 91746		1752079022	
P.O. Number		Terms	Ship Date
1752079022		Net 30	07/20/20
Qty		Unit Price	Unit Price
1		\$17.30	\$17.30
Description		Unit Price	Unit Price
XPOWER FC-300 115V 60Hz 1/4HP 2100CFM 170Ft. 4Speed 10Ft. 360Rotation 5Units 13Lbs. 18....		\$17.30	\$17.30
Total		\$17.30	\$17.30
Balance Due		\$17.30	\$17.30
Phone # 626-285-3301		Fax # 626-285-3301	E-mail info@xpower.com
Web Site		www.xpower.com	

[pdf] Warranty Catalog Label

XPOWER Limited Warranty (USA)

XPOWER Limited Warranty covers the unit (excludes POWER CORD from defects in material and workmanship). The Warranty covers normal use for a term of one year from the original date of purchase including parts, labor, and one way shipping. Non-congruous states must pay for roundtrip freight. A purchase receipt must be provided.

Important!
This warranty does not cover or apply to defects due directly or indirectly to misuse, abuse, assembly, alterations, corrosion, chemicals, improper voltage, fire, flood, negligence, accident, improperly or incorrectly performed maintenance or repair, or failure to perform necessary maintenance or repair, or if the use of this product is not in compliance with the instructions and specifications for its use.

For Warranty service and parts replacement (US customer only), you must:
A. Call 1-800-855-5555 for a Sales Representative (Authorized XPOWER service)
B. Have original proof of purchase.
C. Use the original unopened packaging or an industrial certified packaging method.

End user will be responsible for shipping the unit (with NADA Number) to the shipping label to the XPOWER Service Department. XPOWER will inspect, assess and advise the repairs needed and the applicable cost, if any.

For users outside the US, please contact an XPOWER Distributor in your country or region for Warranty service and parts replacement.

Warranty Registration (U.S. customer only)
For your product warranty please contact us at: Jan-San XPOWER MANUFACTURE, INC.
Phone: 626-285-3301 Email: info@xp... 626-285-3301
(For your convenience, register your product online at xpower.com)

Company Name / Contact Person / Title _____	
Address _____	City _____
State / Province _____	Zip _____ Country _____
Phone _____ Fax _____	E-mail _____
Name # _____	Serial # _____
Date of Purchase _____ / _____ / _____	Purchased From _____
Additional Comments / Suggestions _____	

XPOWER Limited Warranty Leslie Multipurpose 14 in 4 Speed Utility Drum Fan FC 300 The Home Depot7dbf765b f268 4e38 8940 e45997ff83eeimages thdstatic catalog Images 7d 7dbf765b e45997ff83ee FD 630D 24 Variable BigbigmartXPOWER Depot33e3845f 8d4e 44f4 97e5 bf6c78b2da2e7dbf765b 33 33e3845f bf6c78b2da2eimages ||| ||| XPOWER Limited Warranty USA XPOWER s Limited Warranty covers the unit excludes POWER CORD from defects in material and crasmanship. The Warranty covers normal use for a term of one year from the original date of purchase including parts, la XPOWER Limited Warranty USA XPOWER s Limited Warranty covers the unit excludes POWER CORD from defects in material and crasmanship. The Warranty covers normal use for a term of one year from the original date of purchase including parts, labor, and one way shipping. Non-congruous states must pay ... lang:en score:18 filesize: 317.23 K page_count: 1 document date: 2020-07-24




[pdf] Catalog

Jan San Catalog 2021 Index of x catalogs xpower ||| Jan-San EQUIPMENT SOLUTIONS THAT MAKE A DIFFERENCE To o l s f o r E v e r y I n d u s t r y D T R ... ut ranges from 1100, 1300, 2100, and 3600 CFM. Features: 360 Degree Rotation MODEL# FC-100 FC-200 **FC-300** FC-420 44 POWER 69 W 115 W 1/4 HP 1/3 HP Precise Airflow AMPS .6 A 1 A 4 A 4 A Stackable ... lang:en score:18 filesize: 10.81 M page_count: 48 document date: 2021-06-01



[pdf] Specifications

FC Series Fans PDS2 il y a 8 heures — The XPOWER Line of Utility are the next generation air circulators and ventilators that will rapidly move circulate 9055078 6944876 specification fergusonprod bigcontent io v1 static ||| XPOWER MANUFACTURE, INC 240 CLARY AVENUE, SAN GABRIEL, CA 91776 PHONE: 626 285-3301 EMAIL: INFO XP ... Ft. 4 Speed 6 Ft. 360 Rotation 6 Units 10.1 Lbs. 17.3 x 15.4 x 8.9 in. PP ETL / CETL Yes 72 Units **FC-300** 115V / 60 Hz 1/4 HP 1.5 Amps 2100 CFM 170 Ft. 4 Speed 10 Ft. 360 Rotation 5 Units 13 Lbs. 18.... lang:en score:17 filesize: 1.05 M page_count: 2 document date: 2020-09-20



[\[pdf\]](#) User Manual Owner's Manual Instructions Specifications Warranty


1458866 Man1 media tractorsupply is content TractorSupplyCompany tsc product 1 45 88 66 |||

Air Circulator Owner s Manual Model: FC-100, FC-200, **FC-300**, FC-420 115V 60HZ

Read and save these instructions before use www.xpower.com 1- 855 -855-8868 info

xpower.com Index: NA-1-A9 Edition: 2.0.Alpha Safety Instructions WARNING - READ AND SAVE THIS INSTRUCTIONS BEFORE USING THIS PRODUC...

lang:en score:15 filesize: 6.43 M page_count: 16 document date: 2020-10-25



[\[pdf\]](#) User Manual Owner's Manual Instructions Specifications Warranty


1458867 Man1 media tractorsupply is content TractorSupplyCompany tsc product 1 45 88 67 |||

Air Circulator Owner s Manual Model: FC-100, FC-200, **FC-300**, FC-420 115V 60HZ

Read and save these instructions before use www.xpower.com 1- 855 -855-8868 info

xpower.com Index: NA-1-A9 Edition: 2.0.Alpha Safety Instructions WARNING - READ AND SAVE THIS INSTRUCTIONS BEFORE USING THIS PRODUC...

lang:en score:15 filesize: 6.43 M page_count: 16 document date: 2020-10-25



[\[pdf\]](#) User Manual Owner's Manual Instructions Specifications Warranty

1458865 Man1 media tractorsupply is content TractorSupplyCompany tsc product 1 45 88 65 |||

Air Circulator Owner s Manual Model: FC-100, FC-200, **FC-300**, FC-420 115V 60HZ

Read and save these instructions before use www.xpower.com 1- 855 -855-8868 info

xpower.com Index: NA-1-A9 Edition: 2.0.Alpha Safety Instructions WARNING - READ AND SAVE THIS INSTRUCTIONS BEFORE USING THIS PRODUC...

lang:en score:15 filesize: 6.43 M page_count: 16 document date: 2020-10-25



[XPOWER FC Series Pro Air Circulator Fan: Efficient Whole-Room Airflow](#)

Explore the XPOWER FC Series Pro Air Circulator Fan, designed for powerful and efficient whole-room air circulation. Featuring advanced air fin technology, multiple speed settings, a 360° adjustable stand, and ETL/CETL certification, these fans provide optimal airflow for year-round comfort. Details on models FC-100, FC-200, FC-300, and FC-420 are provided.

lang:en score:13 filesize: 925.5 K page_count: 2 document date: 2025-07-22



[XPOWER FC Series Pro Air Circulator Fan: Features, Specifications, and Airflow](#)

Explore the XPOWER FC Series Pro Air Circulator Fans, designed for efficient whole-room air circulation. Discover features, detailed specifications, and airflow technology.

lang:en score:13 filesize: 925.5 K page_count: 2 document date: 2025-08-14



[\[pdf\] User Manual Reference Guide Guide Catalog](#)

FLUKE Test Tools Catalog Thermo Fisher Scientific HART communication for testing smart transmitters
For more Manual and Quick Reference Guide Optional magnetic hanger easy setup fluke g test tools
assets thermofisher TFS Assets ANZ Catalogs information on the Fluke 87V MAX True RMS Digital
Multimeter see page 17 simple thermostatic switch a Calibration Field Metrology TEST TOOLS
CATALOGUE ||| 2020 TEST TOOLS CATALOGUE About Fluke Dedicated to your safety, driven by your
success At Fluke, we re working every day so you can do your essential work with confidence. We are d
2020 TEST TOOLS CATALOGUE About Fluke Dedicated to your safety, driven by
your success At Fluke, we re working every day so you can do your essential work
with confidence. We are driven to keep you safe, help you succeed and equip you for
maximum impact in your industry. Our modern, technology-ena...

lang:en score:12 filesize: 37.5 M page_count: 184 document date: 2020-03-25



Large Torque Motor Creates Focused
& Extended Air Flow Up to 170 Ft.

[\[pdf\]](#) Specifications Catalog

Multipurpose 14 in 4 Speed Utility Drum Fan Specification XPOWER FC 300 848025041857

0848025041857 1007612408 c66fb244 6465 4c21 86d8 fb67de930c6c images thdstatic catalog Images
c6 |||

...

lang:en score:11 filesize: 1.61 M page_count: 5 document date: 2021-10-26