Manuals+

Q & A | Deep Search | Upload

manuals.plus /

- OMNIHIL /
- Omnihil 8 Feet AC Power Cord Instruction Manual

OMNIHIL OMNI0323180086

Omnihil 8 Feet AC Power Cord Instruction Manual

Brand: OMNIHIL | Model: OMNI0323180086

INTRODUCTION

This manual provides essential information for the safe and effective use of your Omnihil 8 Feet AC Power Cord. Please read this manual thoroughly before use and retain it for future reference.

Key features include:

- · High Quality 8 Foot Long AC Power Cord
- · UL and ROHS Certified
- Designed for compatibility with Edison Professional M2000 Loud Speaker PA System

SETUP

Follow these steps to properly set up your AC power cord:

- 1. **Inspect the Cord:** Before connecting, visually inspect the power cord for any signs of damage, such as cuts, frayed wires, or bent prongs. Do not use if damaged.
- 2. **Identify Connections:** The power cord features a standard 2-prong (Type B) male plug for the wall outlet and a C13 female connector for the device.
- Connect to Device: Insert the C13 female connector firmly into the corresponding power inlet on your Edison Professional M2000 Loud Speaker PA System or compatible device. Ensure a snug fit.
- 4. **Connect to Power Outlet:** Insert the 2-prong male plug into a standard 120V AC wall outlet. Ensure the outlet is easily accessible and not overloaded.
- 5. Secure Connections: Verify that both ends of the power cord are securely connected to prevent accidental disconnections.



Image: The Omnihil 8 Feet AC Power Cord showing the male plug (Type B) and the female C13 connector. This cord is designed to provide power to compatible electronic devices.

OPERATING

Once the power cord is properly connected, the device it powers can be operated according to its own instruction manual. The power cord's function is to reliably transmit AC power from the wall outlet to the connected device.

- Ensure the power cord is not kinked, pinched, or placed under heavy objects.
- Avoid running the cord through high-traffic areas where it could be tripped over or damaged.
- Do not attempt to modify the power cord in any way.

MAINTENANCE

Proper maintenance ensures the longevity and safe operation of your power cord:

- Cleaning: Disconnect the power cord from both the wall outlet and the device before cleaning. Wipe the cord and connectors with a dry, soft cloth. Do not use liquid cleaners or abrasive materials.
- Storage: When not in use, coil the power cord loosely. Avoid tight coiling or bending, which can damage the internal wires.

Store in a cool, dry place away from direct sunlight and extreme temperatures.

• **Regular Inspection:** Periodically inspect the entire length of the cord, including the plugs and connectors, for any signs of wear, damage, or discoloration.




Image: A detailed view of the Omnihil AC power cord, highlighting the robust construction of its male and female connectors, designed for durability and reliable power transmission.

TROUBLESHOOTING

If you encounter issues with your power cord, consider the following:

Problem	Possible Cause	Solution
Device not receiving power.	Loose connection, faulty outlet, damaged cord.	Ensure both ends of the cord are securely plugged in. Test the outlet with another device. Inspect the cord for damage; replace if damaged.
Cord feels warm.	Overload, poor ventilation, internal damage.	Ensure the device's power requirements do not exceed the cord's rating. Ensure proper air circulation around the cord. Discontinue use if excessively warm and replace.

Problem	Possible Cause	Solution
Visible damage to cord.	Physical stress, wear and tear.	Immediately discontinue use. Replace the cord with a new one. Do not attempt to repair damaged cords.

If the problem persists after following these steps, please contact customer support.

SPECIFICATIONS

Feature	Detail
Product Dimensions	3 x 3 x 2 inches (packaging)
Item Weight	5 ounces
Model Number	OMNI0323180086
Brand	OMNIHIL
Connector Gender	Male-to-Female
Voltage	120 Volts (AC)
Plug Format	Type B (US standard 2-prong)
Cord Length	8 Feet
Certifications	UL, ROHS

WARRANTY

This OMNIHIL AC Power Cord is backed by a **5-Year Free Replacement Warranty**. This warranty covers defects in materials and workmanship under normal use.

- For warranty claims, please retain your proof of purchase.
- The warranty does not cover damage caused by misuse, accident, unauthorized modification, or improper installation.



Image: A circular badge indicating a "5 Year Warranty", signifying the product's extended coverage period.

SUPPORT

For further assistance, technical support, or warranty inquiries, please contact OMNIHIL customer service. Refer to the product packaging or the seller's information for specific contact details.

You can also visit the official OMNIHIL store on Amazon for more information and products: OMNIHIL Amazon Store

© 2024 OMNIHIL. All rights reserved.

This manual is for informational purposes only. Specifications are subject to change without notice.

Documents - OMNIHIL - OMNI0323180086 no relevant documents