Saved from manuals.plus.
Open the live page for links to other documents and user manuals.

PKPOWER AC Power Cord Cable for QFX R-3

Instruction Manual

PK Power AC Power Cord Cable for QFX R-3 AM/FM/SW1/SW2 Portable Radio

Introduction

This instruction manual provides essential information for the safe and effective use of your PK Power AC Power Cord Cable. This cable is designed to provide power to compatible devices, specifically the QFX R-3 AM/FM/SW1/SW2 Portable Radio, by connecting them to a standard AC power outlet.

Safety Information

Please read and understand all safety instructions before using this product. Failure to follow these instructions may result in electric shock, fire, or damage to the product or connected devices.

- Ensure the power cord is fully inserted into both the device and the wall outlet.
- Do not use the power cord if it is damaged, frayed, or has exposed wires.
- Do not overload electrical outlets.
- Keep the power cord away from water, heat sources, and sharp objects.
- Disconnect the power cord from the outlet before cleaning or if not in use for extended periods.
- This product is designed for indoor use only.

Product Overview

The PK Power AC Power Cord Cable is a replacement or spare power cable for compatible electronic devices. It features a standard 2-prong US plug on one end and a non-polarized figure-8 (C7) connector on the other end.



Figure 1: Overview of the PK Power AC Power Cord Cable.



Figure 2: The standard 2-prong US plug (NEMA 1-15P) for wall outlet connection.



Figure 3: The non-polarized figure-8 (IEC C7) connector for device connection.

Setup

1. **Identify the Power Port:** Locate the power input port on your QFX R-3 AM/FM/SW1/SW2 Portable Radio. This port typically resembles the figure-8 shape of the cable's device connector.
2. **Connect to Device:** Firmly insert the figure-8 (C7) connector end of the PK Power cord into the corresponding power input port on your radio. Ensure it is fully seated.
3. **Connect to Power Outlet:** Insert the 2-prong US plug end of the power cord into a standard 100-240V AC wall outlet.
4. **Verify Connection:** Once connected, your QFX R-3 radio should be ready to power on, assuming the radio's power switch is in the 'off' position before connecting.

Operating

Once the PK Power AC Power Cord Cable is correctly connected to both your QFX R-3 Portable Radio and a live AC power outlet, the radio will receive power. Use the power switch on your QFX R-3 radio to turn it on or off as needed. The power cord itself does not have any operational controls.

Maintenance

- **Cleaning:** Disconnect the power cord from the wall outlet and the device before cleaning. Wipe the cable with a soft, dry cloth. Do not use liquid cleaners or abrasive materials.
- **Storage:** When not in use, coil the cable loosely. Avoid tight coiling or bending, which can damage the internal wires. Store in a cool, dry place away from direct sunlight and extreme temperatures.
- **Inspection:** Periodically inspect the cable for any signs of damage, such as cuts, fraying, or discoloration. If any damage is observed, discontinue use immediately and replace the cable.

Troubleshooting

Problem	Possible Cause	Solution
Device not powering on.	Power cord not fully connected.	Ensure both ends of the power cord are firmly inserted into the device and the wall outlet.
Device not powering on.	Wall outlet is not active.	Test the wall outlet with another known working device. Check circuit breaker if necessary.
Device not powering on.	Damaged power cord.	Inspect the power cord for visible damage. If damaged, replace it immediately. Do not use a damaged cord.
Device not powering on.	Device power switch is off.	Ensure the power switch on the QFX R-3 radio is in the 'on' position.

Specifications

- **Input Voltage:** 100-240V AC, 50-60Hz
- **Connector Type (Wall):** US 2-prong (NEMA 1-15P)
- **Connector Type (Device):** Figure-8 (IEC C7)
- **Color:** Black
- **Certifications:** CE / FCC / RoHS certified
- **Protection:** OVP (Over Voltage Protection), OCP (Over Current Protection), SCP (Short Circuit Protection)

Warranty and Support

PK-Power products are designed and manufactured to high-quality standards. For information regarding warranty coverage and customer support, please refer to the documentation provided with your purchase or visit the official PK-Power website. Our friendly and reliable customer service aims to respond to inquiries within 24 hours.
For further assistance, you may contact PK-Power directly through their official channels. Please have your product model and purchase details ready when contacting support.

© 2024 PKPOWER. All rights reserved.

Ask a question about this manual

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. Privacy details.

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question

Open the live page

https://manuals.plus/asin/B07BR3SW9H

More documents and user manuals: **https://manuals.plus/**