Manuals+

Q & A | Deep Search | Upload

manuals.plus /

- Luceco /
- > Luceco EBER10S40 LED Outdoor Round Bulkhead Light Instruction Manual

Luceco EBER10S40

Luceco EBER10S40 LED Outdoor Round Bulkhead Light Instruction Manual

1. Introduction

This manual provides essential information for the safe installation, operation, and maintenance of your Luceco EBER10S40 LED Outdoor Round Bulkhead Light. Please read these instructions carefully before installation and retain them for future reference.

The Luceco EBER10S40 is a 10W LED bulkhead light designed for both indoor and outdoor applications. It features a durable polycarbonate construction, an IP54 weather resistance rating, and provides 700 lumens of 4000K neutral white light. The product includes interchangeable black and white bezels to suit various aesthetic preferences.



Figure 1: The Luceco EBER10S40 LED bulkhead light, showcasing its modern design and neutral white light output.

2. SAFETY INFORMATION

For your safety, always follow these precautions:

- Installation should be carried out by a qualified electrician in accordance with national wiring regulations.
- Ensure the main power supply is switched off at the consumer unit/fuse box before commencing installation or maintenance.
- Do not connect this fitting to an unearthed circuit.
- Do not immerse the product in water.
- This product is designed for permanent connection to fixed wiring.
- Do not attempt to modify the product.
- · Keep packaging materials away from children.

3. PACKAGE CONTENTS

Verify that all components are present before beginning installation:

- 1 x Luceco EBER10S40 LED Bulkhead Light Fixture
- 1 x Black Bezel (pre-installed or separate)
- 1 x White Bezel (interchangeable option)
- Fixing Screws and Wall Plugs
- · Instruction Manual



Figure 2: The interchangeable black and white bezels included with the light fixture.

4. SETUP AND INSTALLATION

The Luceco EBER10S40 is suitable for both wall and ceiling mounting. Follow these steps for installation:

- 1. Preparation: Ensure the electricity supply is completely isolated at the main fuse board.
- 2. **Mounting Location:** Choose a suitable mounting location on a wall or ceiling, ensuring the surface is flat and capable of supporting the fixture's weight.
- 3. **Remove Bezel:** Gently twist and remove the outer bezel (if pre-installed) to access the mounting holes and wiring terminals.
- 4. **Marking and Drilling:** Place the light fixture base against the chosen surface and mark the positions for the fixing screws. Drill appropriate holes and insert wall plugs if necessary.

- 5. **Wiring:** Connect the mains supply cables to the inline terminals within the fixture. Ensure correct polarity: Live (L), Neutral (N), and Earth (E). Double-check all connections for security.
- 6. **Secure Fixture:** Mount the fixture base to the wall or ceiling using the provided fixing screws. Ensure it is securely fastened.
- 7. **Attach Bezel:** Select either the black or white bezel. Align it with the fixture and twist it into place until it is securely seated.
- 8. **Restore Power:** Once installation is complete and all connections are secure, restore the electricity supply.



Figure 3: The Luceco EBER10S40 light installed on a brick wall, illustrating its suitability for various mounting surfaces.



Figure 4: The Luceco EBER10S40 light fixture seamlessly integrated into an exterior brick wall.

5. OPERATING INSTRUCTIONS

The Luceco EBER10S40 LED bulkhead light operates via a standard wall switch. Once installed and connected to the mains power supply, simply toggle the connected light switch to turn the light on or off.




Figure 5: The Luceco EBER10S40 light providing illumination in an outdoor setting at night.

6. MAINTENANCE

This LED bulkhead light requires minimal maintenance.

- Cleaning: To clean the fixture, ensure the power is off. Wipe the surface with a soft, damp cloth. Do not use abrasive cleaners or solvents, as these can damage the finish.
- Lamp Replacement: The LED light source in this luminaire is not replaceable by the user. When the light source reaches its end of life, the entire luminaire should be replaced.
- **Inspection:** Periodically inspect the fixture for any signs of damage or wear. If damage is observed, disconnect power and consult a qualified electrician.

7. TROUBLESHOOTING

If you encounter issues with your Luceco EBER10S40 light, refer to the following common problems and solutions:

Problem	Possible Cause	Solution
Light does not turn on.	No power supply. Faulty wiring connection. Faulty switch.	Check the circuit breaker/fuse. Verify all wiring connections are secure. Test the switch. If issues persist, consult a qualified electrician.
Light is dim or flickers.	Unstable power supply. Loose wiring connection.	Ensure stable power supply. Check and secure all wiring connections. If issues persist, consult a qualified electrician.
Water ingress inside the fixture.	Improper installation or damaged seal.	Immediately disconnect power. Inspect the installation for proper sealing and ensure the bezel is correctly fitted. If damage is present, the fixture may need replacement.

For problems not listed here, or if the suggested solutions do not resolve the issue, please contact Luceco customer support.

8. Specifications

Detailed technical specifications for the Luceco EBER10S40 LED Outdoor Round Bulkhead Light:

Feature	Specification
Brand	Luceco
Model Number	EBER10S40-01
Product Dimensions (L x W x H)	21.8 x 8.5 x 21.8 cm
Item Weight	443 grams
Material	Polycarbonate (PC)
IP Rating	IP54
Wattage	10 Watts
Luminous Flux	700 lm
Color Temperature	4000 Kelvin (Neutral White)
Color Rendering Index (CRI)	80
Voltage	240 Volts
Style	Modern
Mounting Type	Wall Mount (also suitable for ceiling)
Energy Efficiency Rating	Е





Figure 6: The durable, weatherproof housing of the Luceco EBER10S40, rated IP54.


9. WARRANTY AND SUPPORT

Luceco provides a **3-year manufacturer's warranty** for this product, covering defects in materials and workmanship under normal use. Please retain your proof of purchase for warranty claims.

For technical assistance, troubleshooting beyond this manual, or warranty inquiries, please contact Luceco customer support through their official website or the retailer from whom the product was purchased.

© 2025 Luceco. All rights reserved.






[pdf] Instructions Warranty Accessories

ECO DECORATIVE EXTERIOR 2 ROUND LED BULKHEAD 5 6 7 8 Installation Operating Instructions EBE JH 04 2017 Tech Help Line UK 0330 0249 279 Non 44 0 1952 238 100 Supplied by LUCECO Stafford Park 1 pa 2296173 free instruction manuals

Installation Operating Instructions ECO DECORATIVE EXTERIOR ROUND LED BULKHEAD IP54 RATED 2 year standard WARRANTY Part Code **EBER10S40** ACCESSORIES: Power Source / Frequency 220-240V AC - 50/60Hz Luminaire Lumens 700lm X2 Black/White Rim x3 1 x3 2 Wattage 10W b a 3 4 Tech Help Line ... lang:es score:45 filesize: 491.98 K page_count: 2 document date: 2017-05-15



[pdf] User Manual Instructions Warranty Accessories

5 EBER10S40 01 210x297mm IM C eps Grace He ECO DECORATIVE EXTERIOR IP54 2 ROUND LED BULKHEAD RATED Part Code Power Source Frequency Luminaire Lumens Wattage 220 240V AC 50 60Hz 700lm 10W Instruction Manual storage electrika mediafiles 9040 files


Installation Operating Instructions ECO DECORATIVE EXTERIOR ROUND LED BULKHEAD IP54 2 year standard 5 RATED WARRANTY Part Code **EBER10S40** ACCESSORIES: Power Source / Frequency 220-240V AC - 50/60Hz Luminaire Lumens 700lm X2 Black/White Rim x3 1 x3 2 Wattage 10W 7 b a b 3 4 Instal... lang:es score:42 filesize: 496 K page count: 1 document date: 2019-03-21



[pdf] Instructions Decleration of Conformity Warranty Accessories

5 EBER10S40 01 210x297mm IM A 181217 EW 10000358 Doc CH 20190228055935 cdn hornbach de data shop D04 001 780 491 540 149 |||

Installation Operating Instructions ECO DECORATIVE EXTERIOR ROUND LED BULKHEAD IP54 RATED 2 year standard WARRANTY Part Code **EBER10S40** ACCESSORIES: Power Source / Frequency 220-240V AC - 50/60Hz Luminaire Lumens 700lm X2 Black/White Rim x3 1 x3 2 Wattage 10W b a 3 4 Tech Help Line ... lang:es score:28 filesize: 1.12 M page_count: 2 document date: 2018-12-17



[pdf] Instructions Label

BSG2 MP PKS F eps IT15 TechData 2 Eco Round Bulkhead lp54 C W Black White Trim eco round bulkhead ip54 cw black white trim b033847 checkout mkm content products 33412 |||

EBER10S40-01 RU-D Individual packaging 1. Product label - 1pcs for each product - Size: 50x25mm 50mm Designed by JX 2. Batch label - 1pcs for each Individual box - Size: 20x5mm 25mm Luceco, Stafford Park 1,Telford, Shropshire,England, TF3 3BD EU Luceco SE C/ Bobinadora 1-5 08302 Matar Barc...

lang:en score:23 filesize: 5.18 M page_count: 6 document date: 2019-11-13



[pdf] Specifications Warranty

EXTERIOR RESIDENTIAL BULKHEAD Scene7 luce m $^{\circ}$ N CAT NO TYPE DRIVER LUMINAIRE LUMENS WATTAGE EBER10S40 Round Fixed Output 700 10W EBER10P40 Sensor EBEE10S40 Eyelid 400 EBEE10P40 EBEO10S40 Oval EBEO10P40 Exterior Residential Bulkhead | EBEXX40 JF 06 2020 Wall-Lights-Luceco-Eco-Oval-Bulkhead-PIR-IP54-700-Lumens-10W~GPID_1100576989_TECH_0 s7g10 scene7 is content wickes

EXTERIOR RESIDENTIAL BULKHEAD Product Features Easy and quick installation High impact nad durable ... cation Sheet IP54 Rating 25K Hours 4000K NEUTRAL WHITE 220 -240 Volt 3 Warranty YEAR CAT NO. **EBER10S40** EBER10P40 EBEE10P40 EBEO10S40 EBEO10P40 TYPE Round Round Round Eyelid Round Eye...

lang:en score:22 filesize: 722.53 K page_count: 2 document date: 2021-04-21



[pdf]

9021 luceco prof edit 18 storage electrika manu man tech |||

OCTOBER 2018 PROFILE NEW LUCECO PROFILE THE ESSENTIAL PROFESSIONAL LIGHTING PROFILE PLEASE CALL OUR ... NEUTRAL WHITE 3 year standard WARRANTY CAT NO. LUMENS WATTAGE TYPE SIZE PACK QTY EBE5R40 450 EBER10S40 700 EBER10P40 700 5.5W Standard 160mm 24 10W Standard 215mm 12 10W PIR 215mm 12 I...

lang:en score:20 filesize: 49.75 M page_count: 40 document date: 2018-10-04




[pdf] Catalog

LED Lighting Luceco The Industry Association is the largest lighting industry trade association in Europe Their mission to strengthen and luceco catalogue 93 EN public |||

LED Lighting Environmental Energy Saving EDITION 9.3 CONTACT US UK: HEAD OFFICE: Email: info luc ... nd White bezels 4000K NEUTRAL WHITE IP54 RATED 25,000 HOURS 212mm 119mm 60.5mm 80mm CAT NO. **EBER10S40** LUMINAIRE LUMENS WATTAGE FINISH 700 10W White/Black IP54 OVAL ROUND BULKHEAD WITH PL...

lang:en score:20 filesize: 27.61 M page_count: 160 document date: 2017-06-21



[pdf] Installation Guide Specifications Accessories

Luceco Profile the essential professional lighting lucecoprofile 2020 voltimum co uk sites files library ||| PROFILE Luceco Profile, the essential professional lighting profile 2020/21 Please call our dedicate ... ite bezels Round IP54 RATED 4000K NEUTRAL WHITE 25,000 HOURS 3 year standard WARRANTY CAT NO. **EBER10S40** EBER10P40 EBEE10P40 EBEO10S40 EBEO10P40 STYLE Round Round Round Eyelid Round Ey...

lang:en score:20 filesize: 107.3 M page count: 45 document date: 2020-10-13



[pdf] Datasheet

FICHE TECHNIQUE EBER ECO HUBLOT ROND FR luceco public technical data sheets fr ||| EXTRIEUR FICHE TECHNIQUE HUBLOT IP54 ROND DCORATIF IP54 - Convient pour une utilisation intrieure ... es fournies 215mm 80mm 4000K IP54 BLANC NEUTRE 25,000 HEURES COLLERETTES INTERCHANGEABLES RF. **EBER10S40** EBER10P40 DRIVER Standard Dtecteur de mouvement FLUX SORTANT 700 700 WATTS 10W 10W FIN...

lang:fr score:19 filesize: 10.73 M page count: 2 document date: 2017-11-24



[pdf]

LED Lighting Electrika Dubai UAE The teams behind Luceco have over 100 years combined lighting industry experience gained true cost of traditional source 9021 luceco led light cat 17 storage electrika manu man tech

LED Lighting Environmental Energy Saving EDITION 9.3 CONTACT US UK: HEAD OFFICE: Email: info luc ... nd White bezels 4000K NEUTRAL WHITE IP54 RATED 25,000 HOURS 212mm 119mm 60.5mm 80mm CAT NO. **EBER10S40** LUMINAIRE LUMENS WATTAGE FINISH 700 10W White/Black IP54 OVAL ROUND BULKHEAD WITH Pl...

lang:en score:19 filesize: 27.59 M page_count: 160 document date: 2017-11-15



[pdf] Warranty

BULKHEADS ElectrikaEBER10P40 700 10W PIR Ø215mm 12 IP54 RATED 4000K NEUTRAL WHITE 25 000 HOURS Oval Bulkhead HOURS9021 luceco prof edit 18 017storage electrika manu man 9021 cat 017 $\parallel \parallel$

BULKHEADS Storm Bulkhead Square bulkhead for internal or external use ideal for replacing A60 lumi ... NEUTRAL WHITE 3 year standard WARRANTY CAT NO. LUMENS WATTAGE TYPE SIZE PACK QTY EBE5R40 450 **EBER10S40** 700 EBER10P40 700 5.5W Standard 160mm 24 10W Standard 215mm 12 10W PIR 215mm 12 I...

lang:en score:16 filesize: 1.41 M page_count: 1 document date: 2018-10-05