

[Manuals.plus](#) /

› [AKKON](#) /

› AKKON Headlight Lamp Replacement for 2011-2015 Chevy Cruze (Right Passenger Side) - Instruction Manual

AKKON 5-HD-JH-CCRZ11-OE-R

AKKON Headlight Lamp Replacement for 2011-2015 Chevy Cruze (Right Passenger Side)

Model: 5-HD-JH-CCRZ11-OE-R

INTRODUCTION

This document provides essential information for the installation, operation, and maintenance of your new AKKON Right Passenger Side Headlight Lamp Replacement. This headlight assembly is designed for specific Chevrolet Cruze models, ensuring a direct fit and compliance with safety standards.

The assembly features a polished chrome housing with a crystal clear lens, providing optimal light output and a factory-style appearance. It is 100% brand new and comes in customized packaging to ensure its integrity upon arrival.



Image: The complete AKKON headlight assembly, showcasing its design and compliance with SAE and DOT standards.

COMPATIBILITY

This headlight assembly is compatible with the following vehicle models:

- 2011-2015 Chevy Cruze
- 2016 Chevy Cruze Limited Models Only

This specific product is for the **Passenger (Right) Side Only**.

SETUP AND INSTALLATION

This headlight assembly is designed as a direct bolt-on replacement. While no specific installation guide is included, professional installation is highly recommended due to the complexity of automotive electrical and body work. Basic tools typically required include a socket wrench set, screwdrivers, and potentially trim removal tools.

Pre-Installation Checks:

1. **Verify Compatibility:** Ensure the headlight is the correct side (passenger/right) and model year for your vehicle.
2. **Inspect Components:** Before starting, carefully inspect the new headlight assembly for any signs of damage during shipping.
3. **Gather Tools:** Prepare all necessary tools for removing the old headlight and installing the new one.
4. **Safety First:** Disconnect the vehicle's battery to prevent electrical shorts during installation.

General Installation Steps (Consult a professional or vehicle-specific repair manual for detailed instructions):

1. **Access the Headlight:** This may involve removing parts of the front bumper, fender liner, or grille, depending on your vehicle model.
2. **Disconnect Wiring:** Carefully disconnect the electrical connectors from the existing headlight assembly.
3. **Remove Old Headlight:** Unbolt and remove the old headlight assembly from its mounting points.
4. **Install New Headlight:** Position the new AKKON headlight assembly into place, ensuring all mounting tabs align correctly.
5. **Secure Headlight:** Bolt the new headlight assembly securely.
6. **Connect Wiring:** Reconnect all electrical connectors to the new headlight. Ensure a snug and secure connection.



Image: A typical headlight bulb and its corresponding electrical connector, illustrating the connection points.

7. **Test Functionality:** Before reassembling any removed body panels, reconnect the battery and test all headlight functions (low beam, high beam, turn signal, parking light) to ensure proper operation.
8. **Reassemble:** Reinstall any removed body panels, ensuring all fasteners are tightened.
9. **Aim Headlights:** After installation, it is crucial to properly aim your headlights to ensure optimal visibility and to avoid blinding oncoming traffic. This should be done by a qualified technician.

OPERATING INSTRUCTIONS

The AKKON headlight assembly functions identically to your vehicle's original equipment. Operation is controlled via your vehicle's standard headlight switch and stalk controls.

- **Low Beam:** Provides standard illumination for general driving conditions.
- **High Beam:** Offers increased illumination for dark roads when no oncoming traffic is present. Activate and deactivate using

your vehicle's high beam switch.

- **Parking Lights:** Used for visibility when parked or in low-light conditions.
- **Turn Signals:** Integrated into the assembly for signaling turns or lane changes.

This headlight assembly uses **H13 bulbs** for both low and high beams. Ensure correct bulb type is used for replacement to maintain performance and compliance.

MAINTENANCE

Cleaning:

To maintain optimal light output and appearance, regularly clean the headlight lenses. Use a soft cloth and mild automotive-specific cleaning solution. Avoid abrasive cleaners or harsh chemicals, as these can damage the polycarbonate lens material.

Bulb Replacement:

Bulbs are consumable items and will eventually require replacement. Refer to your vehicle's owner's manual for specific instructions on accessing and replacing headlight bulbs. Always use the correct bulb type (H13 for this assembly) and handle new bulbs by their base to avoid contaminating the glass with oils from your skin, which can shorten bulb life.

TROUBLESHOOTING

If you experience issues with your headlight, consider the following common troubleshooting steps:

- **Headlight Not Working:**
 - Check the bulb: The bulb may be burnt out. Replace with a new H13 bulb.
 - Check the fuse: Locate your vehicle's fuse box and inspect the headlight fuse. Replace if blown.
 - Check wiring connections: Ensure all electrical connectors are securely attached to the headlight assembly and the vehicle's harness.
- **Dim Headlight:**
 - Inspect the bulb: A failing bulb can appear dim before completely burning out.
 - Check for lens haze: Clean the headlight lens thoroughly.
 - Verify voltage: A professional can check the voltage supply to the headlight to ensure it's receiving adequate power.
- **Flickering Headlight:**
 - Loose connection: Re-seat all electrical connectors.
 - Faulty bulb: Replace the bulb.
 - Wiring issue: Inspect wiring for damage or corrosion.

For persistent issues, it is recommended to consult a certified automotive technician.

SPECIFICATIONS

Feature	Detail
Brand	AKKON
Model Number	5-HD-JH-CCRZ11-OE-R

Auto Part Position	Right (Passenger Side)
Color	Chrome Housing, Clear Lens
Lens Material	Polycarbonate
Light Source Type	Low Beam: H13, High Beam: H13
Voltage	12 Volts
Wattage	60 watts
Special Feature	Waterproof
Assembly Required	Yes
Item Weight	22.6 pounds
Package Dimensions	30.5 x 13.5 x 13 inches
UPC	192744017045

WARRANTY INFORMATION

Specific warranty details for AKKON products are typically provided at the point of purchase or on the manufacturer's official website. Please retain your proof of purchase for any warranty claims. For detailed information regarding coverage, duration, and claim procedures, refer to the warranty documentation included with your product or visit the AKKON brand store or website.

CUSTOMER SUPPORT

For further assistance, technical support, or inquiries regarding your AKKON headlight assembly, please visit the official AKKON brand store or website. You may find FAQs, contact forms, or customer service numbers there.

[Visit the AKKON Store on Amazon](#)

PRODUCT VIDEOS

No official product videos from the seller are available for this item at this time.

ASK A QUESTION ABOUT THIS MANUAL

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. [Privacy details](#).

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question