

[manuals.plus](#) /› [Ecolab](#) /› [Ecolab Grease Express Fast Foam Degreaser 10126 User Manual](#)**Ecolab 10126**

Ecolab Grease Express™ Fast Foam Degreaser User Manual

Model: 10126

1. PRODUCT OVERVIEW

The Ecolab Grease Express™ Fast Foam Degreaser is a powerful, ready-to-use clinging foam designed for rapid dissolution of baked-on carbonized grease. Its fast-acting formula penetrates grease deposits quickly, making it ideal for commercial kitchen environments. This product provides complete coverage on vertical surfaces and helps prevent flashback, ensuring efficient cleaning of greasy ovens, stove hoods, vents, and broilers.

Key Features:

- Fast-working foam penetrates grease effectively.
- Foam clings to vertical surfaces, including walls, hoods, and ovens.
- Reduces flashback during application.
- Non-butyl solution.
- Specifically formulated for degreasing ovens, stove hoods, vents, and broilers.



Image 1: Front view of the Ecolab Grease Express Fast Foam Degreaser bottle, showing the sprayer and product label.

2. SAFETY INFORMATION

READ SAFETY DATA SHEET (SDS) BEFORE USING THIS PRODUCT.

DANGER: Corrosive

Causes severe skin burns and eye damage.

IMPORTANT: FOR INDUSTRIAL USE ONLY - NOT FOR HOUSEHOLD USE.

Personal Protective Equipment (PPE)

Always wear appropriate personal protective equipment when handling this product:

- **Protective Gloves:** Chemical-resistant gloves are essential.
- **Protective Clothing:** Wear long sleeves and pants to protect skin.
- **Eye Protection:** Safety goggles or a face shield are required.
- **Face Protection:** A face shield is recommended in addition to eye protection.

First Aid Measures

- **If Swallowed:** Rinse mouth thoroughly. DO NOT induce vomiting. Immediately call a POISON CENTER or doctor.
- **If On Skin (or hair):** Take off immediately all contaminated clothing. Rinse skin with water/shower for several minutes. Immediately call a POISON CENTER or doctor. Wash contaminated clothing before reuse.
- **If Inhaled:** Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER or doctor.
- **If In Eyes:** Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician.

Emergency Health Information

For emergency health information, call **1-800-328-0026**. If located outside the United States and Canada, call collect **1 651 222 5352** (number is in the US).

PELIGRO:

Si usted no puede leer inglés, pida ayuda y pregunte sobre el contenido y las instrucciones de uso antes de emplear este producto.

FOR INDUSTRIAL USE ONLY - NOT FOR HOUSEHOLD USE

DIRECTIONS FOR USE 1. Spray product onto the food preparation or food cooking surface to be cleaned. 2. Allow product to penetrate baked-on grease deposits for 1 - 5 minutes depending on the thickness of the deposits. Do not let product dry on surface. 3. Wipe off dissolved and loosened oil/grease with a damp cloth or scrub pad. 4. Rinse with potable water. Product works faster when applied to a warm 43° - 54°C (110° - 130°F) surface. For service or additional information, call 1-800-35-CLEAN (352-5326).

KEEP OUT OF REACH OF CHILDREN**Danger**

Causes severe skin burns and eye damage.

Wash skin thoroughly after handling. Wear protective gloves/ protective clothing/ eye protection/ face protection.

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. **IF ON SKIN (or hair):** Take off immediately all contaminated clothing. Rinse skin with water/shower. **IF INHALED:** Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/doctor. **IF IN EYES:** Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/ physician. Wash contaminated clothing before reuse.

READ SAFETY DATA SHEET (SDS) BEFORE USING THIS PRODUCT

EMERGENCY HEALTH INFORMATION: 1 800 328 0026. If located outside the United States and Canada, call collect 1 651 222 5352 (number is in the US).

POUR USAGE INDUSTRIEL SEULEMENT - NON CONÇU POUR UN USAGE DOMESTIQUE

MODE D'EMPLOI 1. Pulvériser le produit sur la surface de préparation des aliments ou sur la surface de cuisson à nettoyer. 2. Laisser le produit pénétrer les résidus de graisse collée entre 1 à 5 minutes selon l'épaisseur des résidus de graisse. Ne pas laisser le produit sécher sur la surface. 3. Essuyer la graisse dissoute ou délogée à l'aide d'un chiffon humide ou d'un tampon à frotter. 4. Rincer à l'eau potable. Ce produit agit plus rapidement si utilisé sur une surface chaude à une température entre 43° et 54°C (110° à 130°F). Pour toute assistance ou pour obtenir de plus amples renseignements, composez le 1-800-35-CLEAN (352-5326).

GARDER HORS DE LA PORTÉE DES ENFANTS**Danger**

Provoque de graves brûlures de la peau et de graves lésions des yeux.

Se laver la peau soigneusement après manipulation. Porter des gants de protection/ des vêtements de protection/ un équipement de protection des yeux/ du visage.

EN CAS D'INGESTION: Rincer la bouche. Ne PAS faire vomir. **EN CAS DE CONTACT AVEC LA PEAU (ou les cheveux):** Enlever immédiatement tous les vêtements contaminés. Rincer la peau à l'eau. Se doucher. **EN CAS D'INHALATION:** Transporter la personne à l'extérieur et la maintenir dans une position où elle peut confortablement respirer. Appeler immédiatement un CENTRE ANTIPÔISON/ un médecin. **EN CAS DE CONTACT AVEC LES YEUX:** Rincer avec précaution à l'eau pendant plusieurs minutes. Enlever les lentilles de contact si la victime en porte et si elles peuvent être facilement enlevées. Continuer à rincer. Appeler immédiatement un CENTRE ANTIPÔISON/ un médecin. Laver les vêtements contaminés avant réutilisation.

LIRE LA FICHE DE DONNÉES DE SÉCURITÉ AVANT D'UTILISER CE PRODUIT

INFORMATION DE SANTÉ D'URGENCE: 1 800 328 0026. Si à l'extérieur des États-Unis et du Canada,appelez à frais virés le 1 651 222 5352 (numéro aux États-Unis).

Formula ingredients contain no phosphorus.

Les ingrédients de ce produit ne contiennent pas de phosphore.

Contains | Contient: water, 7731-18-5; sodium hydroxide, 1310-73-2; 2-(2-butoxyethoxy)ethanol, 112-34-5.

For more ingredient information visit | Pour obtenir plus de détails sur les constituants, visitez: www.ecolab.com/sds

This product may be patented | Ce produit peut être breveté: www.ecolab.com/patents

Ecolab • 1 Ecolab Place • St. Paul MN 55102 USA • tel: 1 800 35 CLEAN (352-5326)

5105 Tomken Road • Mississauga ON L4W 2X5 Canada

© 2021 Ecolab USA Inc. • All rights reserved | Tous droits réservés

Made in U.S.A. | Fabriqué aux États-Unis

www.ecolab.com • 763650/5403/0821



Image 2: Back label of the product bottle, detailing safety warnings, first aid, and usage instructions.

3. PREPARATION

Before applying the degreaser, ensure the following:

- Ensure adequate ventilation in the work area.
- Gather all necessary Personal Protective Equipment (PPE) as outlined in Section 2.
- Clear the area of any food items or utensils not intended for cleaning.
- For optimal performance, ensure the surface to be cleaned is warm, ideally between 43°C - 54°C (110°F - 130°F).

4. OPERATING INSTRUCTIONS

Follow these steps for effective and safe application of Ecolab Grease Express™ Fast Foam Degreaser:

- Spray Application:** Spray the product directly onto the food preparation or food cooking surface that needs to be cleaned.
- Dwell Time:** Allow the product to penetrate baked-on grease deposits for 1 to 5 minutes. The exact dwell time depends on the thickness of the grease deposits. **Do not let the product dry on the surface.**
- Wipe Off:** Wipe off the dissolved soil using a clean cloth or a dedicated grease pad.
- Rinse:** Rinse the cleaned surface thoroughly with potable water to remove all chemical residue.
- Optimal Temperature:** The product works faster when applied to a warm surface (43°C - 54°C / 110°F - 130°F).

5. MAINTENANCE AND STORAGE

Storage

Store the product in its original container, tightly closed, in a cool, dry, well-ventilated area, away from direct sunlight and incompatible materials. Keep out of reach of children and unauthorized personnel.

Disposal

Dispose of contents and container in accordance with local, regional, national, and international regulations. Consult the Safety Data Sheet (SDS) for specific disposal instructions.

6. TROUBLESHOOTING

If you encounter issues with the product's performance, consider the following:

- Insufficient Dwell Time:** If grease is not dissolving, allow the product to sit for a longer duration (up to 5 minutes), ensuring it does not dry.
- Surface Temperature:** Ensure the surface is warm (43°C - 54°C / 110°F - 130°F) for optimal degreasing action.
- Application Coverage:** Ensure the foam provides complete coverage on the greasy surface.

If problems persist after reviewing the instructions, please contact Ecolab customer support for assistance.

7. PRODUCT SPECIFICATIONS

Brand	Ecolab
Model Number	10126 (also known as 6110126)
Item Form	Liquid (Foam)
Scent	Unscented
Specific Uses	Metal surfaces, ovens, stove hoods, vents, broilers

Package Dimensions	9.17 x 6.97 x 4.06 inches
Weight	2.36 Pounds
Volume	946 mL (32 US FL OZ)
Ingredients	Sodium hydroxide (1310-73-2); 2-(2-butoxyethoxy)ethanol (112-34-5)
Manufacturer	ECOLAB
ASIN	B07BYWPRN8
UPC	0025469101266

For more detailed ingredient information, please visit www.ecolab.com/sds.

8. SUPPORT AND CONTACT INFORMATION


For service or additional product information, please contact Ecolab directly:

- **Customer Service:** 1-800-35-CLEAN (1-800-352-5326)
- **Manufacturer Address:** Ecolab, 1 Ecolab Place, St. Paul, MN 55102 USA
- **Website:** www.ecolab.com

This product may be patented. For patent information, refer to the product packaging or the Ecolab website.

© 2024 Ecolab. All rights reserved.

Related Documents - 10126

	<p><u>Ecolab Greaselift Degreaser: Powerful and Safe Cleaning Solution</u></p> <p>Ecolab's Greaselift Degreaser offers effective, safer cleaning for commercial kitchens. Learn about its unique grease penetration technology, application instructions, safety notes, and product variations.</p>
	<p><u>ECOLAB FI-10N-MOBYFOAM User Manual: Air Operated Portable Foam Equipment</u></p> <p>Comprehensive user manual for the ECOLAB FI-10N-MOBYFOAM Air Operated Portable Foam Equipment. Includes operating instructions, maintenance guidelines, safety warnings, and troubleshooting tips.</p>

 <p>USER MANUAL FI-20N-MOBYFOAM MANUAL DE OPERACIÓN MANUAL DE USO MANUAL DE UTILIZACIÓN MANUAL DO USUÁRIO MANUAL DE UTILIZAÇÃO KÄYTÖN OHJE</p> <p>MODEL NUMBER FI-20N-MOBYFOAM</p> <p>ECOLAB</p>	<p><u>ECOLAB FI-20N-MOBYFOAM User Manual: Operation, Maintenance, and Troubleshooting</u></p> <p>Comprehensive user manual for the ECOLAB FI-20N-MOBYFOAM Portable Foam Unit. Includes detailed operating instructions, after-use procedures, maintenance guidelines, troubleshooting tips, specifications, and a parts list.</p>
 <p>ECOLAB Hybrid Foamatic MA34, MA35, MA36, MA37, MA38, MA39, MA40, MA41, MA42, MA43, MA44, MA45, MA46, MA47, MA48, MA49, MA50</p> <p>Directions for use</p>	<p><u>Ecolab Hybrid Foamatic MA/SA Series - Directions for Use</u></p> <p>User manual and directions for use for the Ecolab Hybrid Foamatic MA/SA series of industrial cleaning equipment. Learn about installation, operation, maintenance, and troubleshooting for efficient and safe cleaning processes.</p>
 <p>ECOLAB Advanced satellite SP - SA series</p> <p>Service Manual 3 - 10</p>	<p><u>Ecolab Advanced Satellite SP-SA Series Service Manual</u></p> <p>Comprehensive service manual for the Ecolab Advanced Satellite SP and SA series hygiene stations, detailing operation, maintenance, troubleshooting, and specifications.</p>
 <p>ECOLAB HYBRID 7 YETI SY1-HP, SY1-TW, SY1-PD</p>	<p><u>ECOLAB HYBRID 7 YETI SY1-HP, SY1-TW, SY1-PD User Manual</u></p> <p>User manual and operating instructions for the ECOLAB HYBRID 7 YETI cleaning system, including safety guidelines and procedural steps for start-up, rinsing, agent change, and shutdown.</p>