

## General Electric 29679

# GE 4-in-1 LED Power Failure Night Light

## MODEL 29679 USER MANUAL

### Introduction

This manual provides detailed instructions for the GE 4-in-1 LED Power Failure Night Light, Model 29679. This versatile device functions as a power failure light, a night light, a task light, and a portable flashlight. It features a built-in dusk-to-dawn sensor and a rechargeable battery for reliable illumination.



Image: The GE 4-in-1 LED Power Failure Night Light, showing the device and its retail packaging, highlighting its multi-functionality and light sensing feature.

## Safety Information

- **Indoor Use Only:** This product is designed for indoor use in dry locations. Do not expose to water or moisture.
- **Electrical Rating:** Ensure the product is plugged into a standard 120-volt AC outlet.
- **Cleaning:** Disconnect from power before cleaning. Wipe with a soft, dry cloth. Do not use liquid cleaners.
- **No User-Serviceable Parts:** Do not attempt to open or repair the unit. Refer all servicing to qualified service personnel.
- **Battery Safety:** The unit contains a non-replaceable rechargeable battery. Do not dispose of the unit in fire or expose to excessive heat.

## Package Contents

- 1 x GE 4-in-1 LED Power Failure Night Light (Model 29679)

## Product Features

---

- **4-in-1 Functionality:** Operates as a night light, power failure light, task light, and flashlight.
- **Dusk-to-Dawn Sensor:** Automatically turns the night light on when the room is dark and off when the room is lit.
- **Rechargeable Battery:** Integrated battery charges when plugged into an outlet and powers the light during outages or as a portable flashlight.
- **Foldable Plug:** Allows for compact storage and comfortable handheld use as a flashlight.
- **Illumination Levels:** Provides 40 lumens as a flashlight, 20 lumens as a tabletop light, 10 lumens as a night light, and 5 lumens as an emergency light.

## Setup

---

1. **Unpack:** Carefully remove the night light from its packaging.
2. **Plug In:** Extend the foldable plug and insert the night light into a standard 120-volt AC wall outlet. Ensure it is securely seated.
3. **Initial Charge:** Allow the unit to charge for several hours upon first use to ensure the internal battery is fully charged. The night light will function while charging.



# Light sensing



**OFF**  
at dawn or  
when the  
room is lit




**ON**  
at dusk or  
when the  
room is dark

Image: The night light plugged into a wall outlet, illustrating its light sensing capability, turning off at dawn/when room is lit and on at dusk/when room is dark.

## Operating Instructions

### Night Light Mode

- When plugged into an outlet, the built-in light sensor will automatically turn the LED panel on at dusk or when the room becomes dark, and off at dawn or when the room is lit.
- To adjust the brightness of the night light, press the side button. This cycles through different brightness levels.



Automatically turns on during outages — rechargeable battery lasts up to 2 hours

Image: The night light plugged into a wall outlet, with an overlay indicating various light level settings from 'Guide' to 'Very Bright'.

### Power Failure Light Mode

- If a power outage occurs while the unit is plugged into an active outlet, the LED panel will automatically illuminate to provide emergency lighting.
- The rechargeable battery provides power for this mode.

# Handheld mode



Convenient foldable plug lets you use it as a flashlight

Image: The night light plugged into an outlet, with text indicating it automatically turns on during outages and the rechargeable battery lasts up to 2 hours.

## Flashlight Mode

1. Unplug the night light from the wall outlet.
2. Fold the electrical plug into the unit for comfortable handheld use.
3. Press the side button twice to activate the flashlight.




Image: A hand holding the night light as a flashlight, illuminating a circuit breaker panel, demonstrating its handheld mode and foldable plug.

### Tabletop Light Mode

- While in flashlight mode, press the side button one more time to switch to the low-level panel light illumination, suitable for tabletop use.

### Maintenance

- **Cleaning:** To clean the night light, ensure it is unplugged from the wall outlet. Use a soft, dry cloth to wipe the exterior. Do not use abrasive cleaners, solvents, or immerse the unit in water.
- **Battery Care:** The internal rechargeable battery is designed for long-term use. Keep the unit plugged in when not in portable use to maintain battery charge.

### Troubleshooting

Problem	Possible Cause	Solution
---------	----------------	----------

Problem	Possible Cause	Solution
Night light does not turn on at dusk.	Room is too bright; unit is not plugged in; sensor is obstructed.	Ensure the room is sufficiently dark. Verify the unit is securely plugged into a working outlet. Check that the light sensor is not covered.
Light does not turn on during a power outage.	Battery is not charged; unit is not plugged in.	Ensure the unit has been plugged into an outlet to charge its internal battery. Verify the outlet is functional.
Flashlight/Tabletop light is dim or does not turn on.	Battery is low or depleted.	Plug the unit into a wall outlet and allow it to charge for several hours.

### Specifications

- **Model Number:** 29679
- **Brand:** General Electric
- **Dimensions (LxWxH):** 4.76" x 2.64" x 1.55"
- **Item Weight:** 3.2 ounces
- **Light Source Type:** LED
- **Wattage:** 1 watts
- **Voltage:** 120 Volts
- **Brightness:** Up to 40 Lumens (Flashlight Mode)
- **Power Source:** Battery Powered (Rechargeable)
- **Material:** Plastic
- **Indoor/Outdoor Usage:** Indoor Only
- **Special Features:** Portable, Rechargeable, Dusk-to-Dawn Sensor, Power Failure Auto-On
- **UPC:** 030878296793






Image: A diagram showing the dimensions of the GE 4-in-1 LED Power Failure Night Light: 4.76 inches in height, 2.64

inches in width, and 1.55 inches in depth.


## Warranty and Support

**Warranty:** This product is covered by a Limited-Lifetime Warranty. For specific details regarding warranty coverage, please refer to the documentation included with your purchase or contact customer support.

**Support:** For further assistance, product information, or to view other GE products, please visit the official GE store on Amazon: [GE Appliances Store](#).

© 2025 General Electric. All rights reserved.


## Documents - General Electric – 29679



[\[pdf\]](#) User Manual Owner's Manual Instructions

29855A 1 10 Scott Dutcher AFFINITY 25 Hearth Home Technologies retained by the homeowner for operating and maintenance instructions Page 2 ® Table of Contents I Listings Code Approvals 29855 hearthnhome installManuals |||

Aladdin Hearth Products 401 N. Wynne Colville, WA 99114 A Division of Hearth Technologies Inc. AFF ... om 28743 Access Tab BF25 - Bay Face Kit ITEM B 2 3 4 5 6 7 PART # 29675 29674 29672 29671 29673 **29679** 29607 29677 29683 29678 29682 29681 29680 29676 23509 28278 28746 29475 29480 27807 DESCRIPTI... lang:en score:16 filesize: 1.47 M page\_count: 24 document date: 2011-07-29




[\[pdf\]](#) User Manual

Compliance Program Guidance Manual CP 7386 003 Field Testing of Diagnostic Medical X ray Equipment Issued 02 08 2006 Heyward Rourke fda gov media 74120 |||

Article I. FOOD AND DRUG ADMINISTRATION COMPLIANCE PROGRAM GUIDANCE MANUAL PROGRAM 7386.003 SUBJEC ... 71 10 FOREST GENERAL HOSPITAL/30401 GENERAL ELECTRIC COMPANY/30071 35 OCONEE MEMORIAL HOSPITAL/29679 PHILIPS MEDICAL SYSTEMS, INC./28217 29 31 OCONEE MEMORIAL HOSPITAL/29672 PHILIPS MEDICAL SY...

lang:en score:12 filesize: 306.98 K page\_count: 73 document date: 2018-05-02



### [pdf] User Manual Instructions

System Manual iStat Portable Clinical Analyzer documents cdn ifixit amgH5MHh4eH3V3uU |||

STAT System Manual i-STAT Corporation, 104 Windsor Center Drive, East Windsor, NJ 08520 800 827-78 ... 76 5690 ys 7664 691-600 80 mou von seco vz 7664 Noa 6260-87 LE 810182-995899 nous **29679**. 16 8201-5605 /969 p/6u 860040 set1o80r bau 59 pu vor 1c0a0sco ou ses Te 256 g...

lang:en **score:11** filesize: 61.85 M page\_count: 313 document date: 0000-00-00




### [pdf] Confidentiality Request Letter

ST32 Gibson Island STP Aeration Blowers Replacement Manual Volume 3 Manufacturer Data Sheets And Manuals gibbon island st32 wwtp stp wrp wastewater treatment plant sewage water reclamation c1314 011 bwwtaa01a85 aeration blowers replacement lend lease Lend Lease TMS1553 urbanutilities au media quu s suppliers info technical manuals waste tms1553 la en hash 5B580610DC5D0AECF0D9680D957A9F3FD821870B |||

ST32 Gibson Island STP - Aeration Blowers Replacement - Manual - Volume 3 - Manufacturer Data Sheets ... 29677 29678 29676 29677 R 1s UDINT E Date of setup in number of seconds since 01/01/2000 1 **29679** 29678 R 1 ms UINT E Complement in ms with quality of the date 1 29680 **29679** R s UINT 1.....

lang:en **score:10** filesize: 163.05 M page\_count: 3354 document date: 2015-11-17



### [pdf] Specifications

NX 148E RF Specs sheet surveillance video lanotattachments file id 29679 store 1 30189

GE Security NX-148E-RF NetworXTM LCD Keypad Overview The NX-148E-RF is an integrated 48-zone wireless receiver LCD keypad with traditional design and an easy-to-read, customizable display. It is compatible with all NetworX control panels except commercial fire . The NX-148E-RF offers the convenie...

lang:en **score:10** filesize: 80.93 K page\_count: 2 document date: 2008-04-07