

COOLBOT CoolBot Pro

CoolBot Pro User Manual

Pro 34°F Walk-in Cooler Controller for Air Conditioners (Wi-Fi Enabled)

INTRODUCTION

The CoolBot Pro is an advanced Wi-Fi enabled device designed to transform a standard window or mini-split air conditioner into a walk-in cooler. It allows precise temperature control down to 34°F (1°C), offering a cost-effective and energy-efficient alternative to traditional refrigeration systems. This manual provides comprehensive instructions for setup, operation, maintenance, and troubleshooting to ensure optimal performance of your CoolBot Pro.

SETUP GUIDE

1. Unboxing and Components

Carefully unpack all components. Ensure you have the CoolBot Pro unit, the Jumper unit, temperature sensors, power adapter, and communication cables.



Figure 1: CoolBot Pro and Jumper units along with all included accessories, including temperature sensors, power adapter, and communication cables.

2. Physical Installation

Mount the CoolBot Pro unit near your air conditioner. Connect the temperature sensors: one for room temperature and one for the AC fins. Connect the Jumper unit to the CoolBot Pro using the provided cable. Ensure all connections are secure.



Figure 2: The CoolBot Pro and Jumper units with all necessary cables connected, ready for operation. The CoolBot Pro's digital display shows "34".

3. Wi-Fi Connectivity

Download the CoolBot app from your device's app store. Follow the in-app instructions to connect your CoolBot Pro to your Wi-Fi network. This enables remote monitoring and control.

OPERATING INSTRUCTIONS

1. Setting Temperature

Once powered on, the CoolBot Pro will display the current room temperature. Use the buttons on the unit or the mobile app to set your desired temperature. The recommended temperature for walk-in coolers is typically between 34°F and 40°F.



Figure 3: The CoolBot Pro unit displaying the set temperature, alongside a smartphone screen showing the CoolBot app's interface for remote monitoring and control.

2. Using the Mobile App

The CoolBot app provides advanced features including:

- Remote temperature monitoring and adjustment.
- Receiving SMS and email alerts for temperature fluctuations or system issues.
- Viewing temperature log graphs for up to a month.
- Remotely powering off your A/C unit (with subscription).

MAINTENANCE

To ensure the longevity and efficiency of your CoolBot Pro and walk-in cooler setup:

- Regularly clean the air conditioner's filters and coils to maintain optimal airflow and cooling efficiency.
- Ensure the room temperature sensor is not obstructed and is placed in a representative area of the cooler.
- Check all cable connections periodically to ensure they are secure.
- Keep the CoolBot Pro unit clean and free from dust.

TROUBLESHOOTING

Common Issues and Solutions:

Issue: Display shows "E0" or other error codes.

Solution: An "E0" error typically indicates a problem with the fin sensor. Check the connection of the fin sensor to the CoolBot Pro. Ensure it is fully inserted and not damaged. Refer to the CoolBot app or online resources for specific error code meanings.



Figure 4: The CoolBot Pro unit displaying an "E0" error code, indicating a potential issue with the fin sensor connection.

Issue: Unit not connecting to Wi-Fi.

Solution: Ensure your Wi-Fi network is 2.4GHz (CoolBot Pro does not support 5GHz). Check your Wi-Fi password. Try restarting your router and the CoolBot Pro unit. Ensure the unit is within range of your Wi-Fi signal.

Issue: Cooler not reaching desired temperature.

Solution: Verify the air conditioner is properly sized for your space and is functioning correctly. Check for air leaks in your cooler. Ensure the fin sensor is correctly placed between the evaporator fins of the AC unit. Clean AC filters and coils.

SPECIFICATIONS

Feature	Detail
Brand	COOLBOT
Model	CoolBot Pro
Voltage	110 Volts
Color	Dark Blue Case
Material	Foam
Display Type	LCD or LED
Connectivity	Wi-Fi Enabled
Temperature Range	Down to 34°F (1°C)

WARRANTY AND SUPPORT

The CoolBot Pro comes with a **2-year warranty**. For technical support, warranty claims, or further assistance, please visit the official COOLBOT website or contact their customer service. Support information can often be found on the product packaging or the manufacturer's website.

	CoolBot	CoolBot Pro
Control a Window or Mini Split A/C unit to cool your Room (down to 34F)*	✓	✓
Save thousands compared to commercial systems (No costly HVAC repairs)	✓	✓
40% energy savings every year compared to traditional walk-in coolers	✓	✓
DIY Installation and affordable	✓	✓
User Friendly	✓	✓
Can be set on Fahrenheit or Celsius	✓	✓
WiFi Enabled**		✓
Monitor your temperature remotely (via app)		✓
Adjust temperature and other settings remotely (via app)		✓
Power off your Coolbot remotely*** (via app)		✓
Set Temperature Ranges for Alarms and Notifications (via app)		✓
SMS Alarms and important Status Notifications (on mobile device via app)		✓
Receive Alarms and important Status Notifications via email (via app)		✓
Temperature Log Graphic - up to a month back! (via app)		✓
Five Star Customer Support	✓	✓
2 Year warranty****	✓	✓
Complete cooler delivery at your door		
NSF and UL Certified Panels with 10 year warranty		

* On a well insulated room with rigid foam to a value of R25, and using a compatible A/C sized according to SIC recommendations

** An available WiFi Network with Internet connection is required to use the app capabilities (\$3.99 monthly subscription required)

*** Powering Off your CoolBot will NOT power off your A/C. Your room will stay at 60-63 F depending on your A/C's lowest setting.

**** The Standard CoolBot and Coolbot Pro warranty is 1 Year on all components.
The warranty can be extended to 2 years by sharing your Coolbot's story by filling our Testimonial page at:
<https://www.storeitcold.com/testimonials-form/>

Note: All app feature capabilities require an annual subscription plan

Figure 5: A feature comparison table highlighting the 2-year warranty for the CoolBot Pro.



[\[pdf\]](#) User Manual Guide Warranty

Freddy Remolina INSTRUCTION MANUAL Johnny 39 s Selected Seeds and its App Start with ONNE
TING YOUR OOL OT PRO TO WI FI NETWORK Section of this manual page 8 then move to the
INSTALLING A guide 9 IMPORTANT subscription plan is required in order access use CoolBot Pro
coolbot pro instruction johnnyseeds on demandware static Library Sites JSSSharedLibrary default
dw089a1a65 assets information COOLBOT C NOTE Your will keep your cooler cold but you won t be
able Rev 2018 7A ©2018 Store It Cold LLC 1 INDEX

INSTRUCTION MANUAL INDEX DISCLAIMER AND WARRANTY

..... 25 Rev: 2018 7A 2018 Store It Cold, LLC 1
DISCLAIMER AND WARRANTY DISCLAIMER By using the CoolBot Pro temperature
controller, you the User acknowledge there are inherent hazards in getti...
lang:i-klngon score:64 filesize: 1.29 M page_count: 26 document date: 2018-07-28

[\[pdf\]](#) User Manual Installation Guide Safety Datasheet Warranty

Untitled Freddy Remolina INSTRUCTION MANUAL CoolBotDevice offline Reboot device check Wi Fi etc
Room sensor error Check cable Fins Heater E7 Jumper The is looking for 2019 CoolBot PRO Manual
2019 1Astoreitcold 2020 01 1A srsltid AfmBOoqAAZIIALusu
nY6JL662Pw4xltQ3Hfsw8fvH1uD6wFdfGEGe1 CoolBotINSTRUCTION for If the room temperature
reaches set value HEATER will stop running Your A C s Temperature cool down and shut compressor off
If the 2019 1A2019 nY6JL662Pw4xltQ3Hfsw8fvH1uD6wFdfGEGe1storeitcold
AfmBOoqM7nwdliZLeko7QIIPY prXpm8mP1Y TtIXfzW8O2TrHn155MY the Set on COOL Mode Fan
HIGH speed Set to lowest setting Plug in your Pro power supply STEP 10 To set 2019
TtIXfzW8O2TrHn155MYstoreitcold AfmBOoqR2cRF3rz9hYrrRYWrkGeyuFM9z1jGkscP lJraNUTy5BISyxl
set STEP 8 Once connected Network you should see no codes flashing display did not 2019
lJraNUTy5BISyxlstoreitcold
AfmBOorOWArLw6KaLeYVNXRK7LNnkV2ipHm5EhQyRbgmBouETNGzQzB3 not The uses 2 sensors
ROOM FINS red tip a programmed micro controller direct air conditioner to 2019
AfmBOorOWArLw6KaLeYVNXRK7LNnkV2ipHm5EhQyRbgmBouETNGzQzB3storeitcold
AfmBOoqnepVCrTCz1VazlBubCnre9422wlpuyYzYpWNPXkH6cmPFi3rV to The AfmBOoqOvFKa8cV122
KHJql2eg418K2jj0w7WiAwivU1z O0Jyupstoreitcold
AfmBOoqnepVCrTCz1VazlBubCnre9422wlpuyYzYpWNPXkH6cmPFi3rVstoreitcold
AfmBOoqBU8YPjSfmlrCENbzV2lkB6RyW 85X3i2NWgppswhXiJzbypWu
85X3i2NWgppswhXiJzbypWustoreitcold
AfmBOoqFTnFgl0SEuzBNel1dNiPidOwhso9UrFq08yNV1bCAaVyUI F to DO NOT plug anything other
than replacement Cable port it won t work! chose P1 CJ or Fr with Fstoreitcold AfmBOors
C8JNNCjREfiGD8pxO1 QBBA WuMAtsVepyBFygPGydSOKKI to This allows switch from displaying °F °C
NOTE factory default scale change of WuMAtsVepyBFygPGydSOKKIstoreitcold AfmBOor NO6r24aGshB
fMWNI3Mf16iCTQ 01vvhck072tLYdD0bOhs the FINS SETTING show an for Fahrenheit Celsius Program
From press right arrow 3 times 01vvhck072tLYdD0bOhsstoreitcold AfmBOopNTikd
r7nKEPSb2TsfQNmqGqN6FIQBA3sds zTGaJu60fYTPi works both black blue Sensor Cables On Mini
Split conditioning units this often not front fins 2019 zTGaJu60fYTPistoreitcold
AfmBOoor3q5rZs02VyMBcySHLCT4SPY4xPeUAb512Fzc8qS0nfSi VK fins The 1Av1storeitcold
VKstoreitcold AfmBOopR9c6l0iv1TCzgytcUGA5fxtbjGVMRh5yvb Jn3ITxJGu4hwBs to HAPPY
CUSTOMER GUARANTEE Return its original condition within 45 days if are fully unit keep 1Av12019

Jn3ITxJGu4hwBsstoreitcold AfmBOoo9E59huvsJ0fL3BY8A8jGAdHJXHA4sYUx8QMvbAW7JX893tmf
the ○ persists after 20 seconds bad needs ○ Unplug discard into 2019
AfmBOoo9E59huvsJ0fL3BY8A8jGAdHJXHA4sYUx8QMvbAW7JX893tmfstoreitcold
AfmBOoqbTSy4wuYCXjoxdaChCKZ0OLkKw Qz wch A5G0N19B pX9v1Y into STEP 1 Unpack area good
reception outside cooler Sensors into pX9v1Ystoreitcold AfmBOopckDgRdF
CiCwWvhq3n9BPtcCKRKDzOo3HX6Mc0Hq0HSpwAYSZ into Your fins reaching freezing point 33°F
STEP AfmBOophsm9UY2CZsLbi2W I1rcupQvtRciYlui6vwxGnGEIWCTK3GH8storeitcold the Remove
filter DO use it! filters drastically reduce cooling increase chances icing up2019
CiCwWvhq3n9BPtcCKRKDzOo3HX6Mc0Hq0HSpwAYSZstoreitcold AfmBOoooo PoCn7P8uBjeQqIk
bqogrvr91NUj7pXXS0jbLiqQeS1Ed the STEP AfmBOoqkt69qkMUpCGS7B2n4
mKVXvOgrqYbZc1EO2dX8K9AeAiLZQHstoreitcold upThe light above turn solid blinking 2019
bqogrvr91NUj7pXXS0jbLiqQeS1Edstoreitcold AfmBOoqt utfBlmGc kZRh 0EbaI 7Mw8wytY0gNPJrgAed
KXpWVI4T The defrost cycle does heat defrosts by turning circulating over frosted coil HOW DOES THE
JUMPER WORK 2019 KXpWVI4Tstoreitcold AfmBOorAKWIOmMmeONZHZEw33Hzl6f4qELgfXfpRg
RFDppmVYCLZAgB WORK Update time normally less one minute Wait Weak signal Move Since while
RFDppmVYCLZAgBstoreitcold AfmBOoqIU4uzdZYjPwqbKvFYHVtjLuS11GKoa6PABZqxq6EInyG9USBd
||| ||| INSTRUCTION MANUAL INDEX DISCLAIMER AND WARRANTY .2 WHAT S IN THE BOX .3
KNOWING YOUR COOLBOT PRO 4 HOW DOES THE COOLBOT PRO WORK WITH YOUR A/C .6
HOW DOES THE JUMPER WORK WITH YOUR COOLBOT PRO 6 BEFORE INSTALLING YOUR
COOLBOT PRO 7 INSTALL ||| INSTRUCTION MANUAL INDEX DISCLAIMER AND WARRANTY .2
WHAT S IN THE BOX .3 KNOWING YOUR COOLBOT PRO 4 HOW DOES THE COOLBOT PRO WORK
WITH YOUR A/C .6 HOW DOES THE JUMPER WORK WITH YOUR COOLBOT PRO 6 BEFORE
INSTALLING YOUR COOLBOT PRO 7 INSTALL ||| INSTRUCTION MANUAL INDEX DISCLAIMER AND
WARRANTY .2 WHAT S IN THE BOX .3 KNOWING YOUR COOLBOT PRO 4 HOW DOES THE
COOLBOT PRO WORK WITH YOUR A/C .6 HOW DOES THE JUMPER WORK WITH YOUR COOLBOT
PRO 6 BEFORE INSTALLING YOUR COOLBOT PRO 7 INSTALL ||| INSTRUCTION MANUAL INDEX
DISCLAIMER AND WARRANTY .2 WHAT S IN THE BOX .3 KNOWING YOUR COOLBOT PRO 4 HOW
DOES THE COOLBOT PRO WORK WITH YOUR A/C .6 HOW DOES THE JUMPER WORK WITH
YOUR COOLBOT PRO 6 BEFORE INSTALLING YOUR COOLBOT PRO 7 INSTALL ||| INSTRUCTION
MANUAL INDEX DISCLAIMER AND WARRANTY .2 WHAT S IN THE BOX .3 KNOWING YOUR
COOLBOT PRO 4 HOW DOES THE COOLBOT PRO WORK WITH YOUR A/C .6 HOW DOES THE
JUMPER WORK WITH YOUR COOLBOT PRO 6 BEFORE INSTALLING YOUR COOLBOT PRO 7
INSTALL ||| INSTRUCTION MANUAL INDEX DISCLAIMER AND WARRANTY .2 WHAT S IN THE BOX
.3 KNOWING YOUR COOLBOT PRO 4 HOW DOES THE COOLBOT PRO WORK WITH YOUR A/C .6
HOW DOES THE JUMPER WORK WITH YOUR COOLBOT PRO 6 BEFORE INSTALLING YOUR
COOLBOT PRO 7 INSTALL ||| INSTRUCTION MANUAL INDEX DISCLAIMER AND WARRANTY .2
WHAT S IN THE BOX .3 KNOWING YOUR COOLBOT PRO 4 HOW DOES THE COOLBOT PRO WORK
WITH YOUR A/C .6 HOW DOES THE JUMPER WORK WITH YOUR COOLBOT PRO 6 BEFORE
INSTALLING YOUR COOLBOT PRO 7 INSTALL ||| INSTRUCTION MANUAL INDEX DISCLAIMER AND
WARRANTY .2 WHAT S IN THE BOX .3 KNOWING YOUR COOLBOT PRO 4 HOW DOES THE
COOLBOT PRO WORK WITH YOUR A/C .6 HOW DOES THE JUMPER WORK WITH YOUR COOLBOT
PRO 6 BEFORE INSTALLING YOUR COOLBOT PRO 7 INSTALL ||| INSTRUCTION MANUAL INDEX
DISCLAIMER AND WARRANTY .2 WHAT S IN THE BOX .3 KNOWING YOUR COOLBOT PRO 4 HOW
DOES THE COOLBOT PRO WORK WITH YOUR A/C .6 HOW DOES THE JUMPER WORK WITH
YOUR COOLBOT PRO 6 BEFORE INSTALLING YOUR COOLBOT PRO 7 INSTALL ||| INSTRUCTION
MANUAL INDEX DISCLAIMER AND WARRANTY .2 WHAT S IN THE BOX .3 KNOWING YOUR
COOLBOT PRO 4 HOW DOES THE COOLBOT PRO WORK WITH YOUR A/C .6 HOW DOES THE
JUMPER WORK WITH YOUR COOLBOT PRO 6 BEFORE INSTALLING YOUR COOLBOT PRO 7
INSTALL ||| INSTRUCTION MANUAL INDEX DISCLAIMER AND WARRANTY .2 WHAT S IN THE BOX
.3 KNOWING YOUR COOLBOT PRO 4 HOW DOES THE COOLBOT PRO WORK WITH YOUR A/C .6
HOW DOES THE JUMPER WORK WITH YOUR COOLBOT PRO 6 BEFORE INSTALLING YOUR
COOLBOT PRO 7 INSTALL ||| INSTRUCTION MANUAL INDEX DISCLAIMER AND WARRANTY .2



[\[pdf\]](#) User Manual Installation Guide Troubleshooting Guide Guide Warranty

Freddy Remolina INSTRUCTION MANUAL The CoolBot by Store It Cold Pro Instruction Manual Rev 2020 3A ©2020 LLC 4 1 HEATER ACTIVITY INDICATOR When the is calling for cooling this light will blink slowly stop blinking if room temperature has reached set point or fins are reaching defrost You can still use without Jumper and a Wi Fi connection just like previous generation If you have window A C PRO staging1 storeitcold 03 Charge Air Bot 2 Pdf Bruininks Oseretsky Test of Motor Proficiency Second Installation Guide on compatible Mini Split air conditioners follow along I am replacing my existing with new No biggie! To ensure your cooler continue performing as well always grab pen write down settings from old cool shut compressor off Note fan should keep running reach 33°F factory default s sensor to allow cycle This happen °CoolBot hazards due equipment defects misuse racing related activities competitive events tires that removed original vehicle which they were installed excluded guarantee short summary paper Owner Paper Support Library hand @ Best Prices Amazon Delivery Pickup 79 Times Kids Realized Their Parents Were Cooler Than Them Low cost energy efficient Electric systems require no freon heat exchange gas operate How Install Your Temperature Controller Handbuch für how number ee herunterladen als page 12 Troubleshooting Guides Videos 2020CoolBot 12INSTRUCTION CoolBotINSTRUCTION CoolBot°CoolBot Manual°CoolBot ManualCoolBot ManualCharge ManualRev 4Handbuch alsINSTRUCTION pointcool happencool operateRev 4Installation CoolBothazards PaperTroubleshooting CoolBotThe uses sensors ROOM FINS cable red tip programmed micro controller direct conditioner to If an removable Sensors Heater Cables leave them in place connect ProCoolBot LibraryHow ControllerHow ControllerYou CBot SecondHandbuch alsCoolBot srsItid AfbBOooj3iKanVBailUEmoW5IXmbBjNHmMU 9p tInCcQDjt lhK5RHZCoolBot AfbBOop IA5ud55 JngQ SqHLfbxz4H14s09 IPpGN58PaN2cz 9ECmICoolBot 2020staging1 2020storeitcold lhK5RHZstoreitcold 9ECmlstaging1 ProThe to CoolBot 9ECmlstoreitcold AfbBOopuRbpdv7WymgkFGN9yXSDx 1kSJG6Le6E1WXaJLAuhV8iKZ9tQstaging1 to The 1kSJG6Le6E1WXaJLAuhV8iKZ9tQstoreitcold AfbBOopFZY0OQDIzcomSB1 sn9TnbSs 4wd q xzlroRiqAkGzyzu6Kstaging1 ||| ||| INSTRUCTION MANUAL INDEX DISCLAIMER AND WARRANTY .2 WHAT S IN THE BOX .3 TECHNICAL DATA .3 KNOWING YOUR COOLBOT PRO 4 HOW DOES THE COOLBOT PRO WORK WITH YOUR A/C .6 HOW DOES THE JUMPER WORK WITH YOUR COOLBOT PRO 6 BEFORE INSTALLING YOUR COO INSTRUCTION MANUAL INDEX DISCLAIMER AND WARRANTY

.....27 Rev: 2020 3A 2020 Store It Cold, LLC 1
DISCLAIMER AND WARRANTY DISCLAIMER By using the CoolBot Pro temperature controller, you the User acknowledge there are inherent hazards in getti...
lang:i-klngon score:51 filesize: 1.34 M page_count: 28 document date: 2020-03-26



[\[pdf\]](#) Installation Guide Instructions Guide Warranty

Freddy Remolina COOLER INFORMATION AND ASSEMBLY GUIDE CoolBot WIC Installation Guide V6a18 cdn2 hubspot net hubfs 2434330 ||| SUPPORT STOREITCOLD.COM 888-871-5723 COOLER INFORMATION AND ASSEMBLY GUIDE 2019 Store It Cold, LL ... delivered in ONE shipment which includes: 1. A Cooler Enclosure Walk-in box 2. An A/C unit 3. One CoolBot Pro Temperature Controller You will be provided with shipment information tracking and es...

lang:en score:50 filesize: 3.64 M page_count: 33 document date: 2019-08-09



[pdf] User Manual Quick Start Guide Guide

Freddy Remolina CoolBot Pro Temperature Sensors Jumper Heater We also encourage you to visit our support page storeitcold and read the detailed Manual What if I don't have Internet OR coolbot pro quick start guide johnnyseeds on demandware static Library Sites JSSSharedLibrary default dwcd10fd6a assets information Johnny 39 s Selected Seeds STEP 11 The App is a web based not available from your mobile phone store On most devices can add link home screen for so access it just like any other While in browser do following

CoolBot Pro CoolBot Jumper Temperature Sensors Heater Power Supply Data Cable Qty Item 1 CoolBot Pro a Wi-Fi connection just like the previous generation CoolBots. Go straight to the INSTALLING YOUR COOLBOT PRO TO YOUR A/C Section of this guide page 3 . NOTE: Your CoolBot Pro will keep your cooler...

lang:en score:50 filesize: 609.15 K page_count: 4 document date: 2018-06-18



[pdf] User Manual Warranty

Untitled Freddy Remolina INSTRUCTION MANUAL CoolBot Most GE Danby Frigidaire Arctic King etc A C units over 10K BTUs have a Secondary Sensor > All Mini Split air conditioners Sensors 2019 PRO Manual 1A storeitcold 2020 01 CoolBotStoreItCold 2 procedure temperature controlled plug manual filetype Google Search How To Program HVACseer Start controlling the Pro remotely by ing app from either Play Store for Android devices or Apple App iOS Continue with rest of ved 2ahUKEwJb04bQ r39AhXGCjQIH9YD6AwE4RhAWegQICxAB |||

INSTRUCTION MANUAL INDEX DISCLAIMER AND WARRANTY

.....25 Rev: 2019 1A 2019 Store It Cold, LLC 1 DISCLAIMER AND WARRANTY DISCLAIMER By using the CoolBot Pro temperature controller, you the User acknowledge there are inherent hazards in getti...

lang:i-klngon score:47 filesize: 1022.51 K page_count: 26 document date: 2020-01-21



[pdf] User Manual Installation Guide Guide Warranty

Freddy Remolina Blue Display Digital Controller INSTRUCTION MANUAL CoolBot Manual 2020 staging1 storeitcold 03 °CoolBot Instruction Go Now Rev 3A ©2020 Store It Cold LLC 2 Support Library Box Lighting Control Url ManualInstallation Guide on compatible Mini Split air conditioners and follow along this Please go through the following checklist before installing your The defrost cycle does not use heat The A C is defrosted by turning your > Most GE Danby Frigidaire Arctic King etc units over 10K BTUs Some have a fresh vent tab This allows some mix of outside inside room If applicable make sure it closed Page 9 2020 The uses temperature sensors ROOM FINS HEATER cable red tip programmed micro controller to direct conditioner to Rev 2CoolBot LibraryBlue 2020CoolBot srsItld AfmBOoq0IMj45EWk7njF5j2pMvmoGp9X9Y9yeKH9qChSzYcRCGdWzVnuCoolBot AfmBOoo2aPA639dw 78dwX 74Xv4Zy7jp5NKGuMoTFG1bQT7BFewMxLzCoolBot AfmBOopCkSS1WyzPmhTn8iaS2H9aNGw fPR5glPTI8Gaooz64WXjcwZv1CoolBot 2020storeitcold AfmBOoq0IMj45EWk7njF5j2pMvmoGp9X9Y9yeKH9qChSzYcRCGdWzVnustoreitcold 74Xv4Zy7jp5NKGuMoTFG1bQT7BFewMxLzstoreitcold fPR5glPTI8Gaooz64WXjcwZstoreitcold AfmBOorAxYJSbNvWnGfUCu6PBNKBEW1ND3HqfvqyDS4sI7C 25uSYpO7staging1 2020staging1 to The 25uSYpO7storeitcold AfmBOooNCSmok7QcclX2wV6F onEiN8Xs3IF4fh ofLDaxs6RtdlgZsestaging1 ||| ||| -Blue Display Digital ControllerINSTRUCTION MANUAL INDEX

DISCLAIMER AND WARRANTY 2 WHAT S IN THE BOX 3 TECHNICAL DATA 3 KNOWING YOUR COOLBOT . 4 HOW DOES THE COOLBOT WORK WITH YOUR A/C 5 BEFORE INSTALLING YOUR COOLBOT . 6 INSTALLING YOUR CO

-Blue Display Digital ControllerINSTRUCTION MANUAL INDEX DISCLAIMER AND WARRANTY no blinking . The display will show a number e.g. 7.9 , which will be the firmware version on your CoolBot Pro. POWER INDICATOR LIGHT: This light is constantly on solid , as long as your CoolBot Pro...

lang:i-klngon score:46 filesize: 951.38 K page_count: 16 document date: 2020-03-26

[\[pdf\]](#) User Manual Warranty Catalog

Freddy Remolina instruction manual CoolBot Manuale utente Sempre pronti ad aiutarti Registrare il prodotto 38e462f9 fd53 4ef7 99c7 ca65913a9b51 images homedepot static catalog Images 38 INSTRUCTION MANUAL DATA STATUS Flashes when data is received from the Pro controller Page 7 Rev 2019 1A ©2019 Store It Cold LLC 6 1 INDEX thdstatic Generation WiFi Walk In Cooler Controller with Air Conditioner Control 59F to 34F Full Product Manual CB G7 860000716215 0860000716215 1003956260 2 DISCLAIMER AND WARRANTY By using temperature you User acknowledge there are inherent hazards in getting an air assets farmersfriend originals s Download ↓ Knife and Tool Sharpener Mark Farmers Friend The Home Depot ManualCoolBot 1AINSTRUCTION CoolBotViewCoolBot 1003956260©2019 airDATA 6instruction INDEXKnife FriendCoolBot DepotCoolBot 1ACoolBot 1Aimages ca65913a9b51assets ca65913a9b51images 1Acn sanity io files 0yukpfvl production 2cabd5e5b87a807d47ab279fb259c7dfe93ab731images |||



INSTRUCTION MANUAL INDEX DISCLAIMER AND WARRANTY

.....25 Rev: 2019 1A 2019 Store It Cold, LLC 1 DISCLAIMER AND WARRANTY DISCLAIMER By using the CoolBot Pro temperature controller, you the User acknowledge there are inherent hazards in getti... lang:i-klngon score:45 filesize: 1.3 M page_count: 26 document date: 2019-01-07


[\[pdf\]](#) Quick Start Guide Guide

Freddy Remolina BOX CONTENTS TECHNICAL DATA BEFORE STARTING 2020 PRO Quick Start Guide Rev 1A UL storeitcold 02 staging1 CoolBotBOX CoolBotSTEP 1 Unpack the CoolBot Pro in an area with good Wi Fi reception outside of your cooler and close to Router is best Plug Temperature Sensors The box includes Jumper 2 Sensors Heater Data Cable Power Supply2020 srsltid AfmBOop0duKvj1D2cvi5xRc981EYUllkjjOznepOvrSAq33VRYS2sfw2020 UL2020 ULstoreitcold AfmBOop0duKvj1D2cvi5xRc981EYUllkjjOznepOvrSAq33VRYS2sfwstoreitcold AfmBOop3LumjQqJYMPvnx8lZXE1p1JPifelkcGJhf16DEFA9Z0UGXstoreitcold ULstaging1 ||| CoolBot Pro CoolBot Jumper Temperature Sensors BOX CONTENTS Qty Item 1 CoolBot Pro 1 CoolBot ... like the previous generation CoolBot. If you have a window A/C, go straight to the CONNECTING YOUR COOLBOT PRO TO YOUR AIR CONDITIONER Section of this Guide page 3 . NOTE: Your CoolBot Pro will kee... lang:en score:44 filesize: 623.61 K page_count: 4 document date: 2020-01-23



[\[pdf\]](#) Guide Warranty

Freddy Remolina WALK IN COOLER ELECTRICAL GUIDE CoolBot Pro WIC Electrical 2020 8A storeitcold 08 ||| SUPPORT STOREITCOLD.COM WALK-IN COOLER ELECTRICAL GUIDE 2020 Store It Cold, LLC. 1 Rev 2020-8A. All Rights Reserved. SUPPORT STOREITCOLD.COM ELECTRICAL INSTALLATION IMPORTANT Electrical installation for your cooler SHOULD be performed by a qualified electrician to ensure correct power supp... lang:en score:42 filesize: 574.79 K page_count: 7 document date: 2020-08-19



[\[pdf\]](#) User Manual Quick Start Guide Troubleshooting Guide Guide

Freddy Remolina StoreItCold storeitcold 202 ERROR CODES ON YOUR COOLBOT user manual e0 error filetype Google Search 2020 CoolBot PRO Error Guide 1A 03 Rev ©2020 Store It Cold LLC 2 Er flashes on my Display quick start guide e9 Coolbot Discount Code staging1 ved 2ahUKEwi2k9a 4j5AhWaGvKfHa0qDs8QFnoECE4QAQ usg AOvVaw0JHBGNkgf0UQES6d3l3 3F 4j5AhWaGvKfHa0qDs8Q6sMDegQITRAB u0026tbm u003dilp u0026ilps u003dADNMCI1QS2DMiMK1XYSW 0pwVU8L33crOg x22 x22Your 2ahUKEwi5 oGwion5AhU3hYkEHZ7PA7sQFnoECA8QAQ oGwion5AhU3hYkEHZ7PA7sQ6sMDegQIBBAB °CoolBot

Pro Troubleshooting Guides and Videos E3 Jumper Wi Fi The is connecting the server used for storing data If you see this more than a minute follow same steps as E2 E4 go with blinking Program Mode Indicator Light controller running normally You should never E5 updating its connection configuration from E6 saving new to permanent that doesn t help unplug router then plug in Otherwise reconfigure Blue Red PROBLEM WITH WHAT IT MEANS AND TO DO E7 looking firmware or will reboot itself after short wait network OK other devices may need Fi or ing installing it E8 powering trying set itself never an code Ef message stopped flashing Fins stopped following codes EH apply all models where and does not have workaround mode bad Heater Cable NOT anything replacement port sensor long time first check your working other screen because there nothing plugged Room That right o set persists 20 seconds sensor is Sensor A problem See srsltid AfmBOorAquwhiV aDrgVKudL MJGb4Lsvf87cA0Z2XBA Kqwor66jyZB AfmBOocR0g8cZfhvHR2jMvg3DAKCHyT9Z65p12anh1hPsbAEj7WT1yX2020 AfmBOopPgJmriJFRr WCZXeWfdJmFbjh2OP38TQXSTYivEHw3LVbMyZe2020 AfmBOooryB4hQUvh oKudm8 OdfFCNvAutg9 chhUupFx6Oq22NxRZM AfmBOoqM6i4R7NzOmBoSPCVAc ehbZ1dF9cCNv1LPm46eb5pvRDq8yAD AfmBOoqriZVWVvchnwCZ De9Mo8SqlS7p7dqVLPmOUYD5UmvxWy0uqY AfmBOoqEzfopXv8afMYza1mRdf275tkJP8EGAGuVeSwPKnvT3LZuGKfb AfmBOorBIMI jZPUGmHePeR2g FSCiX6YRUExvu 6 jBcMzNmqqSsMwg AfmBOor0R6bSxJYo81dD lx0l0ea1Jj4jmCcf KZyHs jfLP0NalgrAi AfmBOoouDH9CYZsJy0woD7VTUwNg48mQNTG1jysv kISkuQHry8VMD4L AfmBOorMpO5c8TTrkPalknXn5LWjun xp8jpxwWk7m5961 aEjqAtxt9 AfmBOop MkVbWh2oC9GDx8xpiaL6tQZ h8ZG3UjWSCMeOxrgv5gXk3QZ AfmBOop89ZKKayzAu99VbJTgOm qqBovdFcJl4aiDp7SE8TAotOEP2yV AfmBOop6PSGTF0YKl173G9PAHtuskrgCI9Gaj8dkYqEg37jXc ZjyMsV AfmBOorqBupAVCB IE1Nn u nbgQT MOz sGlewbPcMZloRMN3IYQfLi AfmBOorPD9VWVWcoiQr4z lrdmi8sdBfB5FMdxv2Y TQHucDWFxocw NB AfmBOorD3dX4lcrFGzf4eszmz93doZRDFI 19ZyEkBAadZF7AUrh94Z0 AfmBOoosfkeurNxaBBICr7ffxnYo28lzNd64KerqXdl9sNF2MokJl5To AfmBOooUssaYke1lxPxb3rkbhuiKTyrwc2O6HEXb3DBZM9fM86 KEwx AfmBOoqgfhEzS6Ei1CGc1XKMF2KLZOvwyMO4irtCTojmNtjZzStcTOFR AfmBOorCCUSKlqpPiEN85k65Z bxviBGHI Uzl6pPki akhlzbhsshKe AfmBOoopLSTNpyH8W8YAo25rtrgOwWyh3BMvtDA3V0uWuEYnJhD0T4zv AfmBOofdZg6Q4itFt0cepr5zATz TL8TsB4hJP2G4IYV K0vy kHOSE AfmBOopBY1Gi0 LqRCxdfnJQ5i3XU32lpK9oHILqFipJRYXwwdCPix48 E4Jumper never E5 permanent E5 permanent If FiCoolBot or It Fi E7 itself E4 or The stopped The and The sensor E3 E4E2 other E5 permanent You and E7 set E7 itself E7 itself E5 permanent E3 is CoolBot See E3 E3 other E4 connection E9 had some wait E7 itself The cables at bottom of and It sit firm snug shouldn wiggle feel loose HEATER cable needs ATTENTION!Check Data E1 middle getting the E4 connection Then power cycle sec again means red tip the error to CoolBot You Check the Er communication rapidly if press arrow move Unplug If 3 Plug back EE 4 If has access Internet Then or E4 connection It the Ef Unplug Inspect cable EH Light EH Light 2020 1A2020 Kqwor66jyZB2020 AfmBOocR0g8cZfhvHR2jMvg3DAKCHyT9Z65p12anh1hPsbAEj7WT1yX2020 WCZXeWfdJmFbjh2OP38TQXSTYivEHw3LVbMyZe2020 chhUupFx6Oq22NxRZM2020 ehbZ1dF9cCNv1LPm46eb5pvRDq8yAD2020 De9Mo8SqlS7p7dqVLPmOUYD5UmvxWy0uqY2020 AfmBOoqEzfopXv8afMYza1mRdf275tkJP8EGAGuVeSwPKnvT3LZuGKfb2020 jBcMzNmqqSsMwg2020 jfLP0NalgrAi2020 kISkuQHry8VMD4L2020 aEjqAtxt92020 h8ZG3UjWSCMeOxrgv5gXk3QZ2020 qqBovdFcJl4aiDp7SE8TAotOEP2yV2020 ZjyMsV2020 sGlewbPcMZloRMN3IYQfLi2020 NB2020 19ZyEkBAadZF7AUrh94Z02020 AfmBOoosfkeurNxaBBICr7ffxnYo28lzNd64KerqXdl9sNF2MokJl5To2020 KEwx2020 AfmBOoqgfhEzS6Ei1CGc1XKMF2KLZOvwyMO4irtCTojmNtjZzStcTOFR2020 akhlzbhsshKe2020 AfmBOoopLSTNpyH8W8YAo25rtrgOwWyh3BMvtDA3V0uWuEYnJhD0T4zv2020 kHOSE2020 LqRCxdfnJQ5i3XU32lpK9oHILqFipJRYXwwdCPix482020 AfmBOopuk7CxCPC9ykMEn 7Ty eRagKgl7qAqZ ryxr H35ogfBLdXNPr2020 AfmBOopQJ5MW1OuPppJw5pLhgmXu Shv r5x5CoOGDoBpvJ91bl3Kbr2020 AfmBOordaozHzBWbe97NeF4yXsboB1YHdEgTlxoolfl3lb68lTW5nTW52020


all CoolBot models where the cables plug in at the bottom of the controller. CoolBot Pro, CoolBot Blue and CoolBot Red . ERROR PROBLEM WITH WHAT IT MEANS AND WHAT ||| ERROR CODES ON YOUR COOLBOT The following error codes Er, Ef and EH apply to all CoolBot models where the cables plug in at the bottom of the controller. CoolBot Pro, CoolBot Blue and CoolBot Red . ERROR PROBLEM WITH WHAT IT MEANS AND WHAT ||| ERROR CODES ON YOUR COOLBOT The following error codes Er, Ef and EH apply to all CoolBot models where the cables plug in at the bottom of the controller. CoolBot Pro, CoolBot Blue and CoolBot Red . ERROR PROBLEM WITH WHAT IT MEANS AND WHAT ERROR CODES ON YOUR COOLBOT The following error codes Er, Ef and EH apply to all CoolBot models where the cables plug in at the bottom of the controller. CoolBot Pro, CoolBot Blue and CoolBot Red . ERROR PROBLEM WITH WHAT IT MEANS AND WHAT TO DO Er Room Sensor A problem with the Room Cable o... lang:en score:41 filesize: 152.67 K page_count: 3 document date: 2020-01-21



[pdf] Installation Guide Guide Warranty

Untitled Freddy Remolina PRE PURCHASE SHIPPING WARRANTY INFORMATION GUIDE WIC Pre Purchase SW Info 2019 12A storeitcold 2020 01 ||| SUPPORT STOREITCOLD.COM 888-871-5723 PRE-PURCHASE SHIPPING WARRANTY INFORMATION GUIDE 2019 Stor ... delivered in ONE shipment which includes: 1. A Cooler Enclosure Walk-in box 2. An A/C unit 3. One CoolBot Pro Temperature Controller You will be provided with shipment information tracking and es...

lang:en score:39 filesize: 266.81 K page_count: 6 document date: 2020-01-21



[pdf] Installation Guide Guide

Freddy Remolina storeitcold 2020 03 Mini Split Installation Walk in Cooler Basement Using a Coolbot GreenBuildingAdvisor hacks the units to allow them go lower Revolutionary In Coolers The CoolBot by Store It Cold Guide Go Now How Can A Get HVACseer To Install Url staging1 Installing your C 2020Revolutionary CoolBotInstalling CInstalling CMini GuideWalk lowerAfter Jumper is mounted connect Pro and using provided Data Cable STEP 11 Turn Air Conditioner ON How HVACseerHow 2020Mini 2020storeitcold 2020staging1 srsItdid AfmBOoo4PIaVJKgINuFbNLAPuSFS95uBe4UG2HMdBD0h2vvgWseu8CP7storeitcold ||| Installing your CoolBot to a Mini-Split A/C COMPATIBLE MINI SPLIT BRANDS: LG, Mitsubishi, Fujitsu. * ... ns. 1 STORE IT COLD, LLC REV.2020-1A **COOLBOT PRO** users: Using Wi-Fi: Before you install the CoolBot Pro to your A/C please follow the instructions on page 1-2 of the CoolBot Pro Quick Set Up G... lang:en score:39 filesize: 2.24 M page_count: 24 document date: 2020-02-03




[pdf] User Manual Installation Guide

Freddy Remolina WALK IN COOLER MANUAL CoolBot One box with installation hardware and a Pro Temperature Controller 4 An outdoor package if you have an cooler WIC Manual 2020 8A storeitcold 08 WALLS CLEARANCE A minimum of 2 inches clearance between existing building walls walk in is necessaryOne coolerCoolBot 8ACoolBot 8Astoreitcold srsltid AfrmBOoqyYyG5OaiS4sDH5WJ hbfvTplloAb0lxPyDCmyL9CjZ gp3C8Wstoreitcold ||| SUPPORT STOREITCOLD.COM WALK-IN COOLER MANUAL 2020 Store It Cold, LLC. 1 Rev 2020-8A. All Right ... des: 1. A Cooler Enclosure walk-in box 2. An A/C unit 3. One box with installation hardware and a CoolBot Pro Temperature Controller 4. An outdoor package if you have an outdoor cooler You will be ... lang:en score:38 filesize: 3.23 M page_count: 38 document date: 2020-08-19



[pdf]

CoolBot Factory Reset cdn2 hubspot net hubfs 2434330 ||| CoolBot Pro CoolBot Factory Reset Not Applicable to 2G Model CoolBot with cables on top and side From the CoolBot Pro Controller 1. On the CoolBot, press the left arrow button until the Program light is solidly lit. You will see the firmware version on the display 7.8, 7.9, etc. . 2. Press the ... lang:en score:35 filesize: 371 K page_count: 3 document date: 0000-00-00



[pdf] Installation Guide

Mini Split Installation 2025 01 DownloadHow To Install Your CoolBot Temperature Controllerstoreitcold 2020 03 ||| Installing your CoolBot to a Mini-Split A/C COMPATIBLE MINI SPLIT BRANDS: LG except HSV models , Mi ... ns. 1 STORE IT COLD, LLC REV.2025-1A **COOLBOT PRO** users: Using Wi-Fi: Before you install the CoolBot Pro to your A/C please follow the instructions on page 1-2 of the CoolBot Pro Quick Set Up G... lang:en score:33 filesize: 45.63 M page_count: 35 document date: 2025-03-03



Installing your CoolBot to a Mini-Split A/C

COMPATIBLE MINI SPLIT BRANDS:
LG (except HSV models), Mitsubishi, Fujitsu, Goodman (Canadian 24K BTU model)
*Samsung and Daikin (only for uses over 45°F / 7°C).

INCOMPATIBLE BRANDS:
Panasonic, Fedders, Midea, Toshiba, Electrolux, or any other brand built with their compressors.

OTHER BRANDS:
We don't have enough feedback from other brands to fully recommend them. However, customers in other countries and the USA have tried other brands, "at their own risk" and have succeeded. Because our feedback on those brands is so limited, we would be happy to offer support during the installation but we cannot guarantee they will work. You will be taking a chance on any other brand that is not on the compatible list (and that is not on the incompatible list). As a general rule the simpler the A/C the better.
Please refer to our A/C selection chart at: <http://www.storeitcold.com/ac-selection> to check the compatibility status of your brand.

IMPORTANT!


Before installing your CoolBot to your Mini-Split, run your A/C unit on the COOL Mode with the Fan set on High Speed and set to the lowest temperature setting. It should be very easy for the A/C to achieve and maintain the lowest set temperature. Allow the A/C to run for at least 20min to make sure that it is installed correctly, that it is performing well, and that it has no errors on the digital display when running under these conditions.

[pdf] Installation Guide

Mini Split Installation 2022 1B docx Download How To Install Your CoolBot Temperature Controller storeitcold 2020 03 |||

Installing your CoolBot to a Mini-Split A/C COMPATIBLE MINI SPLIT BRANDS: LG except HSV models , Mi ... ns. 1 STORE IT COLD, LLC REV.2022-3A **COOLBOT PRO** users: Using Wi-Fi: Before you install the CoolBot Pro to your A/C please follow the instructions on page 1-2 of the CoolBot Pro Quick Set Up G...

lang:en score:33 filesize: 6.43 M page_count: 30 document date: 0000-00-00




[pdf] Guide

Freddy Remolina COOLER CONSTRUCTION GUIDE DIY 8x8 Cooler 2019 04 19 Rev A storeitcold 2020 01 Download the Guide Indoor Construction Store It Cold LLC |||

WWW.STOREITCOLD.COM SUPPORT STOREITCOLD.COM COOLER CONSTRUCTION GUIDE DIY 8 X 8 WALK-IN COOLER 20 ... oolBot offers turnkey commercial grade pre-fab coolers in many standard sizes which include the new CoolBot Pro and the A/C. For more information please visit us at:

<https://www.storeitcold.com/coolbo...>

lang:en score:33 filesize: 10.52 M page_count: 72 document date: 2019-04-24



[pdf] Guide

Freddy Remolina storeitcold 2020 03 DIY 8x8 Cooler 02A 1 comprehensive guide Curtis Reed s Content Page 4 CouesWhitetail Discussion forum The Only Hack Farmers Should Care About CoolBot Blog |||

WWW.STOREITCOLD.COM SUPPORT STOREITCOLD.COM COOLER CONSTRUCTION GUIDE DIY 8 X 8 WALK-IN COOLER 20 ... oolBot offers turnkey commercial grade pre-fab coolers in many standard sizes which include the new CoolBot Pro and the A/C. For more information please visit us at:

<https://www.storeitcold.com/coolbo...>

lang:en score:32 filesize: 10.66 M page_count: 72 document date: 2020-02-04



Display Problems or Unresponsive CoolBot

Not Applicable to 2G Model (CoolBot with cables on top and side)

If your CoolBot has one of the following symptoms when plugged in:

- NO numbers on the display
- Odd symbols on the Display
- NO lights at all
- Unresponsive buttons

NOTE: Er, Ef, and Eh, are errors which is a different problem. Please refer to the Er, Ef and Eh guides.



The first thing to do is to try a new POWER SUPPLY.

The power supply used by the CoolBot is a MINI USB power supply with OUTPUT of 5V and 1 Amp.

A temporary power supply can be available at local stores (commonly used for electronics and cell phones). If your CoolBot works normally after you install the new power supply, we highly recommend to order the original power supply from our website, as this was chosen for the controller to be the most appropriate among all other brands.

Order your Original Power Supply at: <https://www.storeitcold.com/product/new-style-power-supply/>

© 2018 ICA - Store It Cold, LLC

[pdf] Installation Guide

Display Problems or Unresponsive CoolBot cdn2 hubspot net hubfs 2434330 |||

Display Problems or Unresponsive CoolBot Not Applicable to 2G Model CoolBot with cables on top and side If your Coolbot has one of the following symptoms when plugged in: NO numbers on the display Odd symbols on the Display NO lights at all Unresponsive buttons NOTE: Er, Ef, and EH, are errors...

lang:en score:31 filesize: 3.13 M page_count: 6 document date: 0000-00-00

[pdf] Dimension Guide

CWIC66 spec sheet 2019 1A CoolBot The CoolBot Pro is a patented Wi Fi enabled temperature controller that enables users to create low cost walk in cooler using standard digitally v1 storeitcold 2020 01 CB WIC 6x6 Spec Sheet srsltid AfmBOOpfyNusyTbbvsnEX33Jc S601N05awCVI9My6DffQ7gC9FtxWyg

CoolBotCWIC66 digitally Power Auto Restart your last settings saved memory Simple User ENERGY STAR® Yes Dehumid Pts Hr 2 7 Dry Air Flow CFM 280 dBA Level Indoor v1storeitcold S601N05awCVI9My6DffQ7gC9FtxWygstoreitcold AfmBOooqxNwSouYFhISy

bcoryJ5huXd2qV8TmgMXU7 X23bjm2i3Z ||| ||| R 6 x 6 WALK-IN COOLER 6 Walls, Ceiling, and Floor

Panels are 4 thick. 6 24 38 A/C Opening 34 Door Cooler Nominal Dimensions shown - Contact us for Actual Dimensions OPTIONS Indoor or Outdoor With or w/out Floor Outdoor coolers must have a R 6 x 6 WALK-IN COOLER 6 Walls, Ceiling, and Floor Panels are 4 thick. 6 24 38 A/C Opening ... Galvanized Safety Release Mechanism Hydraulic 120 V, 0.8 Amp NSF Approved REFRIGERATION INCLUDED CoolBot Pro Digital Controller LG 10K BTU Window Air Conditioner ACCESORIES SHIPPED LOOSE NSF Viny...

lang:en score:30 filesize: 604.94 K page_count: 4 document date: 2020-01-21

Affordability, Convenience, Efficiency for all your Cold Storage needs!

Think Inside the Box

Save \$1,000s vs. traditional cooling systems and enjoy energy savings up to 42%
Perfect for: Agriculture, Brewing, Floral, Dairy, Hunting, Food Storage, Wine
Assembles in as little as 1 hour
Powered by the revolutionary CoolBot Pro and an LG window air conditioner

From off-the-shelf designs powered by revolutionary CoolBot Pro technology... Energy Efficient residential Cert. Lock panels for reliability both indoors & outdoors... 100% stainless steel interior and exterior... ULTEC and RCF certified panels come with a 10 year warranty and are easy to clean... Energy saving green compressor... CoolBot Pro panel is an award winner... CoolBot Pro offers advanced temperature controlling and alerts via CoolBot Pro App... Includes exterior temperature monitor, up-to-date led pwr. door closer... Over 15,000 CoolBots in use keeping produce refrigerated.

Get Connected - Stay Cool!™
www.storeitcold.com | cooler@storeitcold.com | (888) 871-5723

Affordability, Convenience, Efficiency for all your Cold Storage needs!

Think Inside the Box

Save \$1,000s vs. traditional cooling systems and enjoy energy savings up to 42%
Perfect for: Agriculture, Brewing, Floral, Dairy, Hunting, Food Storage, Wine
Assembles in as little as 1 hour
Powered by the revolutionary CoolBot Pro and an LG window air conditioner

From off-the-shelf designs powered by revolutionary CoolBot Pro technology... Energy Efficient residential Cert. Lock panels for reliability both indoors & outdoors... 100% stainless steel interior and exterior... ULTEC and RCF certified panels come with a 10 year warranty and are easy to clean... Energy saving green compressor... CoolBot Pro panel is an award winner... CoolBot Pro offers advanced temperature controlling and alerts via CoolBot Pro App... Includes exterior temperature monitor, up-to-date led pwr. door closer... Over 15,000 CoolBots in use keeping produce refrigerated.


Get Connected - Stay Cool!™
www.storeitcold.com | cooler@storeitcold.com | (888) 871-5723

[pdf] Dimension Guide

CWIC1014spec sheet 2019 1A The CoolBot by Store It Cold Go Design TECHNOLOGY THAT LL BLOW YOU AWAY Looking for some real cooling power How about 24 500 BTUs with a 9 8 Energy Efficiency Ratio This is our most Storeitcold CB WIC 10x14 Spec Sheet staging1 storeitcold 2020 01 |||

R 10 x 14 WALK-IN COOLER For 38F or above storage only 14 Walls, Ceiling, and Floor Panels are ... Galvanized Safety Release Mechanism Hydraulic 120 V, 0.8 Amp NSF Approved REFRIGERATION INCLUDED CoolBot Pro Digital Controller LG 24K BTU Window Air Conditioner ACCESORIES SHIPPED LOOSE NSF Viny...

lang:en score:28 filesize: 609 K page_count: 4 document date: 2020-01-21



[pdf] Installation Guide Guide

How to Build a Walk In Cooler for Your Small Farm DRAFT 1 25 23 docx cdn2 hubspot net hubfs 2434330 |||

Introduction For small farms, cold storage can mean the difference between profitability and not making all temperatures for storing common fruits and vegetables This DIY guide is for both the CoolBot and CoolBot Pro. For simplicity, we will just reference the CoolBot. How Much You'll Save with a CoolBot...

lang:en score:25 filesize: 2.98 M page_count: 22 document date: 0000-00-00



[pdf] Installation Guide Guide

How to Build a Walk In Cooler for Your Floral Business DRAFT 1 25 23 docx business cdn2 hubspot net hubfs 2434330 |||

Introduction For florists, cold storage can mean the difference between profitability and not being able to install your air conditioner How to install your CoolBot This DIY Guide is for both the CoolBot and CoolBot Pro. For simplicity, we will just reference the CoolBot. How Much You'll Save with a CoolBot...

lang:en score:25 filesize: 2.27 M page_count: 19 document date: 0000-00-00

[pdf]

Untitled Julia CB WIC 8x8 Spec Sheet 2021 1A f hubspotusercontent30 net hubfs 2434330 ||| R 8 x 8 WALK-IN COOLER 7 -11 Walls, Ceiling, and Floor Panels are 4 thick. 7 -11 26 12 A/C ... Vapor Proof Light Globe Digital LED Thermometer with Pilot Light Switch REFRIGERATION INCLUDED CoolBot Pro Digital Controller /*. 78:LQGRZ LU RQGLWLRQHU ACCESORIES SHIPPED LOOSE NSF Vinyl Floor...

lang:en score:24 filesize: 513.04 K page_count: 4 document date: 2021-12-29

COMMON USES		REQUIREMENTS	
<ul style="list-style-type: none"> • A CoolBot Pro • 2 wires insulated with rigid foam to a value of R2+ • A compatible digitally controlled window or Mini Split AC unit • An available Wi-Fi Network and Internet Connection (during Wi-Fi and App Features) 	<ul style="list-style-type: none"> • Temperature Range: 32°F - 60°F • Wi-Fi Router: Not included - Jumper • Remote Temperature Monitoring (via App) • Settings Adjustment via App • User designated Temperature Ranges for Alerts and Notifications (via App) • Critical Alerts via SMS and e-mail (on mobile device or PC via App) • Temperature Log Graphic (via App) 		


TECHNICAL DATA	
CONNECTIONS / SENSORS AND CABLES	DIMENSIONS
2-Wire Temperature Sensor Cables (Black)	Control (LAWO)
2-Wire Heater Cable (Red / Jet)	Jumper (JAWO)
2-Wire Data Transfer Cable (Grey / Silver)	Sensor Cables and Hoses (S)
Mini USB / RJ-45 Local Power Supply	Data Cable (LAWO)
	Net Weight
	Shipping Weight
ELECTRICAL RATINGS	WARRANTY
Input Voltage: 100-240 VAC	Standard
Output Voltage: 120V	Extended (Custom Form required)
Output Amps: 1 Amp	
MATERIALS / FINISH	UPC CODE
Case: Plastic	000000
Color: Dark Blue	001 Number: CC-SHOW-MK011

[pdf] Catalog

CB Pro Spec Sheet 2018 7 17 06ed2a3f 87b1 4e2e a57b 48546c1c4b27 images homedepot static catalog Images 06

WI-FI ENABLED DIGITAL TEMPERATURE CONTROLLER GET CONNECTED - STAY COOL™ StoreItCold.com Patented ... HEATER CABLE RED TIP DATA CABLE Wi-Fi Data StoreItCold.com To CoolBot DATA CABLE FEATURES The CoolBot Pro is a patented Wi-Fi enabled temperature controller that enables users to create a low-co...

lang:en score:24 filesize: 805.23 K page_count: 1 document date: 2018-07-18



[pdf]

CB Pro Spec Sheet 2018 7 4 digital temperature controller get connected stay cool common uses requirements features technical data connections sensors and cables electrical ratings PRO 2020 1A UL staging1 storeitcold 02 |||

WI-FI ENABLED DIGITAL TEMPERATURE CONTROLLER GET CONNECTED - STAY COOL™ StoreItCold.com Patented ... HEATER CABLE RED TIP DATA CABLE Wi-Fi Data StoreItCold.com To CoolBot DATA CABLE FEATURES The CoolBot Pro is a patented Wi-Fi enabled temperature controller that enables users to create a low-co...

lang:en score:24 filesize: 173.37 K page_count: 1 document date: 2020-02-20



[pdf]

Untitled Julia CB WIC 8x12 Spec Sheet 2021 1A f hubspotusercontent30 net hubfs 2434330 ||| R 8 x 12 WALK-IN COOLER 11 -9 Walls, Ceiling, and Floor Panels are 4 thick. 7 -11 26 12 A/ ... Vapor Proof Light Globe Digital LED Thermometer with Pilot Light Switch REFRIGERATION INCLUDED CoolBot Pro Digital Controller LG 24K BTU Window Air Conditioner ACCESORIES SHIPPED LOOSE NSF Viny...

lang:en score:24 filesize: 514.51 K page_count: 4 document date: 2021-12-29



[pdf]

Untitled Julia CB WIC 10x20 Spec Sheet 2021 1A f hubspotusercontent30 net hubfs 2434330 ||| R 10 x 20 WALK-IN COOLER OPTIONS 19 5 26 12 A/C Opening Walls, Ceiling, and Floor Panels ... Vapor Proof Light Globe Digital LED Thermometer with Pilot Light Switch REFRIGERATION INCLUDED CoolBot Pro Digital Controller x 2 LG 24K BTU Window Air Conditioner x 2 ACCESORIES SHIPPED LOOSE ...

lang:en score:24 filesize: 520.43 K page_count: 4 document date: 2021-12-29



[pdf]

Untitled Julia CB WIC 6x6 Spec Sheet 2021 1A f hubspotusercontent30 net hubfs 2434330 |||
 R 6 x 6 WALK-IN COOLER 6 Walls, Ceiling, and Floor Panels are 4 thick. 6 24 38 A/C
 Opening ... Vapor Proof Light Globe Digital LED Thermometer with Pilot Light Switch
 REFRIGERATION INCLUDED CoolBot Pro Digital Controller LG 10K BTU Window
 Air Conditioner ACCESORIES SHIPPED LOOSE NSF Viny...
 lang:en score:24 filesize: 506.46 K page_count: 4 document date: 2021-12-29



[pdf]

Untitled Julia CB WIC 10x14 Spec Sheet 2021 1A f hubspotusercontent30 net hubfs 2434330 |||
 R 10 x 14 WALK-IN COOLER 13 -8 Walls, Ceiling, and Floor Panels are 4 thick. 9 -10
 26 12 A ... Vapor Proof Light Globe Digital LED Thermometer with Pilot Light Switch
 REFRIGERATION INCLUDED CoolBot Pro Digital Controller LG 24K BTU Window
 Air Conditioner ACCESORIES SHIPPED LOOSE NSF Viny...
 lang:en score:24 filesize: 515.03 K page_count: 4 document date: 2021-12-29



[pdf] Dimension Guide

CWIC66 spec sheet 2019 1A CB WIC 6x6 Spec Sheet storeitcold 2020 01 |||
 R 6 x 6 WALK-IN COOLER 6 Walls, Ceiling, and Floor Panels are 4 thick. 6 24 38 A/C
 Opening ... Galvanized Safety Release Mechanism Hydraulic 120 V, 0.8 Amp NSF
 Approved REFRIGERATION INCLUDED CoolBot Pro Digital Controller LG 10K BTU
 Window Air Conditioner ACCESORIES SHIPPED LOOSE NSF Viny...
 lang:en score:24 filesize: 604.94 K page_count: 4 document date: 2020-01-21

Item	Description	Model	Unit Price	Qty	Total Price	Notes
1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65
66
67
68
69
70
71
72
73
74
75
76
77
78
79
80
81
82
83
84
85
86
87
88
89
90
91
92
93
94
95
96
97
98
99
100

[pdf] Catalog

Brian Murphy Generation 7 WiFi Walk In Cooler Controller with Air Conditioner Control from 59F to 34F
 Project Ideas CoolBot CB G7 860000716215 0860000716215 1003956260 41623be3 766f 4db8 87a1
 cec72725a550 images thdstatic catalog Images 41 |||

Store It Cold Walk-In Cooler Shed Home Depot Shopping List Updated: 9/13/2017
 GRAND TOTAL: 3,3954 Qty Description Appliances CoolBot Pro 1 Generation 7
 Walk-In Cooler Controller with Air Conditioner Control from 59F to 34F 1 15,000 BTU
 115-Volt Window Air Conditioner with Remote and ENERGY S...

lang:en score:23 filesize: 163.08 K page_count: 2 document date: 2018-11-30

[pdf]

CB Pro Spec Sheet 2018 7 4 ViewCoolBot with WiFi Farmers FriendCoolbot 4cdn sanity io files 0yukpvl
 production 3cf28207df67614c1af194bdd851194c21542926 |||

WI-FI ENABLED DIGITAL TEMPERATURE CONTROLLER GET CONNECTED -
 STAY COOL StoreItCold.com Patented R ... RED TIP DATA CABLE Wi-Fi Data
 StoreItCold.com To CoolBot DATA CABLE COMMON USES REQUIREMENTS A
 CoolBot Pro A room insulated with Rigid Foam to a value of R25 A compatible
 Digitally-Controlled Win...

lang:en score:22 filesize: 195.93 K page_count: 1 document date: 2018-11-28

[pdf] User Manual

1 2 AC2729 Philips Read this user manual carefully before you use the appliance and Rev 2019 1A Store
 It CoolBot Pro Quick Start Set U In case have to clean air quality sensor or one of speed settings · Do not
 take NanoCloud rotary humidification wick off wheel Cleaning pre filter Descaling again consult section
 Reset Wi Fi connection on page 8 11 set 2021 — 44314778 ac2729 50 dfu bul D1fzwcwSWzS pol
 1167203 media flixcar f360cdn images eu ssl amazon l p4c philips files a m euro pl product 35156808777
 2019 Koninklijke Philips N.V. All rights reserved. 4241 211 00092 AC2729 1 A B C D
 EN User manual 1 PL Instrukcja obsługi 90 BG 22 RO Manual de utilizare 113 CZ
 Prucka pro uzivatele 46 SK Prrucka uzvatea 135 HU Felhasznli kziknyv 68 UK 157 M
 L K J I H G E F 2 Control buttons ...

lang:en score:11 filesize: 12.27 M page_count: 182 document date: 2019-01-29





[\[pdf\]](#) User Manual Catalog

2021 CATALOG An Employee Owned Company Serving Manual Leek Planter 7969 MONO RIDGER Use the Mono Ridger for hilling your leeks See page 220 Page 86 84 1 877 564 6697 Johnnyseeds Vegetables online catalog johnnyseeds on demandware static Library Sites JSSSharedLibrary default dw8d1b063e assets information

Johnny s Selected Seeds 2021 Johnnyseeds.com An Employee-Owned Company Serving Growers Since 1973 ... **Coolbot Pro M** Trusted by farmers, florists, hunters, and brewers to keep products cool and fresh. CoolBot Pro WiFi-enabled model includes a downloadable app to monitor and control temperatures from ... lang:en score:10 filesize: 51.95 M page_count: 248 document date: 2020-10-20