



Manuals.plus /

› CHUNGHOP /

› CHUNGHOP K-1028E Universal A/C Remote Control Instruction Manual

CHUNGHOP K-1028

CHUNGHOP K-1028E Universal A/C Remote Control Instruction Manual

Model: K-1028

INTRODUCTION

This manual provides comprehensive instructions for setting up, operating, and maintaining your CHUNGHOP K-1028E Universal A/C Remote Control. Designed for broad compatibility, this remote simplifies control of various air conditioning units. Please read this manual thoroughly to ensure proper use and to maximize the functionality of your remote control.



Image: The CHUNGHOP K-1028E Universal A/C Remote Control, showing its front with LCD screen and buttons, a side profile, and the back with the battery compartment and manual input code instructions.

COMPATIBILITY

The K-1028E universal A/C remote control is designed to work with 99% of air conditioner brands on the market, including LG, Gree, Midea, Toshiba, Haier, Daikin, Hitachi, Sharp, Panasonic, Samsung, Sanyo, Hisense, Fujitsu, and many more. It is compatible with most common wall-mounted and cabinet-type air conditioners.

Universal remote control

K-1028E is compatible with most of common Wall mounted type, Cabinet type air conditioner brands in the market. Please refer to the applicable brand and code list through figure 3.



Image: A hand holding the K-1028E remote control, pointing it towards a wall-mounted air conditioner unit, illustrating its universal compatibility with common AC types.

Important Note:

This remote control is **NOT** suitable for WINDOW or PORTABLE air conditioners. Please refer to the images below for examples of incompatible units.

Easy to Use

Upgraded Smart Chip
4 setting methods for selection, Easy to program



Signal Stabilization



Keystroke Sensitivity



Ergonomics Design



Image: Visual representation of air conditioner types that are not compatible with the K-1028E remote, specifically window and portable units. For a detailed list of applicable brands and their corresponding codes, please refer to the code table provided with your product or the image below.

Applicable brand and code list

Please check if the air conditioning brands listed below include your air conditioning. If not, our remote control is not suitable for your device.

ACSON	980	GFORCE	063,064,846	RICAI	394	CONROWA	337-341	LENNOX	000,020-039	TASAKI	000,020-039,775-779
ADC	861	GMCC	090,807,906	RIELLO	646	CONSUL	993	LENOIR	080-099,120-149,230-239	TATUNG	037,158,242,243,664,666,667
AERMEC	000,020-039,600-609,720-739	GOLDSTAR	132,195,303,332,699,838	RUJANG	395-397	COOLAIR	000,020-039,247,255,256,263,265,266,269,180-199,280,284,287,600-609,500-550,860,760-769	LG	600-609	TCL	120-133,088,108,110,162,497,556-558,598
AICSON	040-059	GOODWEATHER	827	ROADSTAR	140-159		661	LIANGYU	780-789	TEAC	850-859,805
AIDELONG	293-295	GREE	000,020-039,247,255,256,263,265,266,269,775-779	ROWA	383-385,038,101,811,928	CORONA	600-609	LIKEAIR	386-387	TECNO MASTERS	551-599
AIRTEK	000,020-039,180-199,230-239,500-550,860,900,926,962	GUANGDA	345-346	SABRO	161,197,240,235,866	CROWN	661	LILYTECH	918	TECO	015,046,057,180,184,831-834,914,035,608
AIRWELL	296-297	GUANYUAN	997	SACON	414	DAEWOO	332-333	LITTLESWAN	453,913,927	TIANJIN	425-430
AKIRA	796-797	GUOJIAO	344	SAJODENKI	390,812,813,816	DAIKIN	740-759	LONGHE	861	TIANJINKONGTIAO	424
ALPIN	989-991,998	HAIER	001-019,908	SAMSUNG	610-629,202,361,914	DAITSU	000-059,230-239,600-609	LOREN-SEBO	980,990,194,801-803	TOBO	250-268,915
AMCOR	501,508,509,532,973,978,979	HEILTON	863	SANYO	500-550,840,841,860,861,917,973,978,916,920,924,943,946	DAJINXING	329-330	MAKATOMY	080-099	TOBOLI	425-430
AMICO	982	HEMILTON	095	SANZUAN	190	DAKE	821-824	MARIANI CLIMA	001-019,600-609	TONGLI	630-639
AMSTRAD	001-019,140-149,775-779	HERMANN	001-019,040,059,080-099	SAPORO	861	DAOTIAN	690-699,890-899,979	MASTER CLIMA	000-039,039,247,255,256,263,265,266,269,230-239,085,320,646,650,913,927	TOSHIBA	548
APTON	862	HICON	391-392	SAST	450-452	DELCHI	469,900,822,960,968,984	MAXA	780-795,151,698,774,937,952	TOYO	825-828
ARCO AIR	140-149	HISENSE	230-239,065,320,646,650,913,927	SAUNIER DUVAL	001-019,908,040-058,289,298-302,080-099,245	DELONGHI	044,090,092,095	MCQUAY	002,060,310,596,939	TRANE	551-599,812-816,922
ARGO	000,020-039,230-239,282	HITACHI	640-659,320	SCHNEIDER	000,020-039,247,255,256,263,265,266,269,040-058,289,298-302,120-133,088,108,110,162,497,556-558,598	DIY	002,060,310,596,939	MEILING	388-391	UNI-AIR	368,369,009,836
ARISTON	000,020-039,040-059,230-239	HOKKAIDO	347	SEKOM	040-058,289,298-302,120-133,088,108,110,162,497,556-558,598	DOCTOR	334-335	MI	321,322,324	UNICAL	000,020-059
ARTEL	000,020-039,247,255,256,263,265,266,269,040-058,289,298-302,140-149	HONGYI	400-059,080-099	SENSOR	860	DONGXIA	334-335	MICOM	035	UTTLEDUCK	454-456,909
ASHITA	000,020-039	HUABAO	100-109,348,819,980	SERENE	499	DONGXINBAO	260-268	MIDEA	040-058,289,298-302	VAILLANT	000-059,140-149,080-099
ASR	210-229,933,967	HUAGAO	348	SHANGJING	400	DONGYANG	357,360	MIDEA	041	VIDEOCON	597,627,628,629,884
AUCMA	040-059	HUAIKE	349-350,690	SHANGXING	401-402	HUIFENG	336	MINGXING	290	VKB	180
AURORA	180-199,280-284,287,600-609	HUALING	150-169,045,086,917,351-352,225,229,482,656,698,818	SHANYE	862	ECO AIR	000,020-039	MITSUBISHI	551-599,827,909	VOLTAS	056,057,549,598,609,627,628,629
AUX	001-019	HUAMEI	281	SHANGSHANG	400	ECOFLAMCLIMA	546	MITSUKA	904	VORTIS	080,099,120-139,230-239
AZUKI	600-609	HUANGHE	353	SHANXING	402-409,080,088,245	EKOKAI	000,020-039	NATIONAL	902,910	WANBAO	431-433
BALTUR	000-059,180-199,882,080-099,120-149,230-239	HUANGWEI	281	SHANYE	862	ELBA	439	NEC	500-550,860,943,946	WANGZI	861
BEIJINGJINGDIAN	304	HUIFENG	354-357,360	SHARP	720-739,112,240,249,257,258,264,267,404,841,917,919	ELCO	982	NIKKO	810-811	WEILI	434-443,553-576
BEKO	000-059,180-199,882,080-099,120-149,230-239	HUIKANG	088,592,623,624,951	SHENBAO	410-411	ELDLONG	290-295,861	NISO	398-399,497	WEITELI	444
BENT	331	HYUNDAI	780-789,171,174	SHENGFAENG	412,413	ELECTER	981-986	NORCA	994	WHIRLPOOL	000,020-059,080-099,119,550-599,770-774,789
BIG-THUMB	057,550,887	INVCIN	475-483,826,858,859,910,923	SHENGLI	412,413	ELECTROLUX	000,020-039,180-199,230-239,500	NOTRIZ	858,923,963	WINIA	246,248
BLUE STAR	305-306,630	JDC	227,244,653,820,967	SHENGLI	412,413	ELECTROLUX	020-039,250,471-474,807,808,906,950	OGENERAL	659,717,718,719	WUFENG	445-446
BOERKA	307	JIALE	358	SHINCO	200-209,006,012,151,378	EMAILAIR	000,020-039,180-199,500-550,860	OLIMPIA	110-119,180-189,230-239,924	XILENG	448-449
BORLER	310	JIANGNAN	359	SHINELCO	180-189	FANAI	000,020-039	OLYMPIUS	995-996	XINGHE	462-463
BOSHI	308-309	JINBEIJING	361-362	SHINING	415	FANTINI COSMI	000,020-039	OPAL	997	XINHUABAO	290
BOSHIGAO	290	JINDA	401-402	SHUAIKANG	117,213	FEDDERS	878,929,938,939,964	ORIEME	124-129,134-149,936-960	XINLE	457-460
BOYIN	080-099	JINSHONG	363,365,270,370	SHUANGLI	416-418,786,797,946,948	FEIEDRICH	879	PANASONIC	660-689,122,902,970	XIONGLI	461
BREEZE	311	JJUSTAR	360	SIGMA	447	FEIGE	829-830,821	PANDA	464-466	XIONGGDI	862
CAXING	040-059,599,690-699,890-899	JOHNSON	282,681,976	SKYWORTH	325,326,877	FEILU	240-246,248,249,413	PEREG	998	YAIR	013-015,044,467-471
CARRIER	908	JUHUA	969	SOGO	291	FER-FERRROLIT/	000-059,133,230-239,901	PHILO	001,108,110,907	YADOMA	470,977
CHANGFENG	835-838,874,907	KANGLI	368-370	SONGGE	226,868,925	FERRROLIT	864	PILOT	902	YIDONG	499
CHANGFU	059-079,304-311,319,354,947	KELONG	110-119,230-239,914	SONGLINXIA	862	FIRST	270-279,944,945	PINSHANG	290	YONGXIN	918
CHANGHONG	312-320	KELVINATOR	000,020-039,247,255,256,263,265,266,269,180-199,280,284,287,600-609,660-689,122,902,970	SONGXING	419	FRESTECH	120-149	PROTECNO	230-239,065,320,646,650,913,927	YORK	775-779
CHANGLING	080-099,245	KENDO	001-019,908,040-058,289,298-302,080-099,245,551-599,827,909	SOVA	101,102,292,420,811,980	FUJITECH	000,020-039	PROTON	018,082,086,140,766,940	YUETU	881-882,949
CHIGO	327,328	KENWOOD	110-119,230-239,914	SOYEA	421-422	FUJITSU	257,700-719	PUIYI	812	YUTU	484-490
CHUANHUA	861	KLIMATAIR	797,798,799,800	SPEED	987	FUNAI	246,248,258,267	QIXING	393	ZENITH	040-058,289,298-302,080-099,245
CHUANYAN	170-179	KOMEKO	040-059,080-099,140-149	SPLENDID	824	FUNKI	992	RASONIC	970	ZEPHIR	108,080-099,120-139,230-239
CLIMAVENENTA	000-039,247,255,256,263,265,266,269,120-149,900	KONKA	366-367	SRTC	423	GALANZ	124-129,134-149,936-940	RAYBO	371-383	ZHONGYI	493-494
COLROLLA	861	KRIS	804,805	STARIGHT-AIRCON	880	GE	000,020-039,247,255,256,263,265,266,269,040-058,289,298-302,342,343	RESTPOINT	090	ZUODAN	495
COMBINE	994	KTY001	285	SUMMER	859,910,980	GEER	288,700-719,966	REX	040-058,289,298-302,020-039,250,471-474,807,808,906,950	OTHER	496,498,821-828,839-849,865-876,905-976,999
COMFEE	040-058,289,298-302	KTY002	286	SUNBURG	817-820,235	GENERAL(GE)	288,700-719,966	RHEEM	080-099,245		
		KTY004	288	SUNDRING	260,268,804			RHOSS	547,903		
		LAMBORGHINI	000,020-039,247,255,256,263,265,266,269	SWAN	439,866,913,914						
		LEADER	921,971,973,994	TADAIRAN	018,501,508,509,532,630,969,978,979,991						
				TAIYA	862						

Image: The "Applicable brand and code list" table, essential for manual code input during setup.

FEATURES

The CHUNGHOP K-1028E remote control is equipped with several features designed for convenience and enhanced user experience:

- **Broad Compatibility:** Works with 99% of major air conditioner brands.
- **Clock and Timer Functions:** Includes a clock display and timer functions (Timer On/Off) for scheduled operation.
- **Fast Cooling and Heating:** Dedicated buttons for quick temperature adjustments.
- **LED Light:** A built-in LED light for easy operation in dark environments.
- **Large LCD Screen:** Clear and easy-to-read display for settings and status.
- **Multiple Pairing Methods:** Offers four convenient methods for pairing with your AC unit.
- **Long-Distance Control:** Operable from more than 8 meters away.

NOT Fit for WINDOW/PORTABLE Air Conditioner

K-1028E Universal Air Condition Only Fit for Wall mounted type, Cabinet type air conditioner, NOT fit for all brand WINDOW / PORTABLE air conditioner or other integrated air conditioning units. If you are not sure about your air conditioning type, you can refer to the following picture.

NOT Suitable for WINDOW Air Conditioner



NOT Suitable for PORTABLE Air Conditioner



Image: The remote control highlighting its user-friendly design and smart chip features.



Fast Cool Function



Fast Heat Function



Time On/Off Functions



Built-in LED Light



Clock Function

Long-Distance Control

Operable distance: more than 8 metres



Image: The remote control demonstrating its long-distance operability.

SETUP

The CHUNGHOP K-1028E remote control is typically in a default mode that works directly with most Gree and Midea air conditioners. If it does not work immediately with your device, please follow one of the four pairing methods below.

Your browser does not support the video tag.

Video: An official CHUNGHOP video demonstrating the unboxing, battery installation, and basic setup of the K-1028E Universal Air Conditioner Remote.

A. Brand Point-to-Point Fast Searching

1. Switch on the power of the air conditioner manually. Align the remote control with the receiving window of the air conditioner.
2. Long press the **CODE** button until the air conditioner begins to automatically run with a "tick" sound. Then, release the button. The setup is complete.

B. Searching the Code Manually

1. Switch on the power of the air conditioner manually. Align the remote control with the receiving window of the air conditioner.
2. Press and hold the **"SET"** button for about 3 seconds until the type code is flickering in the window. Then press the **"TEMP+"** button one time.
3. Check the status of your air conditioner. When the air conditioner starts automatically, press the **"OK"** button to finish the searching.

C. Input the Code Manually

1. Switch on the power of the air conditioner manually. Find the type of your air conditioner and its first code from the provided code table (e.g., HAIER).
2. Press and hold the **"SET"** button for about 3 seconds until the type code is flickering in the window. Then press the **"TEMP+"** button until the code you need is on the window and flickering. The air conditioner will start up if the code is correct.
3. Press the **"OK"** button, and the type code will stop flickering.
4. Check the function of all buttons on the remote control to ensure there are no issues. If all functions work correctly, the setup is complete. If not, repeat steps 2-3.





Image: Visual guide for the two primary setup methods: Brand Point-to-Point Fast Searching and Manual Code Input.

OPERATING INSTRUCTIONS

Once your remote control is successfully paired with your air conditioner, you can use the following buttons for various functions:

- **ON/OFF Button:** Press to turn the air conditioner on or off.

- **MODE Button:** Cycles through different operating modes (e.g., Cool, Heat, Fan, Dry, Auto).
- **TEMP ▲/▼ Buttons:** Adjusts the temperature setting up or down.
- **WIND Button:** Adjusts the fan speed (e.g., Low, Medium, High, Auto).
- **M.SWING / A.SWING Buttons:** Controls the horizontal and vertical swing of the air conditioner's louvers.
- **TIME ON / TIME OFF Buttons:** Sets a specific time for the air conditioner to turn on or off automatically. (Note: Your original air conditioner must support timer functions for this feature to work.)
- **F.Cool Button:** Activates the fast cooling function.
- **F.Heat Button:** Activates the fast heating function.
- **LIGHT Button:** Turns on or off the built-in LED light on the remote control.
- **CLOCK Button:** Used to set the current time on the remote's display.
- **SET Button:** Used for entering programming mode during setup.
- **OK Button:** Confirms selections or exits programming mode.

MAINTENANCE

To ensure the longevity and optimal performance of your CHUNGHOP K-1028E Universal A/C Remote Control, follow these maintenance guidelines:

- **Battery Replacement:**

The remote requires 2 AA batteries. When the display dims or the remote becomes unresponsive, it's time to replace the batteries. Open the battery compartment cover on the back of the remote, remove the old batteries, and insert new ones, ensuring correct polarity (+/-). Close the cover securely.



Image: Instructions for inserting batteries into the remote control.

- **Cleaning:**

Wipe the remote control regularly with a soft, dry cloth. Do not use liquid cleaners, abrasive cleaners, or chemical solvents, as these can damage the remote's surface or internal components.

- **Storage:**

If the remote control will not be used for an extended period, remove the batteries to prevent leakage and corrosion.

- **Avoid Extreme Conditions:**

Keep the remote away from direct sunlight, high temperatures, high humidity, and strong magnetic fields.

TROUBLESHOOTING

If you encounter issues with your CHUNGHOP K-1028E Universal A/C Remote Control, please refer to the following common problems and their solutions:

Problem	Possible Cause	Solution
Remote does not respond.	Low or dead batteries; incorrect battery polarity; remote not aimed at AC unit.	Replace batteries, ensuring correct polarity. Aim the remote directly at the AC unit's receiver.
AC unit does not respond after setup.	Incorrect code programmed; AC unit is not compatible.	Try another pairing method (Brand Search, Manual Search, Manual Input). Verify your AC unit is a wall-mounted or cabinet type, not window or portable. Consult the code list for your brand.
Some functions (e.g., Timer) do not work.	Your specific AC unit may not support that function.	Confirm if your original AC unit remote or manual indicates support for the desired function. The universal remote can only control functions supported by your AC.
Display is dim or flickering.	Low battery power.	Replace the batteries.
Remote range is reduced.	Low battery power; obstruction between remote and AC unit.	Replace batteries. Ensure a clear line of sight between the remote and the AC unit.

SPECIFICATIONS

Feature	Detail
Model Number	K-1028
Brand	CHUNGHOP
Compatible Devices	Air Conditioner (Wall-mounted, Cabinet type)
Max Number of Supported Devices	1 (Universal for multiple brands)
Power Source	2 AA batteries (not included)
Color	White
Special Feature	Ergonomic design, Built-in LED light
Item Weight	2.57 ounces
Package Dimensions	8.15 x 3.46 x 0.94 inches
Country of Origin	China




Image: Dimensions of the K-1028E remote control.

WARRANTY AND SUPPORT

Specific warranty information and detailed support contacts are not provided within this instruction manual. For warranty claims, technical support, or further assistance, please refer to the product packaging, the seller's information on the purchase platform, or visit the official CHUNGHOP website.

You can visit the CHUNGHOP Store on Amazon for more information and contact options.