

## Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

[manuals.plus](#) /

› [comiso](#) /

› [comiso X26 Bluetooth Speaker User Manual](#)

## comiso X26

# comiso X26 Bluetooth Speaker User Manual

Model: X26

## 1. INTRODUCTION

This manual provides detailed instructions for the safe and effective use of your comiso X26 Bluetooth Speaker. Please read this manual thoroughly before operating the device and retain it for future reference. The comiso X26 is a portable, waterproof Bluetooth speaker designed to deliver 360° HD surround sound with enhanced bass, offering wireless dual pairing and extended playtime for various indoor and outdoor environments.



Image 1.1: Comiso X26 Bluetooth Speaker (White)

## 2. PRODUCT OVERVIEW

### 2.1 Key Features

- **360° HD Surround Sound:** Equipped with two precision acoustic drivers and a passive bass radiator for rich, full-bodied audio.
- **IPX4 Waterproof:** Splashproof, dustproof, and sandproof design suitable for various environments.

- **True Wireless Stereo (TWS) Pairing:** Connect two X26 speakers for a synchronized, enhanced stereo sound experience.
- **Extended Playtime:** Up to 24 hours of continuous music playback on a full charge (at medium volume).
- **Ultra-Portable Design:** Compact and lightweight, designed for easy carrying.
- **Built-in Microphone:** Supports hands-free calling.
- **Wireless Capability:** Bluetooth 5.0 with a range of up to 10 meters (33 feet).

## 2.2 Speaker Components and Controls



Image 2.1: Comiso X26 Speaker Controls and Ports Diagram

1. **Power ON/OFF Button:** Press and hold to power on or off.
2. **Play/Pause Button:** Press to play or pause audio.
3. **Volume Down / Previous Track Button:** Press to decrease volume; press and hold for previous track.
4. **TWS Pairing Button:** Press to initiate True Wireless Stereo pairing.
5. **Volume Up / Next Track Button:** Press to increase volume; press and hold for next track.
6. **Indicator Light:** Displays power, charging, and Bluetooth status.
7. **Microphone (Mic):** For hands-free calls.

8. **Charging Port:** Micro USB input for charging.

9. **Reset Button:** Small pinhole for factory reset.

## 3. SETUP

### 3.1 Initial Charging

Before first use, fully charge the speaker. Connect the provided Micro USB cable to the charging port on the speaker and the other end to a USB power adapter (not included) or a computer's USB port. The indicator light will show charging status. A full charge typically takes approximately 6 hours.

### 3.2 Powering On/Off

- **To Power On:** Press and hold the Power ON/OFF button for approximately 3 seconds until the indicator light illuminates and you hear an audible prompt.
- **To Power Off:** Press and hold the Power ON/OFF button for approximately 3 seconds until the indicator light turns off and you hear an audible prompt.

## 4. OPERATING INSTRUCTIONS

### 4.1 Bluetooth Pairing

1. Ensure the speaker is powered on and in pairing mode (the indicator light will flash).
2. On your device (smartphone, tablet, etc.), enable Bluetooth and search for available devices.
3. Select "COMISO X26" from the list of devices.
4. Once connected, the indicator light will become solid, and you will hear a confirmation sound.




Image 4.1: Bluetooth 5.0 Connectivity

## 4.2 True Wireless Stereo (TWS) Pairing

To achieve a stereo sound experience with two comiso X26 speakers:

1. Ensure both X26 speakers are powered on and not connected to any other Bluetooth device.
2. On one speaker (this will be the master speaker), press the TWS Pairing button. The indicator light will flash rapidly.
3. The two speakers will automatically connect to each other. Once connected, you will hear a confirmation sound, and the indicator light on the master speaker will flash slowly, while the other speaker's light will be solid.
4. Now, connect your device to the master speaker via Bluetooth as described in Section 4.1.



Image 4.2: Two Comiso X26 Speakers in TWS Pairing Mode

#### 4.3 Audio Playback

- **Play/Pause:** Press the Play/Pause button.
- **Volume Up/Down:** Press the Volume Up (+) or Volume Down (-) buttons.
- **Next Track:** Press and hold the Volume Up (+) button.
- **Previous Track:** Press and hold the Volume Down (-) button.

#### 4.4 Hands-Free Calling

When connected to your smartphone via Bluetooth, the built-in microphone allows for hands-free calls.

- **Answer Call:** Press the Play/Pause button once.
- **End Call:** Press the Play/Pause button once during a call.
- **Reject Call:** Press and hold the Play/Pause button.

# PORTABLE & ULTRA COMPACT & HANDS-FREE CALL



Image 4.3: Hands-Free Calling Feature

## 5. MAINTENANCE

### 5.1 Cleaning

The comiso X26 speaker is IPX4 waterproof, meaning it is resistant to splashing water from any direction. To clean the speaker, gently wipe it with a soft, damp cloth. Do not use harsh chemicals or abrasive cleaners. Ensure the charging port cover is securely closed before exposing the speaker to water.

# IPX4 WATERPROOF WEATHERPROOF SPLASHPROOF RAINPROOF



Image 5.1: IPX4 Waterproof Feature

## 5.2 Battery Care

- Avoid fully discharging the battery frequently.
- Charge the speaker regularly, even if not in use, to maintain battery health.
- Store the speaker in a cool, dry place when not in use for extended periods.

## 6. TROUBLESHOOTING

Problem	Possible Cause	Solution
Speaker does not power on.	Low battery.	Charge the speaker fully.
Cannot pair via Bluetooth.	Speaker not in pairing mode; device Bluetooth off; too far from speaker.	Ensure speaker is in pairing mode (flashing indicator light). Turn on Bluetooth on your device. Move device closer to speaker (within 10m).

Problem	Possible Cause	Solution
No sound.	Volume too low; speaker not connected; audio source issue.	Increase speaker and device volume. Re-pair Bluetooth. Check audio source playback.
TWS pairing fails.	Speakers already connected to another device.	Disconnect both speakers from any other Bluetooth devices before initiating TWS pairing.
Speaker unresponsive.	Software glitch.	Use a small pin to press the Reset button located near the charging port.

## 7. SPECIFICATIONS

Feature	Specification
Model Name	X26
Brand	comiso
Connectivity Technology	Bluetooth 5.0
Bluetooth Range	Up to 10 meters (33 feet)
Speaker Type	Surround Sound
Audio Output Mode	Stereo
Speaker Maximum Output Power	20 Watts
Water Resistance Level	IPX4 (Splashproof)
Battery Capacity	2200 mAh
Playtime	Up to 24 hours (at medium volume)
Charging Time	Approximately 6 hours
Product Dimensions	2.7"D x 2.7"W x 5.9"H
Item Weight	13.6 ounces
Special Feature	Built-in Microphone, True Wireless Stereo (TWS)

## 8. WARRANTY AND SUPPORT

### 8.1 Warranty Information



The comiso X26 Bluetooth Speaker comes with a limited warranty. For specific details regarding warranty coverage, terms, and conditions, please refer to the warranty card included with your product or contact comiso customer support directly.

## 8.2 Customer Support

If you encounter any issues or have questions not covered in this manual, please contact comiso customer support. Contact information can typically be found on the official comiso website or on the product packaging.


© 2025 comiso. All rights reserved.

### Related Documents - X26

	<p><a href="#">FCC Confidentiality Request for X26L Device by COMISO</a></p> <p>Confidentiality request letter submitted to the FCC for the X26L wireless speaker by SHENZHEN COMISO DIGITAL TECHNOLOGY LIMITED, detailing requested confidentiality periods for exhibits.</p>
	<p><a href="#">COMISO C15 IPX7 Waterproof Wireless Speaker User Manual</a></p> <p>Comprehensive user manual for the COMISO C15 IPX7 Waterproof Wireless Speaker (Model 96110). Learn about its features, functions, Bluetooth connectivity, TWS pairing, light modes, specifications, safety guidelines, and troubleshooting tips.</p>
	<p><a href="#">COMISO C15 Wireless Waterproof Speaker User Manual</a></p> <p>Comprehensive user manual for the COMISO C15 Wireless Waterproof Speaker, detailing features, operation, safety instructions, and troubleshooting.</p>
	<p><a href="#">Comiso E6 Wireless Earbuds - High-Quality Audio with Ergonomic Design</a></p> <p>Discover the Comiso E6 Wireless Earbuds, featuring Bluetooth 5.0, 800mAh charging case, IPX7 waterproof rating, and noise isolation for an immersive listening experience.</p>
	<p><a href="#">COMISO C17PRO Wireless Bluetooth Speaker: User Guide and Specifications</a></p> <p>Comprehensive guide for the COMISO C17PRO Wireless Bluetooth Speaker, covering setup, TWS pairing, troubleshooting, specifications, and warranty information.</p>
	<p><a href="#">Comiso X26M Wireless Speaker User Manual and Specifications</a></p> <p>This document provides comprehensive instructions, troubleshooting tips, and specifications for the Comiso X26M wireless speaker, including details on Bluetooth pairing, charging, and warranty information.</p>

Documents - comiso – X26

[\[pdf\]](#) User Manual Specifications Accessories



X26 FCC Administrator User manual SHENZHEN COMISO DIGITAL TECHNOLOGY LIMITED X26

Wireless speaker 2AEZG 2AEZGX26 x26

Wireless speaker MODEL **X26** User Instruction Functions 15.Low Battery Warning:

When the speaker s battery is less than 20 , the red indicator light will flash, then please charge the speaker.When battery is less than 5 ,it will turn off automatically.

16.Charing time:DC 5V/1A,7.5-8 hours, indicator...

lang:en **score:27** filesize: 4.71 M page\_count: 1 document date: 2017-06-28

**GTS**

[\[pdf\]](#) Test Report

HD 271 S1 LAB02 SGS CSTC Test report SHENZHEN COMISO DIGITAL TECHNOLOGY LIMITED X26

Wireless speaker 2AEZG 2AEZGX26 x26

Global United Technology Services Co., Ltd. Report No.: GTS201706000252F02

FCC REPORT Applicant: ... ict, ShenZhen City, China Equipment Under Test EUT

Product Name: Wireless speaker Model No.: **X26**, X6, X2, X18, X28, X10, M216,

M246, C66 FCC ID: Applicable standards: 2AEZG-**X26** FCC CFR Title ...

lang:en **score:25** filesize: 873.75 K page\_count: 24 document date: 2017-07-07



**GTS**

[\[pdf\]](#) Test Report

HD 271 S1 LAB02 SGS CSTC Test report SHENZHEN COMISO DIGITAL TECHNOLOGY LIMITED X26

Wireless speaker 2AEZG 2AEZGX26 x26

Global United Technology Services Co., Ltd. Report No.: GTS201706000252F01

FCC REPORT Applicant: ... ict, ShenZhen City, China Equipment Under Test EUT

Product Name: Wireless speaker Model No.: **X26**, X6, X2, X18, X28, X10, M216,

M246, C66 FCC ID: Applicable standards: 2AEZG-**X26** FCC CFR Title ...

lang:en **score:24** filesize: 1.25 M page\_count: 29 document date: 2017-07-04



[\[pdf\]](#) User Manual

COMISO X26M Wireless Speaker User Manual 2AEZG 2AEZGX26M Administrator user manual comiso portable bluetooth speakerComiso X26 Bluetooth IPX4 Waterproof Speakersuser speakerhometechsupply 2024 01 speaker |||

...

lang:en **score:24** filesize: 2.21 M page\_count: 1 document date: 2022-03-06



SHENZHEN COMISO DIGITAL TECHNOLOGY LIMITED  
Add: 12/F,XinLong Technology Park,SongGang Town,BaoAn  
District,ShenZhen City,China

Date: 2021-3-15  
FCC ID: 2AEZG-0260  
Dear Sir/Madam,

We SHENZHEN COMISO DIGITAL TECHNOLOGY LIMITED hereby declares the following statement for Federal Communications Commission, PCB board, circuit, structure and internal of these models are the same, Only model number is different for these model:

Product name: Wireless speaker  
Model no.: X26, ONBEAT360

Sincerely,  
  
Name/title: wei chen/Manager  
Company: SHENZHEN COMISO DIGITAL TECHNOLOGY LIMITED  
Address: 12/F,XinLong Technology Park,SongGang Town,BaoAn  
District,ShenZhen City,China  
Phone: 0755-27836800  
Fax: 0755-27836800  
E-Mail: 12529719@qq.com

## [pdf] Declaration of Conformity

Declaration Letter of Model Difference SHENZHEN COMISO DIGITAL TECHNOLOGY LIMITED 0260  
Wireless speaker 2AEZG 2AEZG0260

SHENZHEN COMISO DIGITAL TECHNOLOGY LIMITED Add: 12/F,XinLong  
Technology Park,SongGang Town,BaoAn Dis ... the same, Only model number is  
different for these model: Product name: Wireless speaker Model no.: **X26**,  
ONBEAT360 Sincerely, Name/Title Company: Address: Phone: Fax: E-Mail: wei  
chen/Manager SHENZ...

lang:tl score:22 filesize: 82.19 K page\_count: 1 document date: 2021-03-18

**Differences Declaration**

To whom concern:  
We company SHENZHEN COMISO DIGITAL TECHNOLOGY LIMITED hereby declares: The product models X26, X16, X6, M20S, M229 are identical in the same PCB layout, interior structure and electrical circuits, the only difference is the model name for commercial purpose.

Authorized signature:   
Date: 2022-03-01

## [SHENZHEN COMISO DIGITAL TECHNOLOGY LIMITED Product Model Differences Declaration](#)

Declaration from SHENZHEN COMISO DIGITAL TECHNOLOGY LIMITED confirming that product models X26, X16, X6, M20S, and M229 share identical internal components and structure, with model names differing only for commercial reasons.

lang:tl score:20 filesize: 60.25 K page\_count: 1 document date: 2022-03-03

**Differences Declaration**

To whom concern:  
We company SHENZHEN COMISO DIGITAL TECHNOLOGY LIMITED hereby declares: The product models C17, C15, M30, X26M, C7S, C10, X28, M246, X28, M20, C28, C9, C6, C26, M10 are identical in the same PCB layout, interior structure and electrical circuits with the model C8S which tested in Global United Technology Services Co., Ltd., the only difference is the model name for commercial purpose.

Authorized signature:   
Date: 2018-07-24

## [pdf] Declaration of Conformity

Differences Declaration hss Cover letter SHENZHEN COMISO DIGITAL TECHNOLOGY LIMITED C8S  
Wireless speaker 2AEZG 2AEZGC8S c8s

Differences Declaration To whom concern, We company SHENZHEN COMISO DIGITAL TECHNOLOGY LIMITED hereby declares: The product models C17, C15, M30, **X26M**, C7S, C10, **X26**, M246, X28, M20, C28, C9, C6, C26, M10 are identical in the same PCB layout, interior structure and electrical circuits with the model...

lang:tl score:20 filesize: 67.94 K page\_count: 1 document date: 2018-07-31

CONFIDENTIALITY REQUEST  
for Certification Service in USA

Federal Communication Commission  
Equipment Authorization Division, Application Processing Branch  
7425 Oakland Mills Road  
Columbia, MD 21046

Date -2021-3-15-

Subject to Paragraphs 60.457 and 6.459 of the Commission's Rules (47 C.F.R.) and Section 6550(h)(4) of the Freedom of Information Act, we request confidentiality for the following products:

FCC ID: 2AEZG-0260 Model name X26

For the product stated above, we request that the following information be held confidential:

Exhibit	Long Term Confidentiality	Short-Term Confidentiality	Short-Term Confidentiality Days
External Photos	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
Internal Photos	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
Block Diagram	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
Software	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
Test Setup Photos	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
User's Manual	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
FCC ID	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
Tune Up	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
Operational Descriptions	<input checked="" type="checkbox"/>	<input type="checkbox"/>	

The long-term confidentiality exhibits contain our trade secrets and proprietary information that would be of benefit to our competitors.

The short-term confidentiality is the basis of ensuring that business sensitive information remains confidential until the actual marketing of our new device.

If you have any questions, please feel free to contact me at the address shown below.

### [pdf] Confidentiality Request Letter

FCC Confidentiality request letter SHENZHEN COMISO DIGITAL TECHNOLOGY LIMITED 0260

Wireless speaker 2AEZG 2AEZG0260

CONFIDENTIALITY REQUEST for Certification Service in USA Federal Communication Commission Equipment ... rmation Act, we requests confidentiality for the following products: FCC ID 2AEZG-0260 Model name **X26** For the product stated above, we request that the following information be held confidential; ...

lang:en score:20 filesize: 118.21 K page\_count: 2 document date: 2021-03-18

GTS

FCC ID: 2AEZG-X26

According to 47 CFR 15.240(d) and 15.240(f) test exclusion thresholds for 100 MHz to 6 GHz at test separation distances 50 mm are determined by:

[max. power of channel, including tune-up tolerance, mW]/(min. test separation distance, mm)  $\leq$  (4 GHz)  $\leq$  3.0 for 1-g SAR and  $\leq$  7.5 for 10-g extremely SAR, where

- 10-g SAR = 10 times the 1-g SAR
- Power and distance are rounded to the nearest mW and mm before calculation
- The result is rounded to one decimal place for comparison

where

$$d = \sqrt{4\pi g \cdot (E^2)/30}$$

$$d = \sqrt{4\pi g \cdot (E^2)/30} \text{ meters in walls,}$$

$$g = \text{numeric gain of the transmitting antenna (unless),}$$

$$E = \text{electric field strength in V/m,}$$

$$d = \text{measurement distance in meters (m)} \quad \text{---3m}$$

So  $g = (E^2)/30 \text{ x } g$

Field strength = 97.23dBuV/m @3m  
Ant gain = 0dB, so Ant numeric gain = 1

So  $g = [(10^{97.23/20})/10^2] \times 3/30 \times 1 \times 1000 \text{ mW} = 1.586 \text{ g}$

So  $(1.586 \text{ mW})/(30 \text{ mm}) \times 32.402 = 0.492$

Then SAR evaluation is not required

### [pdf] SAR Rating

yxh RF Exposure SHENZHEN COMISO DIGITAL TECHNOLOGY LIMITED X26 Wireless speaker

2AEZG 2AEZGX26 x26

FCC ID: 2AEZG-**X26** According to 447498 D01 General RF Exposure Guidance v05

The 1-g and 10-g SAR test exclusion thresholds for 100 MHz to 6 GHz at test separation distances 50 mm are determined by: max. power of channel, including tune-up tolerance, mW / min. test separation distance, mm f GHz ...

lang:en score:19 filesize: 38.93 K page\_count: 1 document date: 2017-07-04

GTS


[pdf] Test Report

HD 271 S1 LAB02 Test report SHENZHEN COMISO DIGITAL TECHNOLOGY LIMITED C8S Wireless speaker 2AEZG 2AEZGC8S c8s

Global United Technology Services Co., Ltd. Report No.: GTS201807000064F02

FCC REPORT Applicant: ... EUT Product Name: Model No.: FCC ID: Applicable standards: Wireless speaker C8S, C17, C15, M30, **X26**M, C7S, C10, **X26**, M246, X28, M20, C28, C9, C6, C26, M10 2AEZG-C8S FCC CFR Title 47 Part 15 Subpar...


lang:en score:16 filesize: 1.38 M page\_count: 27 document date: 2018-07-31



### MODELCOM SC X26 Wireless Speaker User Manual

User manual for the MODELCOM SC X26 wireless speaker, detailing features, specifications, and usage instructions.

lang:en score:16 filesize: 1.84 M page\_count: 1 document date: 2021-03-18




### [pdf] User Manual

X26            cdr Administrator User manual SHENZHEN COMISO DIGITAL TECHNOLOGY LIMITED

X260 2AEZG 2AEZGX260 x260

EC REP Company:Qing UGhaftungsbeschränkt Address:Undinestr. 712203 Berlin E-Mail:pmdheinrich@gmail.com ...

lang:en score:16 filesize: 2.6 M page\_count: 1 document date: 2022-03-03




### [pdf] Test Report

HD 271 S1 LAB02 Test report SHENZHEN COMISO DIGITAL TECHNOLOGY LIMITED C8S Wireless speaker 2AEZG 2AEZGC8S c8s

Global United Technology Services Co., Ltd. Report No.: GTS201807000064F01

FCC REPORT Applicant: ... EUT Product Name: Model No.: FCC ID: Applicable standards: Wireless speaker C8S, C17, C15, M30, X26M, C7S, C10, X26, M246, X28, M20, C28, C9, C6, C26, M10 2AEZG-C8S FCC CFR Title 47 Part 15 Subpart

lang:en score:16 filesize: 2.19 M page\_count: 36 document date: 2018-07-31




### [pdf]

Cover letter SHENZHEN COMISO DIGITAL TECHNOLOGY LIMITED X26 Wireless speaker 2AEZG 2AEZGX26 x26

...

lang:en score:13 filesize: 81.55 K page\_count: 1 document date: 2017-07-04



### [pdf]

Cover letter SHENZHEN COMISO DIGITAL TECHNOLOGY LIMITED X26 Wireless speaker 2AEZG 2AEZGX26 x26

...

lang:en score:13 filesize: 71.1 K page\_count: 1 document date: 2017-07-04

## Differences Declaration

To whom concern,  
We SHENZHEN COMISO DIGITAL TECHNOLOGY LIMITED  
hereby declares:  
The product model(s) X6, X2, X18, X28, X, M216, M246, C66  
are identical in the same PCB layout, internal structure and  
electrical performance with the model X26, which tested in Global  
United Technology Services Co., Ltd., the only difference is the  
model name for commercial purpose.

Authorized signature: *wei chen*

Date: 2017-06-29

[\[pdf\]](#)

Cover letter SHENZHEN COMISO DIGITAL TECHNOLOGY LIMITED X26 Wireless speaker 2AEZG  
2AEZGX26 x26

...

lang:en **score:13** filesize: 58.77 K page\_count: 1 document date: 2017-07-04

Radiated Emission



[\[pdf\]](#)

EMCCE Test setup SHENZHEN COMISO DIGITAL TECHNOLOGY LIMITED X26 Wireless speaker  
2AEZG 2AEZGX26 x26

Radiated Emission Conducted Emission ...

lang:en **score:13** filesize: 88.22 K page\_count: 2 document date: 2017-07-04



[\[pdf\]](#) Product Photos Teardown

EMCCE Internal photos SHENZHEN COMISO DIGITAL TECHNOLOGY LIMITED X26 Wireless speaker  
2AEZG 2AEZGX26 x26

...

lang:en **score:13** filesize: 288.42 K page\_count: 3 document date: 2017-07-04



### [\[pdf\]](#) Product Photos

EMCCE External photos SHENZHEN COMISO DIGITAL TECHNOLOGY LIMITED X26 Wireless speaker  
2AEZG 2AEZGX26 x26

...

lang:en **score:13** filesize: 125.62 K page\_count: 3 document date: 2017-07-04



### [\[pdf\]](#) Label

Www SangSan Cn Label SHENZHEN COMISO DIGITAL TECHNOLOGY LIMITED X26 Wireless speaker 2AEZG 2AEZGX26 x26

Label location ...

lang:en **score:12** filesize: 79.97 K page\_count: 1 document date: 2017-07-04



### [\[pdf\]](#) Label

label and location SHENZHEN COMISO DIGITAL TECHNOLOGY LIMITED 0260 Wireless speaker 2AEZG 2AEZG0260

Wireless speaker Model No.: **X26** FCC ID: 2AEZG-0260 FCC ID: 2AEZG-0260 ...

lang:en **score:12** filesize: 163.54 K page\_count: 1 document date: 2021-03-18



### [\[pdf\] Product Photos Teardown](#)

Internal Photos SHENZHEN COMISO DIGITAL TECHNOLOGY LIMITED 0260 Wireless speaker 2AEZG 2AEZG0260

Product Name: Test Model No.: EUT Constructional Details Internal Photo Wireless speaker **X26** GTS20210300053 Fig.1 Fig.2 GTS20210300053 Antenna Fig.3 Fig.4 GTS20210300053 Fig.5 ...

lang:en **score:12** filesize: 767.76 K page\_count: 3 document date: 2021-03-18




### [\[pdf\] Product Photos](#)

External Photos SHENZHEN COMISO DIGITAL TECHNOLOGY LIMITED 0260 Wireless speaker 2AEZG 2AEZG0260

Product Name: Test Model No.: EUT Constructional Details External Photo Wireless speaker **X26** GTS20210300053 Fig.1 Fig.2 GTS20210300053 Fig.3 Fig.4 GTS20210300053 Fig.5 Fig.6 GTS20210300053 Fig.7 ...

lang:en **score:12** filesize: 985.8 K page\_count: 4 document date: 2021-03-18



### [\[pdf\] Label](#)

x26 FCC V1 20220302 GANQIFU Label SHENZHEN COMISO DIGITAL TECHNOLOGY LIMITED X260 2AEZG 2AEZGX260 x260

43 mm 43 mm ...

lang:en **score:9** filesize: 193.87 K page\_count: 1 document date: 2022-03-02