

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

[manuals.plus](#) /

› [iOttie](#) /

› [iOttie Easy One Touch Mini Dash & Windshield Car Mount Phone Holder - Instruction Manual](#)

iOttie HLCRIO128

iOttie Easy One Touch Mini Dash & Windshield Car Mount Phone Holder

Model: HLCRIO128

PRODUCT OVERVIEW

The iOttie Easy One Touch Mini Dash & Windshield mount is a compact and simple smartphone mounting solution. It securely holds your device, allowing for safe driving. This mount is universally compatible with all smartphones.

Key Features:

- **EASY ONE TOUCH LOCK RELEASE:** Patented Easy One Touch mechanism allows quick one-hand open and close operation.
- **UNIVERSAL MOUNTING:** Holds all phone and case combinations from 2.3" - 3.5".
- **STRONG SUCTION:** Suction cup offers high stick strength, can be paired with separate dashboard pad for added strength.
- **ADJUSTABLE VIEWING:** Cradle rotates at the swivel Ball 360 degree for optimal viewing.
- **COMPACT DESIGN:** Small Compact design allows to take up minimal space on your desired mounting location.



Image: The iOttie Easy One Touch Mini Dash & Windshield Car Mount with a smartphone mounted, showcasing its compact design and secure hold.

SETUP INSTRUCTIONS

- 1. Connect Cradle to Ball Joint:** Attach the mounting cradle to the ball joint of the suction cup arm. Ensure it is securely tightened.
- 2. Prepare Mounting Surface:** Clean the desired dashboard or windshield area thoroughly. Ensure the surface is free of dust and debris.
- 3. Remove Suction Cup Cover:** Peel off the plastic protective cover from the suction cup.
- 4. Mount the Device:**
 - **For Dashboard Mounting:** Place the mount on a hard dashboard surface. Push the lever down to lock the suction cup in place. (Note: For soft dashboards, an iOttie Adhesive dashboard pad, sold separately,

is recommended to prevent marks).

- **For Windshield Mounting:** Place the mount on the windshield with the tab facing up. Push the lever down to lock the suction cup in place.

5. **Adjust Viewing Angle:** Turn the pivot and cradle knobs to adjust the arm and cradle for optimal viewing. Ensure the iOttie logo on the cradle faces up.



Image: Visual guide demonstrating the Easy One Touch lock and release mechanism for phone insertion and removal.

Your browser does not support the video tag.

Video: Official iOttie Easy One Touch Mini Dash & Windshield Mount setup and usage guide. This video demonstrates connecting components, mounting on the dashboard and windshield, and adjusting the viewing angle.

OPERATING INSTRUCTIONS

1. Mounting Your Smartphone:

- Press the release bars on the sides of the cradle to open the locking side arms.
- Place your smartphone against the Easy One Touch Trigger button located in the center of the cradle. The arms will automatically close and secure your device.

2. Removing Your Smartphone:

- Press the release bars on the sides of the cradle to unlock the side arms.
- Gently remove your smartphone from the mount.

3. Adjusting Viewing Angle During Use: The cradle rotates 360 degrees at the swivel ball joint. Loosen the pivot knob to adjust the angle, then tighten to secure.




Image: Illustration of the mount's optimal viewing angles, demonstrating its 225-degree pivot capability.

MAINTENANCE

- **Cleaning the Suction Cup:** If the suction cup loses its stickiness, rinse it with warm water and let it air dry completely. This will restore its adhesive properties.
- **Cleaning the Mount:** Wipe the mount with a soft, damp cloth to remove dust and grime. Avoid using harsh chemicals or abrasive cleaners.
- **Storage:** When not in use for extended periods, store the mount in a cool, dry place away from direct sunlight.

TROUBLESHOOTING

Problem	Possible Cause	Solution
Mount not sticking to dashboard/windshield.	Dirty surface; suction cup lost stickiness; unsuitable surface material.	Clean surface thoroughly. Rinse suction cup with water and air dry. For soft dashboards, use an adhesive dashboard pad (sold separately). Ensure surface temperature is above 40°F before installation.
Phone not held securely.	Side arms not fully closed; phone too large/small for universal compatibility.	Ensure phone is pressed firmly against the Easy One Touch Trigger. Verify phone width is within 2.3" - 3.5".
Mount wobbles or moves during driving.	Suction cup not properly locked; pivot/cradle knobs loose.	Ensure suction cup lever is fully pushed down. Tighten all pivot and cradle knobs securely.

SPECIFICATIONS

Product Dimensions: 4.33 x 2.76 x 5.51 inches

Item Weight: 8.4 ounces

Model Number: HLCRIO128

Color: Black

Mounting Type: Dashboard / Windshield

Compatible Devices: Smartphones (2.3" - 3.5" width)

Manufacturer: iOttie

Country of Origin: Korea, Republic of

Date First Available: March 23, 2018

WARRANTY & SUPPORT


For detailed warranty information and customer support, please refer to the official iOttie website or the user manual provided with your product.

A digital version of the user manual can be found [here](#).

Legal Disclaimer: Before installation, we recommend that both surface area and the product itself have a temperature above 40F. In addition, please let the dashboard pad sit for 30 minutes, before installing. PLEASE NOTE: If you have a leather dashboard please mount on your windshield for a stronger hold. iOttie is not responsible for misuse or damage to location of mounting.

© 2024 iOttie. All rights reserved.

Related Documents - HLCRIO128

 <p>Easy One Touch Mini Dashboard & Windshield Mount Operation Manual iOttie</p>	<p>iOttie Easy One Touch Mini Dashboard & Windshield Mount - Operation Manual Operation manual for the iOttie Easy One Touch Mini dashboard and windshield car mount. Provides detailed instructions for installation, adjustment, and usage of the smartphone holder.</p>
 <p>Easy One Touch 5 Dash/Windshield Mount • Support pour tableau de bord/pare-brise • Support tableau de bord pour smartphone • Support pour smartphone pour tableau de bord et pare-brise • Wisschutzscheibenhalterung • Montage de tableau et pare-brise Manual • Guide • Manual • Handbuch • Manual iOttie</p>	<p>iOttie Easy One Touch 5 Car Mount User Manual Comprehensive guide to installing and using the iOttie Easy One Touch 5 car mount for smartphones. Features include easy mounting, adjustable arms, and secure grip for dashboard or windshield placement.</p>
 <p>Easy One Touch 5 Dash/Windshield Mount • Support pour tableau de bord/pare-brise • Support tableau de bord pour smartphone • Support pour smartphone pour tableau de bord et pare-brise • Wisschutzscheibenhalterung • Montage de tableau et pare-brise Manual • Guide • Manual • Handbuch • Manual iOttie</p>	<p>iOttie Easy One Touch 5 Dash/Windshield Mount User Manual User manual for the iOttie Easy One Touch 5, a versatile dash and windshield smartphone mount. Includes installation instructions, specifications, and usage guide.</p>

 <p>Easy One Touch Connect Alexa Built-in Dashboard & Windshield Mount</p> <p>Quick Start Guide Installation Guide Software Guide</p>	<p><u>iOttie Easy One Touch Connect Alexa Built-in Dashboard & Windshield Mount User Guide</u></p> <p>This comprehensive guide provides instructions for setting up and using the iOttie Easy One Touch Connect, a car mount featuring built-in Alexa. It covers quick start, installation, software setup, and device operation, including mounting, adjusting, and using Alexa features.</p>
 <p>Velox™ Magnetic Wireless Charging Dash & Windshield Mount User Manual</p>	<p><u>Velox Magnetic Wireless Charging Dash & Windshield Mount User Manual</u></p> <p>User manual for the Velox Magnetic Wireless Charging Dash & Windshield Mount, providing instructions for installation, device compatibility, and product specifications.</p>
 <p>Quick Start Guide Velox™ Magnetic Flush Mount</p>	<p><u>iOttie Velox™ Magnetic Flush Mount: Quick Start Guide & User Manual</u></p> <p>Install and use your iOttie Velox™ Magnetic Flush Mount with this comprehensive guide. Learn about device compatibility, specifications, and mounting instructions for MagSafe iPhones.</p>