

Zephyr ZAN-E30D

Zephyr ZAN-E30D Anzio 30-Inch Wall Mounted Range Hood Instruction Manual

INTRODUCTION

This manual provides comprehensive instructions for the installation, operation, and maintenance of your Zephyr ZAN-E30D Anzio 30-Inch Wall Mounted Range Hood. Please read this manual thoroughly before installation and use to ensure proper function and safety. Keep this manual for future reference.

SAFETY INFORMATION

Always adhere to local electrical and building codes. Ensure the range hood is properly grounded. Disconnect power before servicing or cleaning. Do not operate the range hood if any parts are damaged. Keep children away from the appliance. Use only for its intended purpose of ventilating cooking fumes.

SETUP AND INSTALLATION

The Zephyr Anzio range hood is designed for wall-mounted installation and can be configured for ducted or ductless (recirculating) ventilation. Proper installation is crucial for optimal performance and safety.

Key Installation Considerations:

- **Mounting Type:** Wall Mount.
- **Ducting:** Designed for ducted/vented operation. Can be converted to ductless ventilation with an optional recirculating kit (sold separately).
- **Dimensions:** 29-15/16 inches (W) x 22-1/16 inches (D) x 5-5/16 inches (H) for the main body.
- **Height Above Cooktop:** Maintain a distance of 24 to 34 inches between the bottom of the hood and the cooking surface. Refer to local codes for specific requirements.
- **Duct Size:** Requires a 6-inch round duct for ducted installations.
- **Electrical Requirements:** 120 Volts, 60 Hz, 4 Amps, 480 Watts. A dedicated circuit is recommended.
- **Airflow Control Technology (ACT™):** This exclusive technology allows installers to set the maximum CFM levels to comply with local code requirements. Consult the detailed installation guide for configuration.



Image: Zephyr Anzio 30-inch wall mounted range hood in a kitchen setting, showcasing its sleek design above a cooktop. The hood is stainless steel, complementing the surrounding cabinetry.



Image: An angled view of the Zephyr Anzio range hood installed in a modern kitchen. The stainless steel finish and low-profile design integrate seamlessly with the kitchen's aesthetic.

OPERATING INSTRUCTIONS

The Zephyr Anzio range hood features intuitive controls and powerful ventilation to effectively remove cooking odors and smoke.

Controls and Functions:

- **ICON Touch™ Controls:** The integrated touch controls allow for easy adjustment of fan speed and lighting. These controls are seamlessly integrated into the hood's stainless steel canopy.
- **Fan Speeds:** The hood offers 5 distinct fan speeds, providing airflow options from 290 CFM to a maximum of 600 CFM, with sones ranging from 1 to 6. Select the appropriate speed based on cooking intensity.
- **LumiLight LED Lighting:** Activate the eco-friendly LumiLight LED lights to illuminate your cooking surface. These lights are designed for long-lasting performance.
- **Remote Control:** An optional ADA-compliant remote control is available for convenient operation from a distance.




Image: Front view of the Zephyr Anzio range hood, highlighting the integrated ICON Touch™ controls and LumiLight LED lighting along the bottom edge.

MAINTENANCE

Regular maintenance ensures the longevity and optimal performance of your Zephyr Anzio range hood.

Cleaning and Care:

- **Aluminum Mesh Filters:** The hood is equipped with aluminum mesh filters that effectively capture grease and odors. These filters should be cleaned regularly. They are typically dishwasher-safe or can be washed by hand with warm, soapy water. Ensure filters are completely dry before reinstallation.
- **Exterior Surfaces:** Clean the stainless steel exterior with a soft cloth and a non-abrasive stainless steel cleaner. Avoid harsh chemicals or abrasive pads that can scratch the finish.
- **LumiLight LED Lights:** The LED lights are designed for durability with a lifespan exceeding 25,000 hours and generally do not require replacement. If a light issue occurs, consult the troubleshooting section or contact customer support.

TROUBLESHOOTING

If you encounter issues with your range hood, refer to the following common troubleshooting steps. For problems not listed here, contact Zephyr customer support.

- **No Power:** Check the circuit breaker and ensure the hood is properly plugged in. Verify all electrical connections.
- **Fan Not Operating:** Ensure the fan speed is selected on the control panel. Check for obstructions in the fan or ductwork.
- **Poor Ventilation:** Clean or replace filters. Check for blockages in the ductwork. Ensure the hood is installed at the correct height above the cooktop.
- **Excessive Noise:** Check for loose parts or obstructions in the fan. Ensure the ductwork is properly sealed and secured.
- **Lights Not Working:** Check light settings on the control panel. If individual LEDs are out, contact customer support.

SPECIFICATIONS

Feature	Specification
Model	ZAN-E30D
Brand	Zephyr
Mounting Type	Wall Mount
Material	Stainless Steel
Nominal Width	30 inches
Product Dimensions (D x W x H)	22.06 x 29.94 x 5.31 inches
Item Weight	88.6 Pounds
Air Flow Capacity (CFM)	290, 390, 600
Sones	1, 6
Number of Speeds	5
Controls Type	Touch (ICON Touch™)
Light Source Type	LED (LumiLight)
Voltage	120 Volts
Frequency	60 Hz
Amperage	4 Amps
Wattage	480 Watts
Filter Type	Aluminum Mesh
Duct Size	6 inch Round
Ventilation Type	Ducted/Vented (Convertible to Ductless)

Included Components	Remote Control
Special Features	ADA Compliant (with optional remote), Airflow Control Technology (ACT™)
UPC	646328010682

WARRANTY INFORMATION

The Zephyr ZAN-E30D Anzio Range Hood is covered by a manufacturer's warranty:

- **Parts:** 3-year warranty on parts.
- **Labor:** 1-year warranty on labor.

Please retain your proof of purchase for warranty claims. For detailed terms and conditions, refer to the warranty card included with your product or visit the official Zephyr website.




CUSTOMER SUPPORT




For technical assistance, service inquiries, or to order replacement parts, please contact Zephyr customer support. Have your model number (ZAN-E30D) and serial number ready when contacting support. Visit the official Zephyr website for the most up-to-date contact information and additional resources.



© 2023 Zephyr. All rights reserved.

Related Documents - ZAN-E30D

	<p>Zephyr Anzio Range Hood Parts List and Diagram</p> <p>Detailed parts list and exploded view diagram for Zephyr Anzio range hood models ZAN-E24CS, ZAN-E30CS, ZAN-E30CBS, ZAN-M90CS, and ZAN-M90CBS, including component descriptions and quantities.</p>
	<p>Zephyr Savona, Anzio, Ravenna, Roma Range Hoods: Use, Care, and Installation Guide</p> <p>This guide provides essential information for Zephyr Savona, Anzio, Ravenna, and Roma series range hoods, covering installation, operation, maintenance, and troubleshooting for optimal performance.</p>
	<p>Zephyr Range Hoods: Savona, Anzio, Ravenna, Roma - Use, Care, and Installation Guide</p> <p>Comprehensive guide for Zephyr Savona, Anzio, Ravenna, and Roma series range hoods, covering safety, installation, operation, features, maintenance, troubleshooting, and warranty information.</p>

	<p>Brisas BMI & BVE Wall Mount Range Hood: Use, Care, and Installation Guide</p> <p>Comprehensive guide for Brisas BMI and BVE series wall mount range hoods by Zephyr, covering installation, operation, maintenance, troubleshooting, and warranty information.</p>
	<p>Zephyr Forte Hood Banding Kit Installation Instructions</p> <p>Step-by-step installation guide for the Zephyr Forte Hood Banding Kit, including parts identification and assembly procedures for various models. This guide details the attachment of banding components to enhance the appearance of Zephyr range hoods.</p>
	<p>Zephyr Modena Island Range Hood: Use, Care, and Installation Guide</p> <p>Comprehensive guide for the Zephyr Modena Island range hood (models ZMD-M90AS, ZMD-E42AS), covering installation, operation, maintenance, and troubleshooting for optimal kitchen ventilation.</p>