

## Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

manuals.plus /

> [Zephyr](#) /

> [Zephyr Roma ZRM-E36F Island Range Hood Instruction Manual](#)

## Zephyr ZRM-E36F

# Zephyr Roma ZRM-E36F Island Range Hood Instruction Manual

This manual provides detailed instructions for the installation, operation, and maintenance of your Zephyr Roma ZRM-E36F 36-inch island range hood with LumiLight LED lighting.

[Setup](#)

[Operation](#)

[Maintenance](#)

[Troubleshooting](#)

[Specifications](#)

[Warranty](#)

[Support](#)

## 1. SETUP AND INSTALLATION

---

Proper installation is crucial for the optimal performance and safety of your Zephyr Roma range hood. Please follow these guidelines carefully.

### 1.1 Unpacking and Inspection

Carefully remove all packaging materials. Inspect the range hood for any shipping damage. Report any damage immediately to your retailer.

### 1.2 Important Pre-Installation Notes

- Ensure the installation area is clear of obstructions.
- Verify that the electrical supply meets the requirements (120V, 60Hz, 4A).
- The range hood can be converted for ductless (recirculating) ventilation.
- The surface of the chimney received will be covered with a layer of white protective film. Please tear it off before use. If the protective film is difficult to remove, it is recommended to try heating it with a hair dryer before peeling it off.



Figure 1: Zephyr Roma ZRM-E36F Island Range Hood, front view.

### **1.3 Mounting Height Recommendation**

Measure the distance between the stovetop and the bottom of the range hood. A distance of 24" to 34" above the cooktop is recommended for optimal performance and safety. The minimum height is 30 inches, but it can be extended to 47.4 inches.




Figure 2: Product dimensions showing 35.88" width, 26.94" depth, and 36" height.

## 1.4 Ducting and Electrical Connections

- Ensure proper 6-inch round ducting is in place for ducted installations.
- Connect the range hood to a grounded 120V, 60Hz electrical outlet.

## 1.5 Installation Video (General Guide)

The following video provides a general overview of a wall mount range hood installation process. While not specific to the Zephyr Roma, it demonstrates common steps and tools involved. Always refer to the specific instructions provided with your product for precise details.

Your browser does not support the video tag.

Video 1: BRANO Wall Mount Range Hood Installation Guide. This video illustrates the general steps for installing a wall mount range hood, including mounting and ducting connections.

---

## 2. OPERATING INSTRUCTIONS

Your Zephyr Roma range hood features intuitive controls for efficient ventilation and lighting.

## 2.1 Control Panel Overview

The range hood is equipped with ICON Touch® controls, allowing easy adjustment of settings. These controls are seamlessly integrated into the stainless steel canopy.

- **Power Button:** Turns the unit on or off.
- **Fan Speed Buttons:** Adjusts the fan speed. The unit offers 5 available speeds.
- **Light Button:** Controls the LumiLight LED lighting.



Figure 3: Zephyr Roma ZRM-E36F Island Range Hood installed above a cooktop in a modern kitchen.

## 2.2 Fan Operation

The Airflow Control Technology (ACT™) allows for precise control over ventilation. Select the appropriate fan speed based on your cooking needs to effectively remove cooking fumes and odors. The fan operates quietly, even at higher speeds.

- Press the fan speed buttons to cycle through the 5 available speeds.
- The fan effectively removes vapors and smoke, as demonstrated in the video below.

## 2.3 Lighting Operation

The LumiLight LED lights provide bright and energy-efficient illumination for your cooking surface. The dual-level lighting can be adjusted for different ambient needs.

- Press the light button to turn the lights on/off or adjust brightness if applicable.

## 2.4 Operation Demonstration Video

This video demonstrates the fan and light operation of a similar range hood, showcasing how it effectively clears cooking vapors and the brightness of the lights. Note that the specific model and controls may vary

slightly.

Your browser does not support the video tag.

Video 2: Range Hood Operation Review. This video shows the lights and fan speeds in action, demonstrating the hood's effectiveness in clearing steam.

### 3. MAINTENANCE

---

Regular maintenance ensures the longevity and efficient performance of your range hood.

#### 3.1 Cleaning the Filters

The aluminum mesh filters effectively trap grease and odors. For optimal performance, clean the filters regularly.

- Remove the mesh filters by pulling the release tabs.
- Wash the filters in hot, soapy water or in a dishwasher.
- Allow filters to dry completely before reinstalling.
- Frequency: It is recommended to clean the filters at least once a week, or more frequently depending on cooking habits.



Figure 4: Close-up view of the aluminum mesh filters and LED lights on the Zephyr Roma range hood.

#### 3.2 Cleaning the Exterior

Wipe down the stainless steel and glass surfaces with a soft cloth and a non-abrasive cleaner. Avoid harsh chemicals or scouring pads that can scratch the finish.

- For glass surfaces, use a glass cleaner to maintain clarity.

- For stainless steel, wipe in the direction of the grain to prevent streaks.

## 4. TROUBLESHOOTING

If you encounter any issues with your range hood, refer to the following common troubleshooting steps:

Problem	Possible Cause	Solution
<b>Hood not turning on</b>	No power supply, tripped circuit breaker, loose connection.	Check power cord, reset circuit breaker, ensure connections are secure.
<b>Poor suction</b>	Clogged filters, improper ducting, incorrect mounting height.	Clean or replace filters, check ductwork for obstructions or leaks, verify mounting height is within recommended range.
<b>Excessive noise</b>	Loose fan components, motor issue, ducting obstruction.	Inspect fan for loose parts, check ducting for blockages. If noise persists, contact customer support.
<b>Lights not working</b>	Burnt-out LED, loose wiring.	Check light connections. If LED is burnt out, contact customer support for replacement.

## 5. SPECIFICATIONS

Detailed technical specifications for the Zephyr Roma ZRM-E36F Island Range Hood.

Feature	Detail
<b>Brand</b>	Zephyr
<b>Model Number</b>	ZRM-E36FS
<b>Nominal Width</b>	36 inches
<b>Dimensions (D x W x H)</b>	26.94" x 35.88" x 36" (adjustable height)
<b>Material</b>	Stainless Steel
<b>Air Flow Capacity (CFM)</b>	290, 390, 600 (Adjustable with ACT™)
<b>Noise Level (Sones)</b>	1 - 6 Sones
<b>Mounting Type</b>	Island Mount
<b>Controls Type</b>	ICON Touch® Controls
<b>Number of Speeds</b>	5
<b>Light Source Type</b>	LumiLight LED (Dual-Level)

Feature	Detail
Voltage	120V
Frequency	60 Hz
Amperage	4A
Wattage	480W
Filter Type	Aluminum Mesh Filters
Ventilation Type	Ducted / Ductless (Recirculating) Convertible
Included Components	Remote Control
Special Features	LumiLight LED Lighting, ICON Touch® Controls, Airflow Control Technology (ACT™), Quick-Lock Installation System, Optional ADA-compliant remote control.

## 6. WARRANTY INFORMATION

---

Your Zephyr Roma ZRM-E36F Island Range Hood is covered by a manufacturer's warranty:

- **Labor:** 1 Year
- **Parts:** 3 Years

Please retain your proof of purchase for warranty claims. For detailed terms and conditions, refer to the official Zephyr warranty documentation or contact customer support.

## 7. CUSTOMER SUPPORT

---

For technical assistance, parts, or service inquiries, please contact Zephyr customer support. Have your model number (ZRM-E36FS) and purchase date ready when contacting support.

*Contact information (e.g., phone number, website) would typically be provided here by the manufacturer.*